

LIPZ

Venezia Tessera


OMDB

DUBAI INTL

2024/05/01 2356Z

LIPZ PUL **UL614** ADORU **UA4** BUK **UT32** GEM **UW73** DYB **UP975** SIDAD **R784** IMDAT **B416** ORSAR OMDB

2428.35 nm / 4497.30 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 34000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ	-	45.50479	0 ft	-	Venezia Tessera
APT	-	12.34969	0 m		
PUL	-	44.89237	27,100 ft	75	PULA VOR-DME
VOR	-	13.91813	8,260 m		
DOLOM	UL614	44.70722	35,000 ft	42	-
FIX	AWY-HI	14.87611	10,668 m		
PALEZ	UL614	44.57500	35,000 ft	29	-
FIX	AWY-HI	15.53306	10,668 m		
SONIK	UL614	44.44833	35,000 ft	27	-
FIX	AWY-HI	16.14333	10,668 m		
TABAV	UL614	44.41389	35,000 ft	7	-
FIX	AWY-HI	16.30556	10,668 m		
DRVAR	UL614	44.35194	35,000 ft	12	-
FIX	AWY-HI	16.59389	10,668 m		
SOLGU	UL614	44.11667	35,000 ft	48	-
FIX	AWY-HI	17.66667	10,668 m		
KEB	UL614	43.93386	35,000 ft	35	SARAJEVO VOR-DME
VOR	AWY-HI	18.44983	10,668 m		
PESAK	UL614	43.71861	35,000 ft	47	-
FIX	AWY-HI	19.50417	10,668 m		
TORTO	UL614	43.67086	35,000 ft	10	-
FIX	AWY-HI	19.73131	10,668 m		
EVINA	UL614	43.54897	35,000 ft	25	-
FIX	AWY-HI	20.29917	10,668 m		
LINDU	UL614	43.48536	35,000 ft	13	-
FIX	AWY-HI	20.58947	10,668 m		
NEKAD	UL614	43.30064	35,000 ft	37	-
FIX	AWY-HI	21.41097	10,668 m		
LATSA	UL614	43.18947	35,000 ft	22	-
FIX	AWY-HI	21.89086	10,668 m		
NISVA	UL614	42.97278	35,000 ft	41	-
FIX	AWY-HI	22.79750	10,668 m		
BLO	UL614	42.66722	35,000 ft	48	BAILOVO VOR-DME
VOR	AWY-HI	23.81389	10,668 m		
GERGI	UL614	42.18333	35,000 ft	81	-
FIX	AWY-HI	25.52194	10,668 m		
ADORU	UL614	41.87167	35,000 ft	50	-
FIX	AWY-HI	26.56833	10,668 m		
SERCE	UA4	41.59889	35,000 ft	36	-
FIX	AWY-HI	27.30778	10,668 m		
GOTAN	UA4	41.13639	35,000 ft	55	-
FIX	AWY-HI	28.38417	10,668 m		
BKZ	UA4	41.12694	35,000 ft	34	BEYKOZ VOR-DME
VOR	AWY-HI	29.14278	10,668 m		
GAYEM	UA4	41.04694	35,000 ft	22	-
FIX	AWY-HI	29.62861	10,668 m		
ERSEN	UA4	40.86556	35,000 ft	48	-
FIX	AWY-HI	30.66611	10,668 m		
YAVRU	UA4	40.58222	35,000 ft	55	-
FIX	AWY-HI	31.83278	10,668 m		
SALGO	UA4	40.47500	35,000 ft	17	-
FIX	AWY-HI	32.20000	10,668 m		
BUK	UA4	40.24167	35,000 ft	43	CUBUK NDB

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NDB	AWY-HI	33.10472	10,668 m		
GEM	UT32	39.15528	35,000 ft	150	GEMEREK VOR-DME
VOR	AWY-HI	36.02917	10,668 m		
ERH	UW73	38.46333	35,000 ft	105	ERHAC NDB
NDB	AWY-HI	38.11222	10,668 m		
ASKER	UW73	38.27389	35,000 ft	33	-
FIX	AWY-HI	38.77472	10,668 m		
DYB	UW73	37.87083	35,000 ft	71	DIYARBAKIR NDB
NDB	AWY-HI	40.20861	10,668 m		
LESRI	UP975	37.07222	35,000 ft	68	-
FIX	AWY-HI	41.23028	10,668 m		
KANOK	UP975	36.56515	35,000 ft	37	-
FIX	AWY-HI	41.68316	10,668 m		
GETID	UP975	35.26406	35,000 ft	99	-
FIX	AWY-HI	42.93303	10,668 m		
LOPAS	UP975	34.50096	35,000 ft	57	-
FIX	AWY-HI	43.64288	10,668 m		
SOGUM	UP975	34.20333	35,000 ft	22	-
FIX	AWY-HI	43.91500	10,668 m		
ETBOM	UP975	33.36048	35,000 ft	67	-
FIX	AWY-HI	44.79793	10,668 m		
NOLDO	UP975	32.82567	35,000 ft	42	-
FIX	AWY-HI	45.35817	10,668 m		
DENKI	UP975	32.37457	35,000 ft	36	-
FIX	AWY-HI	45.85599	10,668 m		
ILMAP	UP975	31.35917	35,000 ft	82	-
FIX	AWY-HI	46.95056	10,668 m		
SIDAD	UP975	29.87528	35,000 ft	119	-
FIX	AWY-HI	48.49556	10,668 m		
DESLU	R784	29.46667	35,000 ft	37	-
FIX	AWY-HI	49.03056	10,668 m		
NANPI	R784	29.08250	35,000 ft	34	-
FIX	AWY-HI	49.53250	10,668 m		
OBMOR	R784	28.97056	35,000 ft	9	-
FIX	AWY-HI	49.67000	10,668 m		
ALNIN	R784	28.67861	35,000 ft	25	-
FIX	AWY-HI	50.02722	10,668 m		
IMDAT	R784	27.68333	35,000 ft	85	-
FIX	AWY-HI	51.18333	10,668 m		
DURSI	B416	27.20528	35,000 ft	53	-
FIX	AWY-HI	52.02889	10,668 m		
EGMID	B416	26.60417	31,700 ft	66	-
FIX	AWY-HI	53.06694	9,662 m		
ORSAR	B416	26.07500	19,400 ft	57	-
FIX	AWY-HI	53.95833	5,913 m		
OMDB	-	25.25491	0 ft	90	DUBAI INTL
APT	-	55.36426	0 m		

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.902 E

METAR

LIPZ 012320Z 08011KT 9999 BKN012 16/15 Q1006 NOSIG

TAF

TAF LIPZ 011700Z 0118/0224 10015KT 9999 FEW070 BECMG 0118/0120 RA TEMPO 0122/0204 4000 TSRA BECMG 0200/0202 16010

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.13		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.15		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.13		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.14		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.14		4 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.351 E

METAR

OMDB 012334Z 29030KT 2000 R30L/1200D +TSRA FEW020 SCT030CB 25/22 Q1007 WS ALL RWY BECMG VRB30G45KT 0800

TAF

TAF OMDB 011700Z 0118/0300 13007KT 8000 NSC PROB40 0122/0207 32015KT TEMPO 0123/0213 VRB28G45KT 1500 TSRA BLDU BKN

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m