

# LGAV

Athens Eleftherios Venizelos


# URSS

Sochi / Adler Intl

2024/04/28 0402Z

LGAV OLIDA **UN604** AMANI **UG8** BIG BIG **UN604** BKZ **UW702** INB **UW90** SIN **UW96** ODIRA **G487** DEMED URSS

816.22 nm / 1511.64 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LGAV	-	37.93670	0 ft	-	Athens Eleftherios Venizelos
APT	-	23.94450	0 m		
OLIDA	-	38.41830	19,000 ft	53	-
FIX	-	24.89110	5,791 m		
LSV	UN604	39.23130	35,000 ft	86	LESVOS
VOR	AWY-HI	26.42530	10,668 m		
AMANI	UN604	39.33220	35,000 ft	6	-
FIX	AWY-HI	26.49940	10,668 m		
SUDES	UG8	39.76940	35,000 ft	31	-
FIX	AWY-HI	26.89330	10,668 m		
BIG	UG8	40.28440	35,000 ft	37	BIGA
VOR	AWY-HI	27.36550	10,668 m		
BIG	-	40.28530	35,000 ft	0	BIGA VOR-DME
DME	-	27.36580	10,668 m		
BKZ	UN604	41.12700	35,000 ft	95	BEYKOZ
VOR	AWY-HI	29.14290	10,668 m		
YASEN	UW702	41.19890	35,000 ft	17	-
FIX	AWY-HI	29.51610	10,668 m		
PAZAR	UW702	41.29890	35,000 ft	22	-
FIX	AWY-HI	29.99940	10,668 m		
GUMRU	UW702	41.54890	35,000 ft	62	-
FIX	AWY-HI	31.34940	10,668 m		
HAKAN	UW702	41.72330	35,000 ft	43	-
FIX	AWY-HI	32.29830	10,668 m		
MIMTO	UW702	41.84690	35,000 ft	34	-
FIX	AWY-HI	33.04670	10,668 m		
INB	UW702	41.95140	35,000 ft	30	INEBOLU
VOR	AWY-HI	33.70630	10,668 m		
SUNUM	UW90	42.01190	35,000 ft	51	-
FIX	AWY-HI	34.85750	10,668 m		
SIN	UW90	42.02230	35,000 ft	9	SINOP
VOR	AWY-HI	35.07680	10,668 m		
EVKAM	UW96	42.15140	35,000 ft	16	-
FIX	AWY-HI	35.41310	10,668 m		
ODIRA	UW96	42.70890	30,000 ft	74	-
FIX	AWY-HI	36.91470	9,144 m		
DEMED	G487	42.98060	20,900 ft	42	-
FIX	AWY-HI	37.81060	6,370 m		
URSS	-	43.44470	0 ft	97	Sochi / Adler Intl
APT	-	39.94710	0 m		

## LGAV

Region: GREECE  
Timezone: EUROPE/ATHENS  
Runways: 2

Elevation: 308 ft / 94 m  
Location: 37.936700 23.944500  
Magnetic Var: 5.104 E

## METAR

LGAV 280320Z 33005KT 9999 FEW025 15/08 Q1017 NOSIG

## TAF

TAF TAF LGAV 272300Z 2800/2824 35014KT 9999 FEW025 TEMPO 2800/2806 01016G26KT BECMG 2806/2808 02020G30KT

## Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.77		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.79		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.75		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.77		300 m	120 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.42		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.87		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.42		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.40		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.93		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.96		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.96		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.93		282 m

## URSS

Region: RUSSIA  
Timezone: EUROPE/MOSCOW  
Runways: 2

Elevation: 90 ft / 27 m  
Location: 43.444600 39.947100  
Magnetic Var: 7.539 E

## METAR

URSS 280330Z 00000MPS 9999 NSC 16/14 Q1016 R02/010070 R06//////// NOSIG RMK R06/00000MPS QFE761

## TAF

TAF URSS 280155Z 2803/2903 VRB01MPS 5000 HZ OVC007 TEMPO 2803/2806 13004G09MPS OVC005 BECMG 2806/2807 23003G08MPS

## Frequencies

REC - 129.37 MHz - ATIS	CLD - 132.70 MHz - SOCHI DELIVERY
GND - 119.00 MHz - SOCHI GROUND	GND - 118.50 MHz - SOCHI GROUND
TWR - 135.80 MHz - SOCHI TOWER	TWR - 121.20 MHz - SOCHI TOWER
APP - 124.60 MHz - SOCHI APPROACH	APP - 119.70 MHz - SOCHI RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,662 ft	64.77	CONCRETE	0 ft	243 ft
	45 m	2,945 m	57.23		0 m	74 m
24	148 ft	9,662 ft	244.79	CONCRETE	0 ft	0 ft
	45 m	2,945 m	237.26		0 m	0 m
02	161 ft	8,208 ft	28.61	CONCRETE	0 ft	164 ft
	49 m	2,502 m	21.07		0 m	50 m
20	161 ft	8,208 ft	208.62	CONCRETE	0 ft	164 ft
	49 m	2,502 m	201.08		0 m	50 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IAD	110.50 MHz	18 nm	28.62	-	83 ft
				33 km	21.08		83 m
06	LOC-ILS	ISO	111.10 MHz	18 nm	64.76	-	83 ft
				33 km	57.22		83 m
02	GS	IAD	110.50 MHz	10 nm	28.62	2.83	83 ft
				19 km	21.08		83 m
06	GS	ISO	111.10 MHz	10 nm	64.76	2.83	83 ft
				19 km	57.22		83 m