


2024/05/11 0105Z

SAEZ LANDA GUA **UL793** DAMIS SARE

443.60 nm / 821.56 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAEZ	-	-34.82200	0 ft	-	Ministro Pistarini Intl
APT	-	-58.53260	0 m		
LANDA	-	-33.90810	19,600 ft	54	-
FIX	-	-58.57530	5,974 m		
GUA	-	-33.00970	35,000 ft	53	GUALEGUAYCHU
VOR	-	-58.61420	10,668 m		
DALAB	UL793	-32.33330	35,000 ft	40	-
FIX	AWY-HI	-58.67080	10,668 m		
IMBAK	UL793	-30.93360	35,000 ft	84	-
FIX	AWY-HI	-58.78310	10,668 m		
TODES	UL793	-30.49580	35,000 ft	26	-
FIX	AWY-HI	-58.82060	10,668 m		
KILIP	UL793	-29.67830	28,700 ft	49	-
FIX	AWY-HI	-58.88500	8,748 m		
DAMIS	UL793	-28.86060	18,100 ft	49	-
FIX	AWY-HI	-58.94920	5,517 m		
SARE	-	-27.45000	0 ft	84	RESISTENCIA
APT	-	-59.05610	0 m		

## SAEZ

Region: ARGENTINA  
Timezone: AMERICA/ARGENTINA/BUENOS\_AIRES  
Runways: 2

Elevation: 66 ft / 20 m  
Location: -34.822000 -58.532600  
Magnetic Var: 9.810 W

## METAR

SAEZ 110000Z 11005KT CAVOK 11/08 Q1017 NOSIG

## TAF

TAF SAEZ 101700Z 1018/1118 09008KT CAVOK TX17/1118Z TN06/1110Z BECMG 1102/1105 16005KT BECMG 1112/1114 16012KT 99

## Frequencies

REC - 127.80 MHz - ATIS  
GND - 121.75 MHz - EZEIZA GROUND  
APP - 119.90 MHz - EZEIZA APPROACH  
CLD - 127.10 MHz - EZEIZA CLEARANCE  
TWR - 118.60 MHz - EZEIZA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.13		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.11		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.88		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.88		302 m	28 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.12		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.88		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.12		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.88		66 m

## SARE

Region: ARGENTINA  
Timezone: AMERICA/ARGENTINA/CORDOBA  
Runways: 1

Elevation: 174 ft / 53 m  
Location: -27.449900 -59.056100  
Magnetic Var: 13.271 W

## METAR

SARE 110000Z 15005KT 9999 SCT015 OVC046 17/16 Q1012

## TAF

TAF SARE 102300Z 1100/1124 16005KT 7000 -DZ SCT015 OVC035 TX20/1118Z TN14/1109Z BECMG 1102/1104 6000 OVC015 PROB3

## Frequencies

REC - 127.85 MHz - RESISTENCIA ATIS  
TWR - 118.70 MHz - RESISTENCIA TOWER

GND - 121.95 MHz - RESISTENCIA GROUND  
APP - 118.70 MHz - RESISTENCIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	147 ft	9,116 ft	20.78	ASPHALT	0 ft	115 ft
	45 m	2,778 m	34.05		0 m	35 m
21	147 ft	9,116 ft	200.78	ASPHALT	0 ft	115 ft
	45 m	2,778 m	214.05		0 m	35 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	LOC-ILS	RS	110.30 MHz	18 nm	200.74	-	174 ft
				33 km	214.01		174 m
21	GS	RS	110.30 MHz	10 nm	201.62	3.00	174 ft
				19 km	214.89		174 m