


2024/05/04 1914Z

UGSB BANAZ DAL75 OJ ROB GENUS AER16 SAEZ

7155.83 nm / 13252.60 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UGSB	-	41.61622	0 ft	-	
APT	-	41.59016	0 m		
BANAZ	-	40.03611	0 ft	235	
FIX	-	36.83861	0 m		
DAL75	-	36.55613	0 ft	432	
FIX	-	28.79059	0 m		
OJ	-	30.62528	0 ft	631	ESSIDER NDB
NDB	-	18.35139	0 m		
ROB	-	6.23954	0 ft	2181	MONROVIA ROBERTS VOR-DME
VOR	-	-10.35828	0 m		
GENUS	-	-30.57467	0 ft	3238	
FIX	-	-51.55033	0 m		
AER16	-	-34.62450	0 ft	416	
FIX	-	-58.24667	0 m		
SAEZ	-	-34.80841	0 ft	17	
APT	-	-58.53386	0 m		

UGSB

Region: GEORGIA
Timezone: ASIA/TBILISI
Runways: 1

Elevation: 105 ft / 32 m
Location: 41.609700 41.600200
Magnetic Var: 7.084 E

METAR

UGSB 041900Z 11002KT 9999 SCT018 BKN035 16/14 Q1006 NOSIG

TAF

TAF UGSB 041700Z 0418/0518 VRB02KT 9999 -RA SCT015 BKN030 TX16/0510Z TN14/0503Z TEMPO 0418/0423 24012KT 4000 SHRA

Frequencies

TWR - 118.60 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	8,210 ft	130.99	ASPHALT	0 ft	0 ft
	45 m	2,502 m	123.91		0 m	0 m
31	148 ft	8,210 ft	311.01	ASPHALT	0 ft	0 ft
	45 m	2,502 m	303.92		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	ILU	110.30 MHz	18 nm	130.94	-	121 ft
				33 km	123.86		121 m
13	GS	ILU	110.30 MHz	10 nm	131.63	2.50	127 ft
				19 km	124.55		127 m

SAEZ

Region: ARGENTINA

Timezone: AMERICA/ARGENTINA/BUENOS_AIRES

Runways: 2

Elevation: 66 ft / 20 m

Location: -34.822000 -58.532600

Magnetic Var: 9.807 W

METAR

SAEZ 041900Z 05008KT 9999 OVC016 17/14 Q1012 NOSIG

TAF

TAF SAEZ 041700Z 0418/0518 02010KT 9999 SCT020 TX19/0518Z TN15/0508Z BECMG 0502/0504 BKN010 BECMG 0505/0507 36005

Frequencies

REC - 127.80 MHz - ATIS

GND - 121.75 MHz - EZEIZA GROUND

APP - 119.90 MHz - EZEIZA APPROACH

CLD - 127.10 MHz - EZEIZA CLEARANCE

TWR - 118.60 MHz - EZEIZA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.13		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.11		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.88		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.87		302 m	28 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.12		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.88		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.12		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.88		66 m