

LIMJ

Genoa Cristoforo Colombo


LICJ

Palermo Punta Raisi

2024/06/07 0659Z

LIMJ 4200N01000E 4100N01100E 3900N01200E LICJ

428.49 nm / 793.56 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIMJ	-	44.41200	0 ft	-	Genoa Cristoforo Colombo
APT	-	8.84187	0 m		
4200N01000E	-	42.00000	35,000 ft	153	-
LATLON	-	10.00000	10,668 m		
4100N01100E	-	41.00000	35,000 ft	75	-
LATLON	-	11.00000	10,668 m		
3900N01200E	-	39.00000	15,200 ft	128	-
LATLON	-	12.00000	4,633 m		
LICJ	-	38.17750	0 ft	71	Palermo Punta Raisi
APT	-	13.09720	0 m		

LIMJ

Region: ITALY
Timezone: UNKNOWN
Runways: 1

Elevation: 13 ft / 4 m
Location: 44.412000 8.841870
Magnetic Var: 3.119 E

METAR

LIMJ 070620Z 09003KT 9999 BKN012 20/18 Q1018

TAF

TAF LIMJ 070500Z 0706/0806 VRB05KT 9999 SCT040 BECMG 0710/0712 18012KT BECMG 0716/0718 VRB05KT

Frequencies

REC - 122.82 MHz - ATIS
TWR - 257.80 MHz - GENOVA TOWER
APP - 119.60 MHz - GENOVA APPROACH
TWR - 118.60 MHz - GENOVA TOWER
APP - 119.85 MHz - GENOVA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,576 ft	105.34	ASPHALT	0 ft	197 ft
	45 m	2,919 m	102.22		0 m	60 m
28	148 ft	9,576 ft	285.37	ASPHALT	535 ft	0 ft
	45 m	2,919 m	282.25		163 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	GSE	109.30 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
28	LOC-ILS	GSE	109.30 MHz	18 nm	285.40	-	9 ft
				33 km	282.28		9 m
28	GS	GSE	109.30 MHz	10 nm	285.40	3.17	26 ft
				19 km	282.28		26 m

LICJ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 63 ft / 19 m
Location: 38.177500 13.097200
Magnetic Var: 3.581 E

METAR

LICJ 070620Z VRB02KT CAVOK 21/18 Q1018

TAF

TAF LICJ 070500Z 0706/0806 15006KT 9999 FEW020 BECMG 0708/0710 05016KT BECMG 0720/0722 VRB05KT

Frequencies

GND - 121.62 MHz - RAISI GROUND
APP - 120.20 MHz - PALERMO APPROACH
REC - 123.87 MHz - ATIS

TWR - 119.05 MHz - RAISI TOWER
APP - 118.65 MHz - PALERMO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	6,791 ft	23.79	ASPHALT	0 ft	0 ft
	45 m	2,070 m	20.21		0 m	0 m
20	148 ft	6,791 ft	203.80	ASPHALT	0 ft	0 ft
	45 m	2,070 m	200.22		0 m	0 m
07	197 ft	10,922 ft	66.82	ASPHALT	404 ft	577 ft
	60 m	3,329 m	63.24		123 m	176 m
25	197 ft	10,922 ft	246.84	ASPHALT	669 ft	302 ft
	60 m	3,329 m	243.26		204 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	ITO	110.55 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
25	DME	RAI	109.50 MHz	18 nm	-	-	65 ft
				33 km	-		65 m
20	LOC-ILS	ITO	110.55 MHz	18 nm	203.92	-	64 ft
				33 km	200.34		64 m
25	LOC-ILS	RAI	109.50 MHz	18 nm	246.80	-	64 ft
				33 km	243.22		64 m
20	GS	ITO	110.55 MHz	10 nm	203.92	3.00	64 ft
				19 km	200.34		64 m
25	GS	RAI	109.50 MHz	10 nm	246.80	3.00	64 ft
				19 km	243.22		64 m