

RJTT

Tokyo International Airport


NTAA

Faaa Int'l

2024/05/10 0929Z

RJTT CHEVY **Y821** ADKAK **G223** KAKNI 3000N14800E 3000N14900E 3000N15000E 3000N15100E 2900N15300E
2800N15500E 2700N15700E 2600N15800E 2500N16000E 2400N16100E 2300N16200E 2200N16300E 2000N16500E
1900N16600E NGUEN 1800N16800E 1800N16900E 1700N17000E 1700N17100E 1600N17200E 1500N17300E
1400N17400E 1300N17500E 1100N17700E 1000N17800E 900N17900E 800N-18000W 700N-17900W 600N-17800W
400N-17600W ADISN 400N-17500W 300N-17400W 200N-17300W 100N-17200W -100S-17000W -200S-16900W
-300S-16800W -400S-16700W -500S-16600W -700S-16400W -800S-16300W -900S-16200W -1000S-16100W
-1100S-16000W -1200S-15900W -1400S-15700W -1500S-15600W MEVEP -1500S-15500W -1600S-15400W
-1600S-15300W MA **J22** TEANO NTAA

5268.07 nm / 9756.46 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 40000ft
- Cruise Speed: 340kts
- Descent Rate: 1500ft/min

- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJTT	-	35.54790	0 ft	-	Tokyo International Airport
APT	-	139.78900	0 m		
CHEVY	-	34.65770	22,800 ft	64	-
FIX	-	140.53400	6,949 m		
MERED	Y821	34.23820	40,000 ft	51	-
FIX	AWY-HI	141.44100	12,192 m		
ADKAK	Y821	33.90350	40,000 ft	41	-
FIX	AWY-HI	142.16300	12,192 m		
DAGDA	G223	33.81620	40,000 ft	10	-
FIX	AWY-HI	142.34800	12,192 m		
BEGAD	G223	33.38690	40,000 ft	51	-
FIX	AWY-HI	143.24700	12,192 m		
TONIK	G223	32.00380	40,000 ft	161	-
FIX	AWY-HI	145.99600	12,192 m		
KAKNI	G223	30.00410	40,000 ft	146	-
FIX	AWY-HI	147.63000	12,192 m		
3000N14800E	-	30.00000	40,000 ft	19	-
LATLON	-	148.00000	12,192 m		
3000N14900E	-	30.00000	40,000 ft	52	-
LATLON	-	149.00000	12,192 m		
3000N15000E	-	30.00000	40,000 ft	52	-
LATLON	-	150.00000	12,192 m		
3000N15100E	-	30.00000	40,000 ft	52	-
LATLON	-	151.00000	12,192 m		
2900N15300E	-	29.00000	40,000 ft	120	-
LATLON	-	153.00000	12,192 m		
2800N15500E	-	28.00000	40,000 ft	121	-
LATLON	-	155.00000	12,192 m		
2700N15700E	-	27.00000	40,000 ft	122	-
LATLON	-	157.00000	12,192 m		
2600N15800E	-	26.00000	40,000 ft	80	-
LATLON	-	158.00000	12,192 m		
2500N16000E	-	25.00000	40,000 ft	123	-
LATLON	-	160.00000	12,192 m		
2400N16100E	-	24.00000	40,000 ft	81	-
LATLON	-	161.00000	12,192 m		
2300N16200E	-	23.00000	40,000 ft	81	-
LATLON	-	162.00000	12,192 m		
2200N16300E	-	22.00000	40,000 ft	81	-
LATLON	-	163.00000	12,192 m		
2000N16500E	-	20.00000	40,000 ft	164	-
LATLON	-	165.00000	12,192 m		
1900N16600E	-	19.00000	40,000 ft	82	-
LATLON	-	166.00000	12,192 m		
NGUEN	-	18.85640	40,000 ft	40	-
FIX	-	166.69700	12,192 m		
1800N16800E	-	18.00000	40,000 ft	90	-
LATLON	-	168.00000	12,192 m		
1800N16900E	-	18.00000	40,000 ft	57	-
LATLON	-	169.00000	12,192 m		
1700N17000E	-	17.00000	40,000 ft	82	-
LATLON	-	170.00000	12,192 m		
1700N17100E	-	17.00000	40,000 ft	57	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	171.00000	12,192 m		
1600N17200E	-	16.00000	40,000 ft	83	-
LATLON	-	172.00000	12,192 m		
1500N17300E	-	15.00000	40,000 ft	83	-
LATLON	-	173.00000	12,192 m		
1400N17400E	-	14.00000	40,000 ft	83	-
LATLON	-	174.00000	12,192 m		
1300N17500E	-	13.00000	40,000 ft	83	-
LATLON	-	175.00000	12,192 m		
1100N17700E	-	11.00000	40,000 ft	168	-
LATLON	-	177.00000	12,192 m		
1000N17800E	-	10.00000	40,000 ft	84	-
LATLON	-	178.00000	12,192 m		
900N17900E	-	9.00000	40,000 ft	84	-
LATLON	-	179.00000	12,192 m		
800N-18000W	-	8.00000	40,000 ft	84	-
LATLON	-	-180.00000	12,192 m		
700N-17900W	-	7.00000	40,000 ft	84	-
LATLON	-	-179.00000	12,192 m		
600N-17800W	-	6.00000	40,000 ft	84	-
LATLON	-	-178.00000	12,192 m		
400N-17600W	-	4.00000	40,000 ft	169	-
LATLON	-	-176.00000	12,192 m		
ADISN	-	4.02389	40,000 ft	38	-
FIX	-	-175.35200	12,192 m		
400N-17500W	-	4.00000	40,000 ft	21	-
LATLON	-	-175.00000	12,192 m		
300N-17400W	-	3.00000	40,000 ft	84	-
LATLON	-	-174.00000	12,192 m		
200N-17300W	-	2.00000	40,000 ft	84	-
LATLON	-	-173.00000	12,192 m		
100N-17200W	-	1.00000	40,000 ft	84	-
LATLON	-	-172.00000	12,192 m		
-100S-17000W	-	-1.00000	40,000 ft	169	-
LATLON	-	-170.00000	12,192 m		
-200S-16900W	-	-2.00000	40,000 ft	84	-
LATLON	-	-169.00000	12,192 m		
-300S-16800W	-	-3.00000	40,000 ft	84	-
LATLON	-	-168.00000	12,192 m		
-400S-16700W	-	-4.00000	40,000 ft	84	-
LATLON	-	-167.00000	12,192 m		
-500S-16600W	-	-5.00000	40,000 ft	84	-
LATLON	-	-166.00000	12,192 m		
-700S-16400W	-	-7.00000	40,000 ft	169	-
LATLON	-	-164.00000	12,192 m		
-800S-16300W	-	-8.00000	40,000 ft	84	-
LATLON	-	-163.00000	12,192 m		
-900S-16200W	-	-9.00000	40,000 ft	84	-
LATLON	-	-162.00000	12,192 m		
-1000S-16100W	-	-10.00000	40,000 ft	84	-
LATLON	-	-161.00000	12,192 m		
-1100S-16000W	-	-11.00000	40,000 ft	84	-
LATLON	-	-160.00000	12,192 m		
-1200S-15900W	-	-12.00000	40,000 ft	84	-
LATLON	-	-159.00000	12,192 m		
-1400S-15700W	-	-14.00000	40,000 ft	167	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-157.00000	12,192 m		
-1500S-15600W	-	-15.00000	40,000 ft	83	-
LATLON	-	-156.00000	12,192 m		
MEVEP	-	-15.00000	40,000 ft	45	-
FIX	-	-155.21000	12,192 m		
-1500S-15500W	-	-15.00000	40,000 ft	12	-
LATLON	-	-155.00000	12,192 m		
-1600S-15400W	-	-16.00000	40,000 ft	83	-
LATLON	-	-154.00000	12,192 m		
-1600S-15300W	-	-16.00000	40,000 ft	57	-
LATLON	-	-153.00000	12,192 m		
MA	-	-16.42780	40,000 ft	50	MAUPITI
NDB	-	-152.24200	12,192 m		
MEREV	J22	-16.49880	40,000 ft	11	-
FIX	AWY-HI	-152.06000	12,192 m		
RU	J22	-16.72140	31,200 ft	36	RAIATEA
NDB	AWY-HI	-151.46700	9,510 m		
TEANO	J22	-17.29890	9,200 ft	82	-
FIX	AWY-HI	-150.15400	2,804 m		
NTAA	-	-17.55380	0 ft	34	Faaa Int'l
APT	-	-149.60700	0 m		

RJTT

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 4

Elevation: 20 ft / 6 m
Location: 35.547900 139.789000
Magnetic Var: 7.806 W

METAR

RJTT 100900Z 18019KT CAVOK 19/11 Q1020 NOSIG RMK A3013

TAF

TAF RJTT 100508Z 1006/1112 19018KT 9999 FEW030 TEMPO 1103/1109 20024G34KT

Frequencies

REC - 128.80 MHz - TOKYO ATIS	CLD - 121.87 MHz - TOKYO DELIVERY
CLD - 121.82 MHz - TOKYO DELIVERY	GND - 118.22 MHz - TOKYO GROUND
GND - 121.62 MHz - TOKYO GROUND	GND - 121.70 MHz - TOKYO GROUND
GND - 121.97 MHz - TOKYO GROUND	GND - 122.07 MHz - TOKYO GROUND
TWR - 118.10 MHz - TOKYO TOWER	TWR - 118.57 MHz - TOKYO TOWER
TWR - 118.72 MHz - TOKYO TOWER	TWR - 124.35 MHz - TOKYO TOWER
TWR - 118.80 MHz - TOKYO TOWER	TWR - 116.20 MHz - TOKYO TOWER
APP - 119.10 MHz - TOKYO APPROACH	APP - 119.40 MHz - TOKYO APPROACH
APP - 119.65 MHz - TOKYO APPROACH	APP - 119.70 MHz - TOKYO APPROACH
APP - 125.40 MHz - TOKYO APPROACH	APP - 121.27 MHz - TOKYO APPROACH
APP - 124.40 MHz - TOKYO APPROACH	APP - 125.20 MHz - TOKYO APPROACH
APP - 125.80 MHz - TOKYO APPROACH	APP - 127.70 MHz - TOKYO APPROACH
DEP - 126.00 MHz - TOKYO DEPARTURE	DEP - 120.80 MHz - TOKYO DEPARTURE
DEP - 127.50 MHz - TOKYO DEPARTURE	DEP - 127.60 MHz - TOKYO DEPARTURE
DEP - 124.20 MHz - TOKYO DEPARTURE	DEP - 119.60 MHz - TOKYO DEPARTURE
DEP - 120.60 MHz - TOKYO DEPARTURE	DEP - 125.52 MHz - TOKYO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	11,039 ft	150.01	ASPHALT	0 ft	190 ft
	60 m	3,365 m	157.82		0 m	58 m
34R	197 ft	11,039 ft	330.02	ASPHALT	1,181 ft	194 ft
	60 m	3,365 m	337.83		360 m	59 m
04	197 ft	8,211 ft	34.92	ASPHALT	0 ft	194 ft
	60 m	2,503 m	42.73		0 m	59 m
22	197 ft	8,211 ft	214.93	ASPHALT	0 ft	190 ft
	60 m	2,503 m	222.74		0 m	58 m
16R	197 ft	9,855 ft	149.98	ASPHALT	0 ft	0 ft
	60 m	3,004 m	157.79		0 m	0 m
34L	197 ft	9,855 ft	329.99	ASPHALT	0 ft	190 ft
	60 m	3,004 m	337.80		0 m	58 m
05	197 ft	8,206 ft	42.44	ASPHALT	0 ft	190 ft
	60 m	2,501 m	50.25		0 m	58 m
23	197 ft	8,206 ft	222.45	ASPHALT	0 ft	194 ft
	60 m	2,501 m	230.26		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	IAD	108.10 MHz	18 nm	-	-	46 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	-		46 m
23	DME	ITD	110.50 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
34L	DME	IHA	111.70 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
34R	DME	ITC	108.90 MHz	18 nm	-	-	21 ft
				33 km	-		21 m
16L	LOC-ILS	IOC	111.95 MHz	18 nm	150.02	-	20 ft
				33 km	157.83		20 m
16R	LOC-ILS	ITA	111.55 MHz	18 nm	149.99	-	20 ft
				33 km	157.80		20 m
22	LOC-ILS	IAD	108.10 MHz	18 nm	214.93	-	20 ft
				33 km	222.74		20 m
23	LOC-ILS	ITD	110.50 MHz	18 nm	222.45	-	20 ft
				33 km	230.26		20 m
34L	LOC-ILS	IHA	111.70 MHz	18 nm	329.99	-	20 ft
				33 km	337.80		20 m
34R	LOC-ILS	ITC	108.90 MHz	18 nm	330.02	-	20 ft
				33 km	337.83		20 m
16L	GS	IOC	111.95 MHz	10 nm	150.02	3.00	20 ft
				19 km	157.83		20 m
16R	GS	ITA	111.55 MHz	10 nm	149.99	3.00	20 ft
				19 km	157.80		20 m
22	GS	IAD	108.10 MHz	10 nm	214.93	3.00	20 ft
				19 km	222.74		20 m
23	GS	ITD	110.50 MHz	10 nm	222.45	3.00	20 ft
				19 km	230.26		20 m
34L	GS	IHA	111.70 MHz	10 nm	329.99	3.00	20 ft
				19 km	337.80		20 m
34R	GS	ITC	108.90 MHz	10 nm	330.02	3.00	20 ft
				19 km	337.83		20 m

NTAA

Region: FRENCH POLYNESIA
Timezone: PACIFIC/TAHITI
Runways: 1

Elevation: 5 ft / 2 m
Location: -17.553700 -149.607000
Magnetic Var: 12.883 E

METAR

NTAA 100900Z AUTO 17003KT CAVOK 27/23 Q1014 NOSIG

TAF

TAF NTAA 100500Z 1006/1112 VRB05KT 9999 FEW030 BECMG 1007/1010 SCT020 BKN050 PROB30 TEMPO 1014/1019 4000 SHRA BECMG 1019/1112

Frequencies

REC - 128.80 MHz - ATIS
TWR - 118.10 MHz - TAHITI TOWER

GND - 121.90 MHz - TAHITI GROUND
APP - 121.30 MHz - TAHITI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,238 ft	54.10	ASPHALT	1,037 ft	0 ft
	45 m	3,425 m	41.22		316 m	0 m
22	148 ft	11,238 ft	234.10	ASPHALT	577 ft	0 ft
	45 m	3,425 m	221.21		176 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	PT	109.90 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
04	LOC-ILS	PT	109.90 MHz	18 nm	54.05	-	20 ft
				33 km	41.17		20 m
04	GS	PT	109.90 MHz	10 nm	54.06	3.00	59 ft
				19 km	41.18		59 m