

VVTS

Tan Son Nhat International Airport


VVNB

Hanoi Noibai Intl

2024/06/09 0647Z

VVTS KADUM Q2 BIVIM VVNB

671.82 nm / 1244.21 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
VVTS	-	10.81870	0 ft	-		Tan Son Nhat International Airport
APT	-	106.65200	0 m			
KADUM	-	11.35720	14,300 ft	40	-	
FIX	-	107.05900	4,359 m			
PATMA	Q2	12.33640	35,000 ft	73	-	
FIX	AWY-HI	107.81000	10,668 m			
SADAS	Q2	13.32000	35,000 ft	59	-	
FIX	AWY-HI	107.82900	10,668 m			
DADEN	Q2	13.99940	35,000 ft	40	-	
FIX	AWY-HI	107.84400	10,668 m			
LATOM	Q2	14.87940	35,000 ft	52	-	
FIX	AWY-HI	107.84400	10,668 m			
PATNO	Q2	15.96500	35,000 ft	65	-	
FIX	AWY-HI	107.88500	10,668 m			
BIGBO	Q2	16.48860	35,000 ft	34	-	
FIX	AWY-HI	107.62700	10,668 m			
VIDEN	Q2	17.02060	35,000 ft	35	-	
FIX	AWY-HI	107.36600	10,668 m			
NIVEN	Q2	17.88440	35,000 ft	57	-	
FIX	AWY-HI	106.92900	10,668 m			
BUVAN	Q2	18.55640	35,000 ft	44	-	
FIX	AWY-HI	106.58900	10,668 m			
MIBAM	Q2	18.90720	30,900 ft	23	-	
FIX	AWY-HI	106.41200	9,418 m			
BIVIM	Q2	19.50940	22,300 ft	40	-	
FIX	AWY-HI	106.10800	6,797 m			
VVNB	-	21.22030	0 ft	104		Hanoi Noibai Intl
APT	-	105.80600	0 m			

VVTS

Region: VIETNAM
Timezone: ASIA/HO_CHI_MINH
Runways: 2

Elevation: 33 ft / 10 m
Location: 10.818700 106.652000
Magnetic Var: 0.668 W

METAR

VVTS 090630Z 26008KT 220V300 9999 FEW026 31/27 Q1007 NOSIG

TAF

TAF VVTS 090500Z 0906/1012 26010KT 9999 SCT017 SCT050 TEMPO 1003/1007 26016G30KT 3000 TSRA SCT015 SCT017CB BKN040

Frequencies

REC - 128.00 MHz - TAN SON NHAT ATIS	TWR - 118.70 MHz - TAN SON NHAT TOWER
TWR - 130.00 MHz - TAN SON NHAT TOWER	GND - 121.60 MHz - TAN SON NHAT GROUND
GND - 121.75 MHz - TAN SON NHAT GROUND	GND - 121.90 MHz - TAN SON NHAT GROUND
GND - 121.97 MHz - TAN SON NHAT GROUND	CLD - 123.60 MHz -
CLD - 121.80 MHz -	TAN SON NHAT CLEARANCE DELIVERY
TAN SON NHAT CLEARANCE DELIVERY	APP - 126.35 MHz - TAN SON NHAT APPROACH
APP - 125.50 MHz - TAN SON NHAT APPROACH	GND - 125.50 MHz -
GND - 124.07 MHz -	TAN SON NHAT TERMINAL CONTROL AREA
TAN SON NHAT TERMINAL CONTROL AREA	APP - 127.72 MHz - TAN SON NHAT ARRIVAL
APP - 126.35 MHz - TAN SON NHAT ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	148 ft	12,541 ft	68.98	CONCRETE	2,513 ft	853 ft
	45 m	3,822 m	69.64		766 m	260 m
25L	148 ft	12,541 ft	248.98	CONCRETE	0 ft	1,030 ft
	45 m	3,822 m	249.65		0 m	314 m
07L	148 ft	10,009 ft	68.96	CONCRETE	0 ft	1,030 ft
	45 m	3,051 m	69.63		0 m	314 m
25R	148 ft	10,009 ft	248.97	CONCRETE	0 ft	1,033 ft
	45 m	3,051 m	249.64		0 m	315 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	DME	SGN	108.30 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
25R	DME	HCM	110.50 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
07R	LOC-ILS	ITS	111.70 MHz	18 nm	68.98	-	33 ft
				33 km	69.65		33 m
25L	LOC-ILS	SGN	108.30 MHz	18 nm	248.98	-	33 ft
				33 km	249.65		33 m
25R	LOC-ILS	HCM	110.50 MHz	18 nm	248.97	-	33 ft
				33 km	249.64		33 m
07R	GS	ITS	111.70 MHz	10 nm	68.98	3.00	33 ft
				19 km	69.65		33 m
25L	GS	SGN	108.30 MHz	10 nm	248.98	3.00	33 ft
				19 km	249.65		33 m
25R	GS	HCM	110.50 MHz	10 nm	248.97	3.00	33 ft
				19 km	249.64		33 m

VVNB

Region: VIETNAM
Timezone: ASIA/HO_CHI_MINH
Runways: 2

Elevation: 39 ft / 12 m
Location: 21.220300 105.806000
Magnetic Var: 1.637 W

METAR

VVNB 090630Z 07009KT 7000 -RA OVC005 26/25 Q1004 NOSIG

TAF

TAF VVNB 090500Z 0906/1006 06005KT 9999 SCT006 BKN030 TEMPO 0910/0915 2500 +TSRA BKN010 FEW027CB TEMPO 0918/0924 4000

Frequencies

GND - 121.90 MHz - NOI BAI GROUND	TWR - 118.40 MHz - NOI BAI TOWER
TWR - 118.90 MHz - NOI BAI TOWER	REC - 127.00 MHz - ATIS
DEP - 125.10 MHz - NOI BAI DEPARTURE	DEP - 126.57 MHz - NOI BAI DEPARTURE
APP - 121.00 MHz - NOI BAI APPROACH	APP - 120.07 MHz - NOI BAI APPROACH
CLD - 119.25 MHz - NOI BAI CLEARANCE DELIVERY	CLD - 125.22 MHz - NOI BAI CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11L	148 ft	10,506 ft	107.22	ASPHALT	0 ft	315 ft
	45 m	3,202 m	108.86		0 m	96 m
29R	148 ft	10,506 ft	287.23	ASPHALT	0 ft	322 ft
	45 m	3,202 m	288.87		0 m	98 m
11R	148 ft	12,457 ft	107.23	CONCRETE	0 ft	325 ft
	45 m	3,797 m	108.86		0 m	99 m
29L	148 ft	12,457 ft	287.24	CONCRETE	0 ft	325 ft
	45 m	3,797 m	288.88		0 m	99 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11L	DME	NB	110.50 MHz	18 nm	-	-	39 ft
				33 km	-		39 m
11L	LOC-ILS	NB	110.50 MHz	18 nm	107.23	-	39 ft
				33 km	108.87		39 m
11R	LOC-ILS	NBA	108.30 MHz	18 nm	107.23	-	39 ft
				33 km	108.87		39 m
29L	LOC-ILS	INB	111.90 MHz	18 nm	287.23	-	39 ft
				33 km	288.87		39 m
11L	GS	NB	110.50 MHz	10 nm	107.23	3.00	39 ft
				19 km	108.87		39 m
11R	GS	NBA	108.30 MHz	10 nm	107.23	3.00	39 ft
				19 km	108.87		39 m
29L	GS	INB	111.90 MHz	10 nm	287.23	3.00	39 ft
				19 km	288.87		39 m