

# SKBO

El Dorado Intl


# SKCL

Alfonso Bonilla Aragon Intl

2024/05/23 0632Z

SKBO SATPI SKCL

151.54 nm / 280.64 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
SKBO	-	4.70160	0 ft	-		El Dorado Intl
APT	-	-74.14700	0 m			
SATPI	-	4.28972	17,900 ft	67	-	
FIX	-	-75.20110	5,456 m			
SKCL	-	3.54318	0 ft	83		Alfonso Bonilla Aragon Intl
APT	-	-76.38170	0 m			

## SKBO

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 2

Elevation: 8,358 ft / 2,548 m  
Location: 4.701600 -74.147000  
Magnetic Var: 8.197 W

## METAR

SKBO 230600Z 06006KT 9999 SCT020 SCT080 13/12 Q1029 NOSIG

## TAF

TAF SKBO 230430Z 2306/2406 VRB02KT 9999 SCT017 BECMG 2314/2316 14012KT PROB40 TEMPO 2318/2322 DZRA BKN015 TX21/23

## Frequencies

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.43		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.43		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.43		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.44		0 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.44		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.44		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.44		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.44		8,358 m

## SKCL

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 1

Elevation: 3,162 ft / 964 m  
Location: 3.543180 -76.381700  
Magnetic Var: 6.557 W

## METAR

SKCL 230600Z VRB02KT 9999 FEW030 BKN120 21/20 Q1017 NOSIG

## TAF

TAF SKCL 230430Z 2306/2406 VRB03KT 9999 FEW030 BKN100 BECMG 2319/2321 32010KT SCT020TCU PROB40 2321/2324 DZ SCT020

## Frequencies

GND - 121.90 MHz - CALI GROUND  
REC - 115.50 MHz - ATIS

TWR - 118.10 MHz - CALI TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	9,852 ft	9.83	ASPHALT	0 ft	131 ft
	45 m	3,003 m	16.39		0 m	40 m
20	148 ft	9,852 ft	189.83	ASPHALT	0 ft	118 ft
	45 m	3,003 m	196.39		0 m	36 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IPAS	109.90 MHz	18 nm	9.91	-	3,162 ft
				33 km	16.47		3,162 m
02	GS	IPAS	109.90 MHz	10 nm	9.91	3.00	3,162 ft
				19 km	16.47		3,162 m