

KMDW

Chicago Midway Intl


KSTL

Lambert St Louis Intl

2024/05/01 0439Z

KMDW MCLN **V69** ALAND KSTL

218.71 nm / 405.04 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KMDW	-	41.78594	0 ft	-	Chicago Midway Intl
APT	-	-87.75252	0 m	-	
MCLEN	-	40.40527	24,500 ft	103	-
FIX	-	-89.13793	7,468 m	-	
ALAND	V69	40.23256	18,000 ft	12	-
FIX	AWY-LO	-89.30397	5,486 m	-	
KSTL	-	38.74896	0 ft	101	Lambert St Louis Intl
APT	-	-90.37041	0 m	-	

KMDW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 5

Elevation: 620 ft / 189 m
Location: 41.785900 -87.752500
Magnetic Var: 4.203 W

METAR

KMDW 010353Z 20009KT 10SM FEW090 BKN110 OVC250 21/12 A2985 RMK A02 SLP101 T02110122

TAF

KMDW 010300Z 0103/0206 17008KT P6SM VCSH BKN120 OVC250 FM010545 20017G27KT P6SM VCSH SCT050 BKN080 TEMPO 0106/0108

Frequencies

REC - 132.75 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 124.62 MHz - CLEARANCE DELIVERY	GND - 121.65 MHz - MIDWAY GROUND
TWR - 135.20 MHz - MIDWAY TOWER	DEP - 128.20 MHz - CHICAGO DEPARTURE
APP - 128.20 MHz - CHICAGO APPROACH	APP - 126.05 MHz - CHICAGO APPROACH
DEP - 126.05 MHz - CHICAGO DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13L	150 ft	5,138 ft	133.63	ASPHALT	751 ft	0 ft
	46 m	1,566 m	137.84		229 m	0 m
31R	150 ft	5,138 ft	313.64	ASPHALT	0 ft	0 ft
	46 m	1,566 m	317.84		0 m	0 m
13C	150 ft	6,525 ft	133.65	ASPHALT	466 ft	0 ft
	46 m	1,989 m	137.85		142 m	0 m
31C	150 ft	6,525 ft	313.66	ASPHALT	699 ft	0 ft
	46 m	1,989 m	317.86		213 m	0 m
13R	60 ft	3,858 ft	133.66	ASPHALT	0 ft	331 ft
	18 m	1,176 m	137.86		0 m	101 m
31L	60 ft	3,858 ft	313.67	ASPHALT	0 ft	95 ft
	18 m	1,176 m	317.87		0 m	29 m
04L	150 ft	5,509 ft	43.35	ASPHALT	761 ft	0 ft
	46 m	1,679 m	47.55		232 m	0 m
22R	150 ft	5,509 ft	223.36	ASPHALT	879 ft	0 ft
	46 m	1,679 m	227.56		268 m	0 m
04R	150 ft	6,443 ft	43.36	ASPHALT	518 ft	0 ft
	46 m	1,964 m	47.56		158 m	0 m
22L	150 ft	6,443 ft	223.37	ASPHALT	633 ft	0 ft
	46 m	1,964 m	227.57		193 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13C	DME	IMDW	109.90 MHz	18 nm	-	-	620 ft
				33 km	-		620 m
31C	DME	IMXT	109.90 MHz	18 nm	-	-	620 ft
				33 km	-		620 m
04R	LOC-ILS	IHKH	111.50 MHz	18 nm	43.37	-	620 ft
				33 km	47.57		620 m
13C	LOC-ILS	IMDW	109.90 MHz	18 nm	133.66	-	620 ft
				33 km	137.86		620 m
31C	LOC-ILS	IMXT	109.90 MHz	18 nm	313.66	-	620 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	317.86		620 m
04R	GS	IHKH	111.50 MHz	10 nm	43.37	3.00	620 ft
				19 km	47.57		620 m
13C	GS	IMDW	109.90 MHz	10 nm	133.66	3.00	620 ft
				19 km	137.86		620 m
31C	GS	IMXT	109.90 MHz	10 nm	313.66	3.00	620 ft
				19 km	317.86		620 m

KSTL

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 4

Elevation: 604 ft / 184 m
Location: 38.749000 -90.370400
Magnetic Var: 1.961 W

METAR

KSTL 010351Z 18010KT 10SM OVC250 23/13 A2986 RMK AO2 SLP101 T02330128

TAF

TAF AMD KSTL 010300Z 0103/0206 16010G18KT P6SM OVC250 FM010800 21007KT P6SM VCSH BKN100 FM011000 18006KT P6SM OVC

Frequencies

REC - 125.05 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.50 MHz - CLEARANCE DELIVERY	GND - 127.55 MHz - ST. LOUIS GROUND
GND - 121.07 MHz - ST. LOUIS GROUND	GND - 121.65 MHz - ST. LOUIS GROUND
GND - 121.90 MHz - ST. LOUIS GROUND	GND - 118.92 MHz - ST. LOUIS GROUND
TWR - 132.47 MHz - ST. LOUIS TOWER	TWR - 120.05 MHz - ST. LOUIS TOWER
TWR - 118.50 MHz - ST. LOUIS TOWER	APP - 132.12 MHz - ST. LOUIS APPROACH
APP - 121.05 MHz - ST. LOUIS APPROACH	APP - 123.70 MHz - ST. LOUIS APPROACH
DEP - 119.15 MHz - ST. LOUIS DEPARTURE	DEP - 128.10 MHz - ST. LOUIS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	151 ft	9,012 ft	122.28	CONCRETE	0 ft	390 ft
	46 m	2,747 m	124.24		0 m	119 m
29	151 ft	9,012 ft	302.30	CONCRETE	0 ft	390 ft
	46 m	2,747 m	304.26		0 m	119 m
06	151 ft	7,615 ft	62.73	CONCRETE	0 ft	89 ft
	46 m	2,321 m	64.69		0 m	27 m
24	151 ft	7,615 ft	242.74	CONCRETE	0 ft	89 ft
	46 m	2,321 m	244.70		0 m	27 m
12R	200 ft	11,031 ft	122.29	CONCRETE	479 ft	164 ft
	61 m	3,362 m	124.25		146 m	50 m
30L	200 ft	11,031 ft	302.31	CONCRETE	213 ft	187 ft
	61 m	3,362 m	304.27		65 m	57 m
12L	151 ft	9,012 ft	122.32	CONCRETE	0 ft	121 ft
	46 m	2,747 m	124.28		0 m	37 m
30R	151 ft	9,012 ft	302.33	CONCRETE	0 ft	200 ft
	46 m	2,747 m	304.30		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IJAK	110.30 MHz	18 nm	-	-	556 ft
				33 km	-		556 m
11	DME	IOGZ	111.95 MHz	18 nm	-	-	548 ft
				33 km	-		548 m
12L	DME	ILDZ	108.90 MHz	18 nm	-	-	616 ft
				33 km	-		616 m
24	DME	ISTL	110.30 MHz	18 nm	-	-	540 ft
				33 km	-		540 m
29	DME	IRQN	111.95 MHz	18 nm	-	-	608 ft
				33 km	-		608 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30R	DME	ISJW	111.30 MHz	18 nm 33 km	- -	-	546 ft 546 m
06	LOC-ILS	IJAK	110.30 MHz	18 nm 33 km	62.72 64.68	-	541 ft 541 m
11	LOC-ILS	I0GZ	111.95 MHz	18 nm 33 km	122.29 124.25	-	545 ft 545 m
12L	LOC-ILS	ILDZ	108.90 MHz	18 nm 33 km	122.31 124.27	-	598 ft 598 m
12R	LOC-ILS	ILMR	109.70 MHz	18 nm 33 km	122.30 124.26	-	588 ft 588 m
24	LOC-ILS	ISTL	110.30 MHz	18 nm 33 km	242.73 244.69	-	545 ft 545 m
29	LOC-ILS	IRQN	111.95 MHz	18 nm 33 km	302.27 304.23	-	613 ft 613 m
30L	LOC-ILS	IBKY	111.50 MHz	18 nm 33 km	302.29 304.25	-	549 ft 549 m
30R	LOC-ILS	ISJW	111.30 MHz	18 nm 33 km	302.30 304.26	-	530 ft 530 m
06	GS	IJAK	110.30 MHz	10 nm 19 km	63.45 65.41	3.00	539 ft 539 m
11	GS	I0GZ	111.95 MHz	10 nm 19 km	122.56 124.52	3.00	598 ft 598 m
12L	GS	ILDZ	108.90 MHz	10 nm 19 km	122.62 124.58	3.00	598 ft 598 m
12R	GS	ILMR	109.70 MHz	10 nm 19 km	122.61 124.57	3.00	528 ft 528 m
24	GS	ISTL	110.30 MHz	10 nm 19 km	243.45 245.41	3.00	528 ft 528 m
29	GS	IRQN	111.95 MHz	10 nm 19 km	302.56 304.52	3.00	556 ft 556 m
30L	GS	IBKY	111.50 MHz	10 nm 19 km	302.61 304.57	3.00	566 ft 566 m
30R	GS	ISJW	111.30 MHz	10 nm 19 km	302.62 304.58	3.00	592 ft 592 m