

EPWA

Warsaw Chopin Airport


LFPG

Paris Charles De Gaulle

2024/05/29 0042Z

EPWA BAXIS **N869** KONAR **T49** RAPET **UZ93** LOHRE **UL984** NOSPA **UN857** RALAM **UY157** REMGO LFPG

737.07 nm / 1365.05 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EPWA	-	52.16510	0 ft	-	Warsaw Chopin Airport
APT	-	20.96700	0 m	-	
BAXIS	-	51.80860	28,800 ft	80	-
FIX	-	18.86390	8,778 m	-	-
UVIVI	N869	51.58750	35,000 ft	38	-
FIX	AWY-HI	17.88330	10,668 m	-	-
AGALU	N869	51.47140	35,000 ft	19	-
FIX	AWY-HI	17.38560	10,668 m	-	-
IXURO	N869	51.01780	35,000 ft	74	-
FIX	AWY-HI	15.54390	10,668 m	-	-
TOMTI	N869	50.95310	35,000 ft	10	-
FIX	AWY-HI	15.29330	10,668 m	-	-
OKX	N869	50.90270	35,000 ft	10	FRYDLANT
VOR	AWY-HI	15.03190	10,668 m	-	
ASTEL	N869	50.86440	35,000 ft	6	-
FIX	AWY-HI	14.86050	10,668 m	-	-
RAVKU	N869	50.76680	35,000 ft	17	-
FIX	AWY-HI	14.42890	10,668 m	-	-
GOPSI	N869	50.56630	35,000 ft	34	-
FIX	AWY-HI	13.56910	10,668 m	-	-
KONAR	N869	50.44510	35,000 ft	20	-
FIX	AWY-HI	13.06560	10,668 m	-	-
RAPET	T49	50.19050	35,000 ft	31	-
FIX	AWY-HI	12.33860	10,668 m	-	-
UNAVI	UZ93	50.18810	35,000 ft	19	-
FIX	AWY-HI	11.82220	10,668 m	-	-
KODUK	UZ93	50.19780	35,000 ft	33	-
FIX	AWY-HI	10.94220	10,668 m	-	-
DIMSU	UZ93	50.16690	35,000 ft	14	-
FIX	AWY-HI	10.57860	10,668 m	-	-
LOHRE	UZ93	50.06690	35,000 ft	42	-
FIX	AWY-HI	9.48639	10,668 m	-	-
ESATI	UL984	50.06310	35,000 ft	11	-
FIX	AWY-HI	9.19000	10,668 m	-	-
BOMBI	UL984	50.05670	35,000 ft	15	-
FIX	AWY-HI	8.80028	10,668 m	-	-
FFM	UL984	50.05370	35,000 ft	6	FRANKFURT
VOR	AWY-HI	8.63709	10,668 m	-	
RUDUS	UL984	50.04760	35,000 ft	21	-
FIX	AWY-HI	8.07827	10,668 m	-	-
OBIGA	UL984	50.03080	35,000 ft	36	-
FIX	AWY-HI	7.13833	10,668 m	-	-
ADENU	UL984	50.02560	35,000 ft	8	-
FIX	AWY-HI	6.90833	10,668 m	-	-
NOSPA	UL984	50.02060	35,000 ft	7	-
FIX	AWY-HI	6.71139	10,668 m	-	-
NTM	UN857	50.01590	35,000 ft	6	NATTENHEIM
VOR	AWY-HI	6.53179	10,668 m	-	
RALAM	UN857	50.01440	34,400 ft	6	-
FIX	AWY-HI	6.37528	10,485 m	-	-
MOKOM	UY157	49.97860	32,600 ft	8	-
FIX	AWY-HI	6.16639	9,936 m	-	-
DINAN	UY157	49.83190	25,500 ft	33	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	5.33139	7,772 m		
REMGO	UY157	49.77580	22,800 ft	12	-
FIX	AWY-HI	5.02111	6,949 m		
LFPG	-	49.00970	0 ft	106	Paris Charles De Gaulle
APT	-	2.56262	0 m		

EPWA

Region: POLAND
Timezone: EUROPE/WARSAW
Runways: 2

Elevation: 362 ft / 110 m
Location: 52.165100 20.967000
Magnetic Var: 6.629 E

METAR

EPWA 290030Z 26003KT 200V280 CAVOK 17/10 Q1015 NOSIG

TAF

TAF EPWA 282330Z 2900/2924 29005KT CAVOK TEMPO 2910/2918 SHRA BKN050CB PROB40 TEMPO 2911/2918 2500 TSRA PROB40 2912/2918 2000

Frequencies

REC - 120.45 MHz - ATIS	TWR - 118.30 MHz - OKECIE TOWER
GND - 121.90 MHz - OKECIE GROUND	CLD - 121.60 MHz - CLEARANCE DELIVERY
APP - 128.80 MHz - WARSAW APPROACH	APP - 125.05 MHz - WARSAW APPROACH
REC - 118.77 MHz - OLSZTYN INFORMATION	REC - 119.45 MHz - WARSAW INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	164 ft	9,166 ft	114.57	ASPHALT	0 ft	492 ft
	50 m	2,794 m	107.94		0 m	150 m
29	164 ft	9,166 ft	294.60	ASPHALT	1,617 ft	102 ft
	50 m	2,794 m	287.97		493 m	31 m
15	197 ft	12,093 ft	151.80	ASPHALT	0 ft	144 ft
	60 m	3,686 m	145.17		0 m	44 m
33	197 ft	12,093 ft	331.82	ASPHALT	2,159 ft	148 ft
	60 m	3,686 m	325.19		658 m	45 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	WAS	109.90 MHz	18 nm	-	-	394 ft
				33 km	-		394 m
33	DME	WA	110.30 MHz	18 nm	-	-	394 ft
				33 km	-		394 m
11	LOC-ILS	WAS	109.90 MHz	18 nm	114.59	-	362 ft
				33 km	107.96		362 m
33	LOC-ILS	WA	110.30 MHz	18 nm	331.82	-	362 ft
				33 km	325.19		362 m
11	GS	WAS	109.90 MHz	10 nm	114.59	3.00	362 ft
				19 km	107.96		362 m
33	GS	WA	110.30 MHz	10 nm	331.82	3.00	362 ft
				19 km	325.19		362 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.502 E

METAR

LFPG 290030Z 22010KT 9999 BKN018 BKN032 15/12 Q1015 NOSIG

TAF

TAF LFPG 282300Z 2900/3006 22010KT 9999 SCT020 BKN030 TX16/2915Z TN13/2904Z BECMG 2902/2904 BKN012 TEMPO 2904/2915

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.84		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.82		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m