

LGAV

Athens Eleftherios Venizelos


LGTS

Thessaloniki Makedonia Intl

2024/05/20 1724Z

LGAV EVIK0 LGTS

161.68 nm / 299.43 km



Notes

Basic altitude profile:

- Ascent Rate: 1000ft/min
- Ascent Speed: 190kts
- Cruise Altitude: 2000ft
- Cruise Speed: 260kts
- Descent Rate: 1100ft/min
- Descent Speed: 290kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LGAV	-	37.93670	0 ft	-	Athens Eleftherios Venizelos
APT	-	23.94450	0 m		
EVIKO	-	39.18890	2,000 ft	78	-
FIX	-	23.43750	610 m		
LGTS	-	40.52040	0 ft	82	Thessaloniki Makedonia Intl
APT	-	22.97190	0 m		

LGAV

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 308 ft / 94 m
Location: 37.936700 23.944500
Magnetic Var: 5.110 E

METAR

LGAV 201650Z 03009KT CAVOK 23/12 Q1013 NOSIG

TAF

TAF TAF LGAV 201100Z 2012/2112 06013KT 9999 FEW025 BECMG 2022/2024 VRB05KT TEMPO 2103/2108 SCT018 BKN070

Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.76		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.78		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.75		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.76		300 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.41		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.86		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.41		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.39		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.93		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.96		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.96		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.93		282 m

LGTS

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 21 ft / 6 m
Location: 40.520100 22.969100
Magnetic Var: 5.271 E

METAR

LGTS 201650Z 18007KT CAVOK 22/14 Q1014 NOSIG

TAF

TAF LGTS 201100Z 2012/2112 VRB03KT 9999 FEW025 TEMPO 2012/2015 FEW020TCU SCT025 TEMPO 2012/2018 17010KT

Frequencies

REC - 127.55 MHz - THESSALONIKI ATIS	GND - 121.70 MHz - THESSALONIKI GROUND
TWR - 118.05 MHz - THESSALONIKI TOWER	TWR - 118.10 MHz - THESSALONIKI TOWER
APP - 118.27 MHz - THESSALONIKI DIRECTOR	APP - 120.80 MHz - THESSALONIKI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	164 ft	11,259 ft	103.98	ASPHALT	0 ft	0 ft
	50 m	3,432 m	98.71		0 m	0 m
28	164 ft	11,259 ft	284.01	ASPHALT	0 ft	0 ft
	50 m	3,432 m	278.74		0 m	0 m
16	200 ft	7,975 ft	166.43	ASPHALT	0 ft	0 ft
	61 m	2,431 m	161.16		0 m	0 m
34	200 ft	7,975 ft	346.44	ASPHALT	0 ft	0 ft
	61 m	2,431 m	341.16		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	ITSL	110.30 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
10	LOC-ILS	IMAK	109.50 MHz	18 nm	104.00	-	21 ft
				33 km	98.73		21 m
16	LOC-ILS	ITSL	110.30 MHz	18 nm	166.44	-	21 ft
				33 km	161.17		21 m
10	GS	IMAK	109.50 MHz	10 nm	104.00	3.00	21 ft
				19 km	98.73		21 m
16	GS	ITSL	110.30 MHz	10 nm	166.44	3.00	21 ft
				19 km	161.17		21 m