

KBHM

Birmingham International


KLAS

McCarran Intl

2024/05/23 0403Z

KBHM YAALL J14 PNH J58 FTI J76 CUNDY KLAS

1407.26 nm / 2606.25 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBHM	-	33.56380	0 ft	-	Birmingham International
APT	-	-86.75130	0 m		
YAALL	-	33.79340	13,900 ft	38	-
FIX	-	-87.48090	4,237 m		
XESSS	J14	34.31410	35,000 ft	134	-
FIX	AWY-HI	-90.11740	10,668 m		
CARIN	J14	34.45420	35,000 ft	39	-
FIX	AWY-HI	-90.88700	10,668 m		
ARIGY	J14	34.53550	35,000 ft	23	-
FIX	AWY-HI	-91.34720	10,668 m		
LIT	J14	34.67770	35,000 ft	42	LITTLE ROCK
VOR	AWY-HI	-92.18050	10,668 m		
KOMMA	J14	35.01460	35,000 ft	124	-
FIX	AWY-HI	-94.67760	10,668 m		
KLUBB	J14	35.12040	35,000 ft	39	-
FIX	AWY-HI	-95.46670	10,668 m		
DWINE	J14	35.20810	35,000 ft	37	-
FIX	AWY-HI	-96.21630	10,668 m		
IRW	J14	35.35860	35,000 ft	68	WILL ROGERS (OKLAHOMA CITY)
VOR	AWY-HI	-97.60920	10,668 m		
CRUSR	J14	35.33540	35,000 ft	61	-
FIX	AWY-HI	-98.86620	10,668 m		
PNH	J14	35.23510	35,000 ft	139	PANHANDLE
VOR	AWY-HI	-101.69900	10,668 m		
FTI	J58	35.65760	35,000 ft	170	FORT UNION
VOR	AWY-HI	-105.13600	10,668 m		
TANER	J76	35.86830	35,000 ft	112	-
FIX	AWY-HI	-107.42800	10,668 m		
TBC	J76	36.12130	35,000 ft	187	TUBA CITY
VOR	AWY-HI	-111.27000	10,668 m		
CORKR	J76	36.08400	28,600 ft	54	-
FIX	AWY-HI	-112.40000	8,717 m		
CUNDY	J76	36.06010	22,400 ft	28	-
FIX	AWY-HI	-112.99200	6,828 m		
KLAS	-	36.08070	0 ft	104	McCarran Intl
APT	-	-115.15300	0 m		

KBHM

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 649 ft / 198 m
Location: 33.563800 -86.751300
Magnetic Var: 4.074 W

METAR

KBHM 230253Z 12004KT 10SM BKN250 26/18 A3001 RMK A02 SLP152 T02560183 55005

TAF

KBHM 222335Z 2300/2324 25008KT P6SM BKN050 OVC250 FM230100 18004KT P6SM BKN250 FM231500 21008KT P6SM SCT100 BKN250

Frequencies

COM - 122.95 MHz - BIRMINGHAM UNICOM	REC - 119.40 MHz - ATIS
GND - 121.70 MHz - BIRMINGHAM GROUND	TWR - 118.25 MHz - BIRMINGHAM TOWER
TWR - 119.90 MHz - BIRMINGHAM TOWER	APP - 123.80 MHz - BIRMINGHAM APPROACH
TWR - 127.67 MHz - BIRMINGHAM DEPARTURE	CLD - 125.67 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	151 ft	11,996 ft	55.34	ASPHALT	0 ft	194 ft
	46 m	3,656 m	59.41		0 m	59 m
24	151 ft	11,996 ft	235.36	ASPHALT	1,201 ft	400 ft
	46 m	3,656 m	239.43		366 m	122 m
18	148 ft	7,118 ft	180.02	ASPHALT	0 ft	0 ft
	45 m	2,170 m	184.10		0 m	0 m
36	148 ft	7,118 ft	0.02	ASPHALT	0 ft	200 ft
	45 m	2,170 m	4.10		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	DME	IBX0	111.30 MHz	18 nm	-	-	644 ft
				33 km	-		644 m
24	DME	IROE	109.50 MHz	18 nm	-	-	644 ft
				33 km	-		644 m
24	LOC-ILS	IROE	109.50 MHz	18 nm	235.35	-	649 ft
				33 km	239.42		649 m
18	LOC-LOC	IBX0	111.30 MHz	18 nm	180.02	-	649 ft
				33 km	184.09		649 m
06	GS	IBHM	110.30 MHz	10 nm	55.35	3.00	649 ft
				19 km	59.42		649 m
24	GS	IROE	109.50 MHz	10 nm	235.35	3.00	649 ft
				19 km	239.42		649 m

KLAS

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 2,180 ft / 664 m
Location: 36.080700 -115.153000
Magnetic Var: 11.045 E

METAR

KLAS 230256Z 23010G18KT 10SM CLR 31/M04 A2970 RMK A02 SLP033 T03111044 56007

TAF

TAF AMD KLAS 230240Z 2303/2406 22010G16KT P6SM SKC FM231000 23009KT P6SM SKC FM231500 01010G16KT P6SM SKC FM232200

Frequencies

REC - 132.40 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 118.00 MHz - CLEARANCE DELIVERY	GND - 121.10 MHz - LAS VEGAS GROUND
GND - 121.90 MHz - LAS VEGAS GROUND	TWR - 128.80 MHz - LAS VEGAS TOWER
TWR - 118.75 MHz - LAS VEGAS TOWER	TWR - 119.90 MHz - LAS VEGAS TOWER
APP - 125.60 MHz - LAS VEGAS APPROACH	APP - 125.02 MHz - LAS VEGAS APPROACH
DEP - 125.90 MHz - LAS VEGAS DEPARTURE	DEP - 133.95 MHz - LAS VEGAS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	151 ft	14,525 ft	89.92	CONCRETE	2,152 ft	0 ft
	46 m	4,427 m	78.88		656 m	0 m
26R	151 ft	14,525 ft	269.95	CONCRETE	1,414 ft	374 ft
	46 m	4,427 m	258.91		431 m	114 m
08R	151 ft	10,535 ft	89.92	CONCRETE	0 ft	381 ft
	46 m	3,211 m	78.88		0 m	116 m
26L	151 ft	10,535 ft	269.94	CONCRETE	0 ft	381 ft
	46 m	3,211 m	258.90		0 m	116 m
01R	151 ft	9,779 ft	24.82	CONCRETE	486 ft	400 ft
	46 m	2,981 m	13.78		148 m	122 m
19L	151 ft	9,779 ft	204.83	CONCRETE	876 ft	394 ft
	46 m	2,981 m	193.78		267 m	120 m
01L	151 ft	8,998 ft	24.82	CONCRETE	584 ft	400 ft
	46 m	2,743 m	13.78		178 m	122 m
19R	151 ft	8,998 ft	204.83	CONCRETE	0 ft	0 ft
	46 m	2,743 m	193.79		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	DME	ICUA	110.10 MHz	18 nm	-	-	2,092 ft
				33 km	-		2,092 m
26R	DME	ILAS	110.30 MHz	18 nm	-	-	2,203 ft
				33 km	-		2,203 m
01L	LOC-ILS	ICUA	110.10 MHz	18 nm	24.83	-	2,180 ft
				33 km	13.79		2,180 m
26L	LOC-ILS	IRLE	111.50 MHz	18 nm	269.93	-	2,180 ft
				33 km	258.89		2,180 m
26R	LOC-ILS	ILAS	110.30 MHz	18 nm	269.94	-	2,180 ft
				33 km	258.90		2,180 m
01L	GS	ICUA	110.10 MHz	10 nm	24.83	3.40	2,180 ft
				19 km	13.79		2,180 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	GS	IRLE	111.50 MHz	10 nm	269.93	3.00	2,180 ft
				19 km	258.89		2,180 m
26R	GS	ILAS	110.30 MHz	10 nm	269.94	3.00	2,180 ft
				19 km	258.90		2,180 m