

SVMG

Santiago Marino Intl


SVMI

Maiquetia Simon Bolivar Intl

2024/05/05 2022Z

SVMG TORTU SVMI

179.88 nm / 333.13 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
SVMG	-	10.91250	0 ft	-		Santiago Marino Intl
APT	-	-63.96730	0 m			
TORTU	-	10.89500	21,500 ft	79	-	
FIX	-	-65.31190	6,553 m			
SVMI	-	10.60320	0 ft	100		Maiquetia Simon Bolivar Intl
APT	-	-66.99040	0 m			

SVMG

Region: VENEZUELA
Timezone: AMERICA/CARACAS
Runways: 1

Elevation: 74 ft / 23 m
Location: 10.912500 -63.967300
Magnetic Var: 14.286 W

METAR

UNKNOWN

TAF

TAF SVMG 051600Z 0518/0618 27005KT 9999 SCT016 TX33/0517Z TN24/0608Z BECMG 0518/0522 270G12KT 9000 DZ BKN013

Frequencies

REC - 132.65 MHz - MARGARITA ATIS	GND - 121.90 MHz - MARGARITA GROUND
TWR - 118.60 MHz - MARGARITA TOWER	APP - 119.90 MHz - MARGARITA APPROACH
APP - 120.50 MHz - MARGARITA APPROACH	COM - 122.80 MHz - MARGARITA UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	150 ft	9,939 ft	78.21	ASPHALT	0 ft	0 ft
	46 m	3,030 m	92.49		0 m	0 m
27	150 ft	9,939 ft	258.21	ASPHALT	0 ft	0 ft
	46 m	3,030 m	272.50		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	MTA	110.10 MHz	18 nm	77.51	-	74 ft
				33 km	91.79		74 m
09	GS	MTA	110.10 MHz	10 nm	78.65	3.00	74 ft
				19 km	92.93		74 m

SVMI

Region: VENEZUELA
Timezone: AMERICA/CARACAS
Runways: 2

Elevation: 234 ft / 71 m
Location: 10.603200 -66.990400
Magnetic Var: 12.871 W

METAR

SVMI 052000Z 07002KT 9999 SCT016 BKN070 29/25 Q1011

TAF

TAF SVMI 051600Z 0518/0618 09005KT 9999 SCT016 TX31/0518Z TN21/0608Z BECMG 0520/0600 09004KT 9000 -DZ BKN016

Frequencies

CLD - 119.50 MHz - CLEARANCE DELIVERY
TWR - 118.40 MHz - MAIQUETIA TOWER
DEP - 120.10 MHz - MAIQUETIA DEPARTURE
GND - 121.90 MHz - MAIQUETIA GROUND
APP - 120.40 MHz - MAIQUETIA APPROACH
REC - 132.85 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	11,494 ft	88.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	101.00		0 m	57 m
28	151 ft	11,494 ft	268.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	281.00		0 m	57 m
09	151 ft	9,523 ft	75.94	ASPHALT	0 ft	0 ft
	46 m	2,903 m	88.82		0 m	0 m
27	151 ft	9,523 ft	255.95	ASPHALT	0 ft	0 ft
	46 m	2,903 m	268.82		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IMIQ	110.10 MHz	18 nm	-	-	235 ft
				33 km	-		235 m
10	LOC-ILS	IMIQ	110.10 MHz	18 nm	87.90	-	235 ft
				33 km	100.77		235 m
10	GS	IMIQ	110.10 MHz	10 nm	88.29	3.00	235 ft
				19 km	101.16		235 m