


2024/05/09 0246Z

HECA CVO **A727** SEMRU SILKA PMA OEMA

592.65 nm / 1097.59 km



Notes

Requested: HECA CVO A727 SEMRU M872 SILKA UM872 PMA OEMA

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
HECA	-	30.11140	0 ft	-	Cairo International
APT	-	31.41390	0 m		
CVO	-	30.09230	0 ft	1	CAIRO
VOR	-	31.38840	0 m		
SOLAM	A727	29.70030	0 ft	24	-
FIX	AWY-HI	31.51830	0 m		
RASMI	A727	28.98360	0 ft	44	-
FIX	AWY-HI	31.75170	0 m		
SEMRU	A727	28.03330	0 ft	59	-
FIX	AWY-HI	32.05170	0 m		
SILKA	-	26.56670	0 ft	203	-
FIX	-	35.48330	0 m		
PMA	-	24.54760	0 ft	258	PRINCE MOHAMMAD BIN ABDULAZIZ VOR-DME
DME	-	39.70520	0 m		
OEMA	-	24.55350	0 ft	0	Madinah Intl
APT	-	39.70520	0 m		

HECA

Region: EGYPT
Timezone: AFRICA/CAIRO
Runways: 3

Elevation: 466 ft / 142 m
Location: 30.111400 31.413900
Magnetic Var: 4.951 E

METAR

HECA 090230Z 00000KT CAVOK 18/14 Q1010 NOSIG

TAF

TAF HECA 081700Z 0818/0924 08012KT CAVOK PROB30 TEMPO 0900/0905 VRB03KT 4000 HZ NSC BECMG 0916/0918 15008KT

Frequencies

REC - 122.60 MHz - ATIS
GND - 121.90 MHz - CAIRO GROUND NORTH
APP - 119.05 MHz - CAIRO APPROACH
GND - 120.40 MHz - CAIRO GROUND SOUTH
TWR - 118.10 MHz - CAIRO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	197 ft	13,135 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,004 m	44.09		0 m	66 m
23L	197 ft	13,135 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,004 m	224.10		0 m	69 m
05C	197 ft	13,132 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,003 m	44.09		0 m	66 m
23C	197 ft	13,132 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,003 m	224.10		0 m	69 m
05L	197 ft	10,840 ft	49.29	ASPHALT	0 ft	184 ft
	60 m	3,304 m	44.34		0 m	56 m
23R	197 ft	10,840 ft	229.30	ASPHALT	0 ft	184 ft
	60 m	3,304 m	224.35		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	CRL	110.90 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05R	DME	IROT	109.90 MHz	18 nm	-	-	430 ft
				33 km	-		430 m
23L	DME	ILOT	109.50 MHz	18 nm	-	-	420 ft
				33 km	-		420 m
23R	DME	CRR	110.30 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05L	LOC-ILS	IZFL	110.90 MHz	18 nm	49.30	-	466 ft
				33 km	44.35		466 m
05C	LOC-ILS	IZFC	109.90 MHz	18 nm	49.04	-	466 ft
				33 km	44.09		466 m
05R	LOC-ILS	IZFR	108.90 MHz	18 nm	49.05	-	466 ft
				33 km	44.10		466 m
23L	LOC-ILS	ITTL	108.70 MHz	18 nm	229.05	-	466 ft
				33 km	224.10		466 m
23C	LOC-ILS	ITTC	109.50 MHz	18 nm	229.04	-	466 ft
				33 km	224.09		466 m
23R	LOC-ILS	ITTR	110.30 MHz	18 nm	229.30	-	466 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	224.35		466 m
05L	GS	IZFL	110.90 MHz	10 nm	49.30	3.00	466 ft
				19 km	44.35		466 m
05C	GS	IZFC	109.90 MHz	10 nm	49.04	3.00	466 ft
				19 km	44.09		466 m
05R	GS	IZFR	108.90 MHz	10 nm	49.05	3.00	466 ft
				19 km	44.10		466 m
23L	GS	ITTL	108.70 MHz	10 nm	229.05	3.00	466 ft
				19 km	224.10		466 m
23C	GS	ITTC	109.50 MHz	10 nm	229.04	3.00	466 ft
				19 km	224.09		466 m
23R	GS	ITTR	110.30 MHz	10 nm	229.30	3.00	466 ft
				19 km	224.35		466 m

OEMA

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 2

Elevation: 2,134 ft / 650 m
Location: 24.553500 39.705200
Magnetic Var: 4.138 E

METAR

OEMA 090200Z 03005KT CAVOK 25/M05 Q1014 NOSIG

TAF

TAF OEMA 082300Z 0900/1006 07006KT CAVOK BECMG 0906/0908 13010KT BECMG 0918/0920 30005KT

Frequencies

REC - 126.85 MHz - MADINAH ATIS
TWR - 118.30 MHz - MADINAH TOWER
APP - 127.70 MHz - MADINAH APPROACH

GND - 121.90 MHz - MADINAH GROUND
APP - 125.10 MHz - MADINAH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	194 ft	14,285 ft	169.11	ASPHALT	0 ft	407 ft
	59 m	4,354 m	164.97		0 m	124 m
35	194 ft	14,285 ft	349.11	ASPHALT	0 ft	394 ft
	59 m	4,354 m	344.97		0 m	120 m
18	147 ft	10,059 ft	183.79	ASPHALT	0 ft	394 ft
	45 m	3,066 m	179.65		0 m	120 m
36	147 ft	10,059 ft	3.79	ASPHALT	0 ft	394 ft
	45 m	3,066 m	359.65		0 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	INAH	111.70 MHz	18 nm	-	-	2,151 ft
				33 km	-		2,151 m
35	DME	IDIN	111.30 MHz	18 nm	-	-	2,151 ft
				33 km	-		2,151 m
36	DME	IPMA	110.50 MHz	18 nm	-	-	2,151 ft
				33 km	-		2,151 m
17	LOC-ILS	INAH	111.70 MHz	18 nm	169.00	-	2,151 ft
				33 km	164.86		2,151 m
35	LOC-ILS	IDIN	111.30 MHz	18 nm	348.95	-	2,151 ft
				33 km	344.82		2,151 m
36	LOC-ILS	IPMA	110.50 MHz	18 nm	3.66	-	2,151 ft
				33 km	359.52		2,151 m
17	GS	INAH	111.70 MHz	10 nm	169.77	3.00	2,151 ft
				19 km	165.63		2,151 m
35	GS	IDIN	111.30 MHz	10 nm	349.77	3.00	2,151 ft
				19 km	345.63		2,151 m
36	GS	IPMA	110.50 MHz	10 nm	4.38	3.00	2,151 ft
				19 km	0.24		2,151 m