

KBUF

Buffalo Niagara Intl


KJFK

John F Kennedy Intl

2024/05/01 0409Z

KBUF DALEE **V36** ULW **V147** LACIE **V126** SCOFF KJFK

263.27 nm / 487.57 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 10000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBUF APT	-	42.94049 -78.73061	0 ft 0 m	-	Buffalo Niagara Intl
DALEE FIX	-	42.75631 -78.30357	7,700 ft 2,347 m	21	-
BURST FIX	V36 AWY-LO	42.52233 -77.84536	15,500 ft 4,724 m	24	-
HORNE FIX	V36 AWY-LO	42.38924 -77.58783	17,000 ft 5,182 m	13	-
THINK FIX	V36 AWY-LO	42.22872 -77.28033	17,000 ft 5,182 m	16	-
ULW VOR	V36 AWY-LO	42.09422 -77.02458	17,000 ft 5,182 m	13	ELMIRA VOR-DME
BIPOD FIX	V147 AWY-LO	41.87821 -76.66784	17,000 ft 5,182 m	20	-
TWIIN FIX	V147 AWY-LO	41.74940 -76.45699	17,000 ft 5,182 m	12	-
LACIE FIX	V147 AWY-LO	41.55415 -76.14011	17,000 ft 5,182 m	18	-
SCOFF FIX	V126 AWY-LO	41.51536 -75.81072	17,000 ft 5,182 m	14	-
KJFK APT	-	40.63990 -73.77666	0 ft 0 m	106	John F Kennedy Intl

KBUF

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 727 ft / 222 m
Location: 42.940500 -78.730600
Magnetic Var: 10.663 W

METAR

KBUF 010254Z 21006KT 10SM FEW045 FEW055 12/07 A2990 RMK A02 SLP126 T01170072 50002

TAF

KBUF 302332Z 0100/0124 23008KT P6SM SCT050 FM010400 VRB03KT P6SM BKN007 FM010700 VRB03KT 2SM BR BKN004 FM011300 2

Frequencies

REC - 135.35 MHz - D-ATIS	GND - 133.20 MHz - BUFFALO GROUND
TWR - 120.50 MHz - BUFFALO TOWER	CLD - 124.70 MHz - CLEARANCE DELIVERY
DEP - 126.15 MHz - BUFFALO DEPARTURE	DEP - 126.50 MHz - BUFFALO DEPARTURE
APP - 126.15 MHz - BUFFALO APPROACH	APP - 126.50 MHz - BUFFALO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	150 ft	8,830 ft	43.83	ASPHALT	538 ft	197 ft
	46 m	2,691 m	54.49		164 m	60 m
23	150 ft	8,830 ft	223.84	ASPHALT	738 ft	197 ft
	46 m	2,691 m	234.51		225 m	60 m
14	150 ft	7,159 ft	126.76	ASPHALT	338 ft	197 ft
	46 m	2,182 m	137.42		103 m	60 m
32	150 ft	7,159 ft	306.77	ASPHALT	722 ft	197 ft
	46 m	2,182 m	317.43		220 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IBNQ	109.95 MHz	18 nm	-	-	496 ft
				33 km	-		496 m
05	LOC-ILS	IGBI	108.50 MHz	18 nm	43.84	-	727 ft
				33 km	54.50		727 m
23	LOC-ILS	IBUF	111.30 MHz	18 nm	223.84	-	727 ft
				33 km	234.50		727 m
32	LOC-ILS	IBNQ	109.95 MHz	18 nm	306.77	-	727 ft
				33 km	317.43		727 m
05	GS	IGBI	108.50 MHz	10 nm	43.84	3.00	727 ft
				19 km	54.50		727 m
23	GS	IBUF	111.30 MHz	10 nm	223.84	3.00	727 ft
				19 km	234.50		727 m
32	GS	IBNQ	109.95 MHz	10 nm	306.77	3.00	727 ft
				19 km	317.43		727 m

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.820 W

METAR

KJFK 010251Z 04008KT 10SM SCT060 SCT080 OVC250 11/09 A2989 RMK A02 SLP122 T01110089 50009

TAF

TAF AMD KJFK 010225Z 0102/0206 04008KT 6SM -SHRA VCTS BKN010 BKN045CB FM010400 03005KT P6SM BKN010 FM011000 VRB03

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
31R	DME	IRTH	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68	-	12 ft
				33 km	43.50		12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67	-	12 ft
				33 km	43.49		12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87	-	12 ft
				33 km	133.69		12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67	-	12 ft
				33 km	223.49		12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68	-	12 ft
				33 km	223.50		12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84	-	12 ft
				33 km	313.66		12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87	-	12 ft
				33 km	313.69		12 m
04L	GS	IHIQ	110.90 MHz	10 nm	30.68	3.00	12 ft
				19 km	43.50		12 m
04R	GS	IJFK	109.50 MHz	10 nm	30.67	3.00	12 ft
				19 km	43.49		12 m
13L	GS	ITLK	111.50 MHz	10 nm	120.87	3.00	12 ft
				19 km	133.69		12 m
22L	GS	IIWY	110.90 MHz	10 nm	210.67	3.00	12 ft
				19 km	223.49		12 m
22R	GS	IJOC	109.50 MHz	10 nm	210.68	3.00	12 ft
				19 km	223.50		12 m
31L	GS	IMOH	111.35 MHz	10 nm	300.84	3.00	12 ft
				19 km	313.66		12 m
31R	GS	IRTH	111.50 MHz	10 nm	300.87	3.00	12 ft
				19 km	313.69		12 m