

LFKJ

Napoleon Bonaparte


LEIB

Ibiza

2024/05/23 0818Z

LFKJ ERPIN **UT250** BALEN **UN850** POS LEIB

387.19 nm / 717.07 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFKJ	-	41.92170	0 ft	-	Napoleon Bonaparte
APT	-	8.80109	0 m	-	
ERPIN	-	41.57250	20,900 ft	58	-
FIX	-	7.57667	6,370 m	-	-
NIVDA	UT250	41.24330	35,000 ft	49	-
FIX	AWY-HI	6.56861	10,668 m	-	-
BALEN	UT250	40.94670	35,000 ft	43	-
FIX	AWY-HI	5.69000	10,668 m	-	-
SORAS	UN850	40.55220	35,000 ft	52	-
FIX	AWY-HI	4.66667	10,668 m	-	-
NELAS	UN850	40.09410	26,500 ft	59	-
FIX	AWY-HI	3.52083	8,077 m	-	-
POS	UN850	39.92740	22,000 ft	21	POLLENSA
VOR	AWY-HI	3.11458	6,706 m	-	-
LEIB	-	38.87290	0 ft	102	Ibiza
APT	-	1.37310	0 m	-	

LFKJ

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 19 ft / 6 m
Location: 41.921700 8.801090
Magnetic Var: 3.018 E

METAR

LFKJ 230800Z AUTO 23005KT 190V260 9999 NSC 20/13 Q1018

TAF

TAF LFKJ 230200Z 2303/2403 05006KT CAVOK BECMG 2307/2309 22010KT BECMG 2319/2322 06004KT

Frequencies

REC - 126.92 MHz - LFKJ ATIS
TWR - 118.07 MHz - AJACCIO TWR

GND - 121.70 MHz - AJACCIO GND
APP - 121.05 MHz - AJACCIO APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	7,904 ft	24.84	CONCRETE	0 ft	161 ft
	45 m	2,409 m	21.82		0 m	49 m
20	148 ft	7,904 ft	204.85	CONCRETE	741 ft	230 ft
	45 m	2,409 m	201.83		226 m	70 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	AC	110.30 MHz	27 nm	-	-	18 ft
				50 km	-		18 m
02	LOC-ILS	AC	110.30 MHz	18 nm	24.85	-	19 ft
				33 km	21.83		19 m
02	GS	AC	110.30 MHz	10 nm	24.85	3.00	19 ft
				19 km	21.83		19 m

LEIB

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 24 ft / 7 m
Location: 38.872800 1.373130
Magnetic Var: 1.359 E

METAR

LEIB 230800Z VRB04KT 9999 SCT013 21/16 Q1018 NOSIG

TAF

TAF LEIB 230200Z 2303/2403 12005KT 9999 FEW025 TX24/2313Z TN15/2305Z PROB30 TEMPO 2303/2306 4000 BR BECMG 2308/23

Frequencies

REC - 119.80 MHz - ATIS
TWR - 118.50 MHz - IBIZA TOWER
APP - 134.82 MHz - PALMA APPROACH
GND - 121.92 MHz - IBIZA GROUND
CLD - 121.37 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,160 ft	61.99	ASPHALT	0 ft	0 ft
	45 m	2,792 m	60.63		0 m	0 m
24	148 ft	9,160 ft	242.00	ASPHALT	0 ft	0 ft
	45 m	2,792 m	240.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBI	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
24	DME	IBZ	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
06	LOC-ILS	IBI	111.10 MHz	18 nm	62.00	-	24 ft
				33 km	60.64		24 m
24	LOC-ILS	IBZ	109.50 MHz	18 nm	242.00	-	24 ft
				33 km	240.64		24 m
06	GS	IBI	111.10 MHz	10 nm	62.00	3.00	24 ft
				19 km	60.64		24 m
24	GS	IBZ	109.50 MHz	10 nm	242.00	3.00	24 ft
				19 km	240.64		24 m