

LFMD

Mandelieu


LFNX

Bedarieux la Tour sur Orb

2024/05/03 0222Z

LFMD ABLAK LFNX

165.91 nm / 307.26 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMD	-	43.54673	0 ft	-	Mandelieu
APT	-	6.95310	0 m		
ABLAK	-	43.50139	20,400 ft	66	-
FIX	-	5.43833	6,218 m		
LFNX	-	43.63338	0 ft	99	Bedarieux la Tour sur Orb
APT	-	3.15000	0 m		

LFMD

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 14 ft / 4 m
Location: 43.546700 6.953250
Magnetic Var: 2.674 E

METAR

LFMD 030200Z AUTO VRB02KT 9999 FEW023 SCT100 OVC140 10/08 Q1010

TAF

TAF LFMD 022105Z 0221/0315 CNL

Frequencies

REC - 130.47 MHz - ATIS
TWR - 118.62 MHz - CANNES TOWER

GND - 121.80 MHz - CANNES GROUND
TWR - 120.77 MHz - CANNES TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	5,290 ft	172.67	ASPHALT	397 ft	0 ft
	45 m	1,612 m	170.00		121 m	0 m
35L	148 ft	5,290 ft	352.68	ASPHALT	1,155 ft	0 ft
	45 m	1,612 m	350.00		352 m	0 m
04	59 ft	2,394 ft	45.11	ASPHALT	262 ft	0 ft
	18 m	730 m	42.44		80 m	0 m
22	59 ft	2,394 ft	225.12	ASPHALT	0 ft	0 ft
	18 m	730 m	222.44		0 m	0 m
17L	164 ft	1,812 ft	172.67	GRASS	0 ft	0 ft
	50 m	552 m	170.00		0 m	0 m
35R	164 ft	1,812 ft	352.67	GRASS	0 ft	0 ft
	50 m	552 m	350.00		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35L	LOC-LOC	CMD	110.35 MHz	18 nm	352.67	-	14 ft
				33 km	350.00		14 m