

WIII

Jakarta Sukarno-Hatta Intl


NZAA

Auckland International

2024/05/14 2114Z

WIII IMABA A585 SAPDA G222 BRM T11 AS A576 PKS KAT H44 SY L521 AA NZAA

4182.69 nm / 7746.35 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIII APT	-	-6.12574 106.65640	0 ft 0 m	-	Jakarta Sukarno-Hatta Intl
IMABA FIX	-	-7.08088 107.51092	27,400 ft 8,352 m	76	-
IPKON FIX	A585 AWY-HI	-8.06217 108.26927	35,000 ft 10,668 m	74	-
SAPDA FIX	A585 AWY-HI	-12.00000 111.42667	35,000 ft 10,668 m	301	-
METUM FIX	G222 AWY-HI	-14.13694 115.14222	35,000 ft 10,668 m	252	-
ONALA FIX	G222 AWY-HI	-15.18611 117.02917	35,000 ft 10,668 m	126	-
NUNUL FIX	G222 AWY-HI	-17.14750 120.69139	35,000 ft 10,668 m	241	-
BRM NDB	G222 AWY-HI	-17.94639 122.23528	35,000 ft 10,668 m	100	BROOME NDB-DME
CESCI FIX	T11 AWY-HI	-19.37111 124.86056	35,000 ft 10,668 m	172	-
VIPOX FIX	T11 AWY-HI	-20.08361 126.21444	35,000 ft 10,668 m	87	-
LEESA FIX	T11 AWY-HI	-22.13361 130.30833	35,000 ft 10,668 m	260	-
AS VOR	T11 AWY-HI	-23.79289 133.87820	35,000 ft 10,668 m	221	ALICE SPRINGS VOR-DME
KALUG FIX	A576 AWY-HI	-25.90000 136.72500	35,000 ft 10,668 m	200	-
POLEV FIX	A576 AWY-HI	-26.92028 138.16917	35,000 ft 10,668 m	98	-
APOMA FIX	A576 AWY-HI	-29.89806 142.68167	35,000 ft 10,668 m	297	-
VIMAB FIX	A576 AWY-HI	-31.51528 145.35861	35,000 ft 10,668 m	168	-
PKS VOR	A576 AWY-HI	-33.13111 148.23722	35,000 ft 10,668 m	175	PARKES VOR-DME
KAT NDB	-	-33.71081 150.29962	35,000 ft 10,668 m	109	KATOOMBA NDB
SY VOR	H44 AWY-HI	-33.94278 151.18056	35,000 ft 10,668 m	46	SYDNEY VOR-DME
EVONN FIX	L521 AWY-HI	-34.19528 152.03111	35,000 ft 10,668 m	44	-
GEROS FIX	L521 AWY-HI	-35.01806 154.99861	35,000 ft 10,668 m	154	-
WALTZ FIX	L521 AWY-HI	-35.78083 158.08194	35,000 ft 10,668 m	157	-
ESKEL FIX	L521 AWY-HI	-36.52361 163.00000	35,000 ft 10,668 m	242	-
PORAR FIX	L521 AWY-HI	-36.58869 163.51361	35,000 ft 10,668 m	25	-
UBTAM FIX	L521 AWY-HI	-36.95744 166.86714	35,000 ft 10,668 m	162	-
LUNBI FIX	L521 AWY-HI	-37.25697 170.65681	35,000 ft 10,668 m	182	-
AA	L521	-37.00464	13,500 ft	199	AUCKLAND VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-LO	174.81364	4,115 m		
NZAA	-	-37.01079	0 ft	1	Auckland International
APT	-	174.78733	0 m		

WIII

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 3

Elevation: 34 ft / 10 m
Location: -6.119810 106.657000
Magnetic Var: 0.529 E

METAR

WIII 142030Z 20006KT 3000 BR FEW018CB FEW020 26/25 Q1010 TEMPO FM2040 TSRA RMK CB OVER THE FIELD

TAF

TAF AMD WIII 142040Z 1420/1600 20006KT 7000 FEW020 TEMPO 1420/1423 2000 TSRA FEW018CB SCT020 BECMG 1501/1503 06000

Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.71		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.71		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m

NZAA

Region: NEW ZEALAND AND ANTARCTICA
Timezone: PACIFIC/AUCKLAND
Runways: 1

Elevation: 23 ft / 7 m
Location: -37.008100 174.792000
Magnetic Var: 20.179 E

METAR

NZAA 142100Z AUTO 01012KT 9999 BKN029/// 17/16 Q1013

TAF

TAF NZAA 142011Z 1421/1600 36012KT 9999 SCT030 TEMPO 1421/1501 6000 SHRA BKN014 FEW020TCU FM150300 29012KT 9999 -

Frequencies

REC - 127.80 MHz - ATIS	REC - 127.00 MHz - ATIS
GND - 121.90 MHz - AUCKLAND GROUND	TWR - 118.70 MHz - AUCKLAND TOWER
TWR - 120.95 MHz - AUCKLAND TOWER	CLD - 128.20 MHz - CLEARANCE DELIVERY
APP - 120.10 MHz - AUCKLAND APPROACH	APP - 124.30 MHz - AUCKLAND APPROACH
APP - 129.50 MHz - AUCKLAND APPROACH	APP - 129.60 MHz - AUCKLAND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	151 ft	12,040 ft	70.92	CONCRETE	1,250 ft	0 ft
	46 m	3,670 m	50.74		381 m	0 m
23L	151 ft	12,040 ft	250.90	CONCRETE	0 ft	131 ft
	46 m	3,670 m	230.72		0 m	40 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IAA	110.30 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
23L	DME	IMG	109.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
05R	LOC-ILS	IAA	110.30 MHz	18 nm	70.91	-	23 ft
				33 km	50.73		23 m
23L	LOC-ILS	IMG	109.90 MHz	18 nm	250.91	-	23 ft
				33 km	230.73		23 m
05R	GS	IAA	110.30 MHz	10 nm	70.91	3.00	23 ft
				19 km	50.73		23 m
23L	GS	IMG	109.90 MHz	10 nm	250.91	3.00	23 ft
				19 km	230.73		23 m