

DGAA

Accra Kotoka Intl


OPKC

Karachi Jinnah Intl

2024/06/04 0520Z

DGAA LM **UA609** LAG **R778** DESIX **W951** TUSIB **UW951** EDEKO **UJ332** JOS JOS **UG626** MIU **UG660** FL **UM863** JDW
KAPAV VEMEM **Z331** EGMOT **V331** WDR **UL425** EGREN **L556** PURDA **UG783** OVAXI **UM440** TOKRA **G652** SODEB **G216**
LATEM **A791** LOTAT OPKC

4134.79 nm / 7657.64 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DGAA APT	-	5.60466 -0.16745	0 ft 0 m	-	Accra Kotoka Intl
LM VOR	-	6.18408 1.26878	33,000 ft 10,058 m	92	LOME
MONOS FIX	UA609 AWY-HI	6.26588 1.78333	35,000 ft 10,668 m	31	-
TYE VOR	UA609 AWY-HI	6.36213 2.39328	35,000 ft 10,668 m	36	COTONOU
POLTO FIX	UA609 AWY-HI	6.49217 2.74919	35,000 ft 10,668 m	22	-
LAG VOR	UA609 AWY-HI	6.70852 3.32745	35,000 ft 10,668 m	36	LAGOS
IBA VOR	R778 AWY-LO	7.34743 3.96569	35,000 ft 10,668 m	54	IBADAN
DESIX FIX	R778 AWY-LO	7.74110 4.42326	35,000 ft 10,668 m	36	-
TUSIB FIX	W951 AWY-LO	8.55270 5.88395	35,000 ft 10,668 m	99	-
MESES FIX	UW951 AWY-HI	8.87376 6.46646	35,000 ft 10,668 m	39	-
EDEKO FIX	UW951 AWY-HI	9.35148 7.31760	35,000 ft 10,668 m	58	-
USKIP FIX	UJ332 AWY-HI	9.52456 8.21707	35,000 ft 10,668 m	54	-
JOS DME	UJ332 AWY-HI	9.64219 8.84300	35,000 ft 10,668 m	37	JOS VOR-DME
JOS VOR	-	9.64197 8.86401	35,000 ft 10,668 m	1	JOS
BORNA FIX	UG626 AWY-HI	9.87149 9.27248	35,000 ft 10,668 m	27	-
IKTAM FIX	UG626 AWY-HI	10.57840 10.60430	35,000 ft 10,668 m	89	-
POSIB FIX	UG626 AWY-HI	10.72340 10.87930	35,000 ft 10,668 m	18	-
MIU VOR	UG626 AWY-HI	11.88820 13.11670	35,000 ft 10,668 m	149	MAIDUGURI
KELAK FIX	UG660 AWY-HI	12.08830 14.63270	35,000 ft 10,668 m	89	-
FL VOR	UG660 AWY-HI	12.14170 15.03830	35,000 ft 10,668 m	24	N'DJAMENA
OLEVO FIX	UM863 AWY-HI	13.11220 17.39280	35,000 ft 10,668 m	149	-
ERTOM FIX	UM863 AWY-HI	13.43090 18.15570	35,000 ft 10,668 m	48	-
ABOXO FIX	UM863 AWY-HI	13.90190 19.32660	35,000 ft 10,668 m	73	-
ABEPI FIX	UM863 AWY-HI	14.37110 20.51220	35,000 ft 10,668 m	74	-
TIPEM FIX	UM863 AWY-HI	14.48430 20.80110	35,000 ft 10,668 m	18	-
IPONO FIX	UM863 AWY-HI	15.10580 22.41000	35,000 ft 10,668 m	100	-
KITOB	UM863	15.36190	35,000 ft	36	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	22.97920	10,668 m		
ASKOL	UM863	15.81500	35,000 ft	65	-
FIX	AWY-HI	24.00140	10,668 m		
SOGIN	UM863	17.19580	35,000 ft	201	-
FIX	AWY-HI	27.20000	10,668 m		
RAGSI	UM863	18.92390	35,000 ft	264	-
FIX	AWY-HI	31.46310	10,668 m		
SOMAK	UM863	19.05030	35,000 ft	19	-
FIX	AWY-HI	31.78810	10,668 m		
DARIB	UM863	19.53310	35,000 ft	77	-
FIX	AWY-HI	33.04770	10,668 m		
TOMRU	UM863	20.73640	35,000 ft	198	-
FIX	AWY-HI	36.33060	10,668 m		
GIBAP	UM863	21.37170	35,000 ft	109	-
FIX	AWY-HI	38.15830	10,668 m		
JDW	UM863	21.71230	35,000 ft	57	KING ABDULAZIZ (JEDDAH)
VOR	AWY-HI	39.12310	10,668 m		
KAPAV	-	22.11240	35,000 ft	43	-
FIX	-	39.77230	10,668 m		
VEMEM	-	22.26490	35,000 ft	16	-
FIX	-	40.02180	10,668 m		
DEKLO	Z331	21.91140	35,000 ft	77	-
FIX	AWY-HI	41.35220	10,668 m		
OBSAM	Z331	21.32220	35,000 ft	123	-
FIX	AWY-HI	43.47250	10,668 m		
EGMOT	Z331	21.17110	35,000 ft	20	-
FIX	AWY-HI	43.79750	10,668 m		
WDR	V331	20.50530	35,000 ft	88	WADI AL DAWASIR
VOR	AWY-HI	45.20540	10,668 m		
EGREN	UL425	20.37670	35,000 ft	86	-
FIX	AWY-HI	46.73940	10,668 m		
NONGA	L556	20.84670	35,000 ft	148	-
FIX	AWY-HI	49.33720	10,668 m		
PURDA	L556	21.13470	35,000 ft	98	-
FIX	AWY-HI	51.05810	10,668 m		
SILBU	UG783	21.75330	35,000 ft	82	-
FIX	AWY-HI	52.38440	10,668 m		
EMEGU	UG783	22.09810	35,000 ft	46	-
FIX	AWY-HI	53.14110	10,668 m		
BOSED	UG783	22.15890	35,000 ft	8	-
FIX	AWY-HI	53.27580	10,668 m		
OVAXI	UG783	22.49810	35,000 ft	46	-
FIX	AWY-HI	54.03280	10,668 m		
TOKRA	UM440	22.15690	35,000 ft	87	-
FIX	AWY-HI	55.56390	10,668 m		
DATBU	G652	22.37860	35,000 ft	28	-
FIX	AWY-HI	56.01500	10,668 m		
NAMVA	G652	22.55250	35,000 ft	22	-
FIX	AWY-HI	56.37310	10,668 m		
NALKI	G652	22.82440	35,000 ft	35	-
FIX	AWY-HI	56.93720	10,668 m		
TULBU	G652	23.00140	35,000 ft	23	-
FIX	AWY-HI	57.30750	10,668 m		
GEPOT	G652	23.24610	35,000 ft	41	-
FIX	AWY-HI	58.01470	10,668 m		
KUSRA	G652	23.40720	35,000 ft	25	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	58.43640	10,668 m		
SODEB	G652	23.79640	35,000 ft	63	-
FIX	AWY-HI	59.50640	10,668 m		
DERTO	G216	23.84250	35,000 ft	16	-
FIX	AWY-HI	59.79610	10,668 m		
ALPOR	G216	24.07810	35,000 ft	85	-
FIX	AWY-HI	61.33330	10,668 m		
SIDKA	G216	24.14560	35,000 ft	25	-
FIX	AWY-HI	61.79580	10,668 m		
LATEM	G216	24.52890	27,600 ft	167	-
FIX	AWY-HI	64.82890	8,412 m		
LOTAT	A791	24.61720	21,400 ft	28	-
FIX	AWY-HI	65.35060	6,523 m		
OPKC	-	24.90660	0 ft	100	Karachi Jinnah Intl
APT	-	67.16080	0 m		

DGAA

Region: GHANA
Timezone: AFRICA/ACCRA
Runways: 1

Elevation: 205 ft / 62 m
Location: 5.604860 -0.167384
Magnetic Var: 2.737 W

METAR

UNKNOWN

TAF

TAF DGAA 032300Z 0400/0506 20008KT 9999 FEW013 BECMG 0403/0405 CAVOK BECMG 0406/0408 27010KT

Frequencies

REC - 113.10 MHz - ATIS
GND - 121.90 MHz - ACCRA GROUND
APP - 119.10 MHz - ACCRA APPROACH
TWR - 118.60 MHz - ACCRA TOWER
APP - 119.50 MHz - ACCRA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	190 ft	11,224 ft	22.22	ASPHALT	0 ft	344 ft
	58 m	3,421 m	24.96		0 m	105 m
21	190 ft	11,224 ft	202.22	ASPHALT	1,339 ft	184 ft
	58 m	3,421 m	204.96		408 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	LOC-ILS	IACA	109.90 MHz	18 nm	202.23	-	205 ft
				33 km	204.97		205 m
21	GS	IACA	109.90 MHz	10 nm	202.23	3.00	205 ft
				19 km	204.97		205 m

OPKC

Region: PAKISTAN
Timezone: ASIA/KARACHI
Runways: 2

Elevation: 100 ft / 30 m
Location: 24.906600 67.160800
Magnetic Var: 1.472 E

METAR

OPKC 040500Z 24015KT 5000 HZ BKN025 32/23 Q1005 TEMPO 24015G25KT

TAF

TAF OPKC 032300Z 0400/0506 23012G22KT 6000 SCT030 TEMPO 0400/0404 27010KT 6000 BKN020 BECMG 0419/0421 26007G17KT

Frequencies

REC - 126.70 MHz - ATIS
TWR - 118.80 MHz - KARACHI TOWER
APP - 125.50 MHz - KARACHI APPROACH
GND - 121.60 MHz - KARACHI GROUND
COM - 119.22 MHz - KARACHI UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	151 ft	11,140 ft	74.39	CONCRETE	0 ft	991 ft
	46 m	3,396 m	72.92		0 m	302 m
25L	151 ft	11,140 ft	254.41	CONCRETE	0 ft	627 ft
	46 m	3,396 m	252.94		0 m	191 m
07L	151 ft	10,494 ft	74.39	CONCRETE	0 ft	1,001 ft
	46 m	3,199 m	72.92		0 m	305 m
25R	151 ft	10,494 ft	254.40	CONCRETE	0 ft	994 ft
	46 m	3,199 m	252.93		0 m	303 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	DME	IKC	109.70 MHz	18 nm	-	-	156 ft
				33 km	-		156 m
25L	LOC-ILS	IQA	109.70 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25R	LOC-ILS	IKC	110.10 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25L	GS	IQA	109.70 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m
25R	GS	IKC	110.10 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m