LHBP
Budapest Ferihegy


-

EDDP
Leipzig-halle

2024/03/29 0556Z

LHBP DP491 EDDP

362.69 nm / 671.70 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LHBP	–	47.44871	0 ft	–	–
APT	–	19.22076	0 m		
DP491	–	51.34645	0 ft	356	–
FIX	–	12.33469	0 m		
EDDP	–	51.41160	0 ft	6	–
APT	–	12.20459	0 m		

LHBP

Region: HUNGARY
Timezone: EUROPE/BUDAPEST
Runways: 2

Elevation: 495 ft / 151 m
Location: 47.436900 19.255600
Magnetic Var: 5.488 E

METAR

LHBP 290530Z 13004KT CAVOK 05/04 Q1013 NOSIG

TAF

TAF TAF LHBP 282315Z 2900/2924 29020G30KT 9999 -RA -SHRA SCT018 BKN045 BECMG 2900/2903 23008KT CAVOK PROB30 TEMPO

Frequencies

REC - 117.30 MHz - ATIS
TWR - 119.97 MHz - BUDAPEST TOWER
GND - 121.90 MHz - BUDAPEST GROUND
APP - 119.50 MHz - BUDAPEST APPROACH
APP - 123.85 MHz - BUDAPEST APPROACH
REC - 119.35 MHz - BUDAPEST INFORMATION

REC - 132.37 MHz - ATIS
TWR - 118.10 MHz - BUDAPEST TOWER
CLD - 134.55 MHz - CLEARANCE DELIVERY
APP - 122.97 MHz - BUDAPEST APPROACH
APP - 124.90 MHz - BUDAPEST APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft 45 m	9,882 ft 3,012 m	132.42 126.93	CONCRETE	0 ft 0 m	0 ft 0 m
31L	148 ft 45 m	9,882 ft 3,012 m	312.44 306.95	CONCRETE	0 ft 0 m	0 ft 0 m
13L	148 ft 45 m	12,175 ft 3,711 m	132.46 126.98	CONCRETE	0 ft 0 m	0 ft 0 m
31R	148 ft 45 m	12,175 ft 3,711 m	312.49 307.00	CONCRETE	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	BPL	111.70 MHz	27 nm 50 km	- -	-	495 ft 495 m
13R	DME	FER	110.50 MHz	27 nm 50 km	- -	-	495 ft 495 m
31L	DME	FHL	111.50 MHz	14 nm 26 km	- -	-	495 ft 495 m
31R	DME	BPR	109.50 MHz	32 nm 59 km	- -	-	495 ft 495 m
13L	LOC-ILS	BPL	109.15 MHz	18 nm 33 km	132.48 126.99	-	495 ft 495 m
13R	LOC-ILS	FER	110.50 MHz	18 nm 33 km	132.44 126.95	-	495 ft 495 m
31L	LOC-ILS	FHL	111.50 MHz	18 nm 33 km	312.44 306.95	-	495 ft 495 m
31R	LOC-ILS	BPR	109.50 MHz	18 nm 33 km	312.48 306.99	-	495 ft 495 m
13L	GS	BPL	109.15 MHz	10 nm 19 km	132.48 126.99	3.00	495 ft 495 m
13R	GS	FER	110.50 MHz	10 nm 19 km	132.44 126.95	3.00	495 ft 495 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31L	GS	FHL	111.50 MHz	10 nm	312.44	3.00	495 ft
				19 km	306.95		495 m
31R	GS	BPR	109.50 MHz	10 nm	312.48	3.00	495 ft
				19 km	306.99		495 m

EDDP

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 470 ft / 143 m
Location: 51.422600 12.236000
Magnetic Var: 4.221 E

METAR

EDDP 290520Z AUTO 19008KT 160V220 9999 FEW031 07/01 Q0999 NOSIG

TAF

TAF EDDP 282300Z 2900/2924 20011KT CAVOK BECMG 2908/2911 18015G25KT BECMG 2915/2917 19012KT BECMG 2918/2921 16007

Frequencies

REC - 123.95 MHz - LEIPZIG ATIS
TWR - 125.95 MHz - LEIPZIG TOWER
COM - 121.10 MHz - LEIPZIG UNICOM
APP - 379.92 MHz - MUNCHEN RADAR

GND - 121.67 MHz - LEIPZIG GROUND
TWR - 121.10 MHz - LEIPZIG TOWER
APP - 126.17 MHz - MUNCHEN RADAR
APP - 128.47 MHz - LEIPZIG DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft 45 m	11,769 ft 3,587 m	85.69 81.47	CONCRETE	0 ft 0 m	331 ft 101 m
26R	148 ft 45 m	11,769 ft 3,587 m	265.73 261.51	CONCRETE	0 ft 0 m	335 ft 102 m
08R	197 ft 60 m	11,778 ft 3,590 m	85.69 81.47	CONCRETE	0 ft 0 m	325 ft 99 m
26L	197 ft 60 m	11,778 ft 3,590 m	265.73 261.51	CONCRETE	0 ft 0 m	341 ft 104 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ILNE	108.55 MHz	18 nm 33 km	85.71 81.49	-	470 ft 470 m
08R	LOC-ILS	ILSR	111.75 MHz	18 nm 33 km	85.71 81.49	-	470 ft 470 m
26L	LOC-ILS	ILSL	110.30 MHz	18 nm 33 km	265.71 261.49	-	470 ft 470 m
26R	LOC-ILS	ILNW	108.35 MHz	18 nm 33 km	265.71 261.49	-	470 ft 470 m
08L	GS	ILNE	108.55 MHz	10 nm 19 km	85.71 81.49	3.00	470 ft 470 m
08R	GS	ILSR	111.75 MHz	10 nm 19 km	85.71 81.49	3.00	470 ft 470 m
26L	GS	ILSL	110.30 MHz	10 nm 19 km	265.71 261.49	3.00	470 ft 470 m
26R	GS	ILNW	108.35 MHz	10 nm 19 km	265.71 261.49	3.00	470 ft 470 m