

LFPG

Paris Charles De Gaulle


FMMI

Ivato Int'l

2024/06/04 0908Z

LFPG PIMUP **UM975** LIRKO MOREG GVA **UM135** LURAG **M135** TOP **L50** ELB **M616** DIRKA **UM616** ELIMO **M732** DOLFI
B21 ORNAT **UB612** OBD OBD **UB612** EPLAS **UM304** NAK NAK **UA727** NV **UL445** GABSO **UT913** KINAN **UA401** DIRBA
FMMI

4784.47 nm / 8860.83 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 25000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG	-	49.00970	0 ft	-	Paris Charles De Gaulle
APT	-	2.56262	0 m	-	
PIMUP	-	47.54030	25,000 ft	94	-
FIX	-	3.38750	7,620 m	-	-
PIXIS	UM975	46.94030	25,000 ft	39	-
FIX	AWY-HI	3.75389	7,620 m	-	-
PIBAT	UM975	46.80580	25,000 ft	22	-
FIX	AWY-HI	4.25917	7,620 m	-	-
LUSAR	UM975	46.66890	25,000 ft	38	-
FIX	AWY-HI	5.17944	7,620 m	-	-
SAUNI	UM975	46.62360	25,000 ft	12	-
FIX	AWY-HI	5.47778	7,620 m	-	-
LIRKO	UM975	46.57090	25,000 ft	14	-
FIX	AWY-HI	5.81431	7,620 m	-	-
MOREG	-	46.39310	25,000 ft	13	-
FIX	-	6.00722	7,620 m	-	-
GVA	-	46.25390	25,000 ft	9	GENEVA
VOR	-	6.13222	7,620 m	-	
MOBLO	UM135	45.80970	25,000 ft	36	-
FIX	AWY-HI	6.72278	7,620 m	-	-
LURAG	UM135	45.52780	25,000 ft	22	-
FIX	AWY-HI	7.08889	7,620 m	-	-
VEROB	M135	45.29560	25,000 ft	18	-
FIX	AWY-HI	7.38944	7,620 m	-	-
TOP	M135	44.92540	25,000 ft	29	TORINO
VOR	AWY-HI	7.86167	7,620 m	-	
NEDED	L50	44.69390	25,000 ft	18	-
FIX	AWY-HI	8.14056	7,620 m	-	-
LAGEN	L50	44.39420	25,000 ft	23	-
FIX	AWY-HI	8.49806	7,620 m	-	-
ANAKI	L50	44.20110	25,000 ft	15	-
FIX	AWY-HI	8.72556	7,620 m	-	-
IXITO	L50	44.13470	25,000 ft	5	-
FIX	AWY-HI	8.80361	7,620 m	-	-
UNITA	L50	43.94440	25,000 ft	14	-
FIX	AWY-HI	9.02500	7,620 m	-	-
TIDKA	L50	43.80000	25,000 ft	11	-
FIX	AWY-HI	9.19194	7,620 m	-	-
KONER	L50	43.50470	25,000 ft	23	-
FIX	AWY-HI	9.53000	7,620 m	-	-
BAKRO	L50	43.18810	25,000 ft	24	-
FIX	AWY-HI	9.88750	7,620 m	-	-
ELB	L50	42.73070	25,000 ft	35	ELBA
VOR	AWY-HI	10.39570	7,620 m	-	
MARON	M616	37.12360	25,000 ft	368	-
FIX	AWY-HI	13.65310	7,620 m	-	-
DIRKA	M616	36.50000	25,000 ft	48	-
FIX	AWY-HI	14.31000	7,620 m	-	-
MINVA	UM616	35.15420	25,000 ft	103	-
FIX	AWY-HI	15.65250	7,620 m	-	-
ELIMO	UM616	34.33330	25,000 ft	60	-
FIX	AWY-HI	16.36940	7,620 m	-	-
EVVAN	M732	34.00000	25,000 ft	28	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	16.77640	7,620 m		
DOLFI	M732	33.21330	25,000 ft	66	-
FIX	AWY-HI	17.72000	7,620 m		
PRAWN	B21	32.66670	25,000 ft	37	-
FIX	AWY-HI	18.08330	7,620 m		
HAMOR	B21	32.15000	25,000 ft	34	-
FIX	AWY-HI	18.40000	7,620 m		
BOURI	B21	31.69000	25,000 ft	31	-
FIX	AWY-HI	18.71640	7,620 m		
MB	B21	30.41830	25,000 ft	88	MARSA BREGA
NDB	AWY-HI	19.57250	7,620 m		
DAYFA	B21	28.32170	25,000 ft	143	-
FIX	AWY-HI	20.87670	7,620 m		
KARUB	B21	27.59000	25,000 ft	48	-
FIX	AWY-HI	21.25670	7,620 m		
KFR	B21	24.15390	25,000 ft	234	KUFRA
VOR	AWY-HI	23.30780	7,620 m		
ORNAT	B21	20.00000	25,000 ft	266	-
FIX	AWY-HI	25.00000	7,620 m		
SOGIN	UB612	17.19580	25,000 ft	209	-
FIX	AWY-HI	27.20000	7,620 m		
ALVOR	UB612	16.10250	25,000 ft	81	-
FIX	AWY-HI	28.03420	7,620 m		
DELAM	UB612	14.66690	25,000 ft	106	-
FIX	AWY-HI	29.11220	7,620 m		
OBD	UB612	13.14770	25,000 ft	112	EL OBEID VOR-DME
DME	AWY-HI	30.23340	7,620 m		
OBD	-	13.11130	25,000 ft	2	EL OBEID
VOR	-	30.22650	7,620 m		
MLK	UB612	9.56319	25,000 ft	229	MALAKAL
VOR	AWY-HI	31.65320	7,620 m		
TAPOS	UB612	5.90233	25,000 ft	241	-
FIX	AWY-HI	33.33390	7,620 m		
EPLAS	UB612	3.99699	25,000 ft	125	-
FIX	AWY-HI	34.19750	7,620 m		
PATAR	UM304	2.44793	25,000 ft	104	-
FIX	AWY-HI	34.97540	7,620 m		
KIMET	UM304	1.13059	25,000 ft	85	-
FIX	AWY-HI	35.52830	7,620 m		
NAK	UM304	-0.30475	25,000 ft	94	NAKURU VOR-DME
DME	AWY-HI	36.15340	7,620 m		
NAK	-	-0.30474	25,000 ft	0	LANET
VOR	-	36.15530	7,620 m		
NV	UA727	-1.29990	25,000 ft	76	NAVEX
VOR	AWY-HI	36.95420	7,620 m		
GABSO	UL445	-2.85248	25,000 ft	100	-
FIX	AWY-HI	37.56750	7,620 m		
AMGID	UT913	-4.04174	25,000 ft	83	-
FIX	AWY-HI	38.29330	7,620 m		
DIGNA	UT913	-4.86732	25,000 ft	58	-
FIX	AWY-HI	38.79860	7,620 m		
VOSPA	UT913	-5.87733	25,000 ft	70	-
FIX	AWY-HI	39.39450	7,620 m		
DIKLO	UT913	-6.25755	25,000 ft	26	-
FIX	AWY-HI	39.62240	7,620 m		
DIMBA	UT913	-6.44469	25,000 ft	13	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	39.74100	7,620 m		
DIGSA	UT913	-7.82676	25,000 ft	97	-
FIX	AWY-HI	40.60300	7,620 m		
BIGAS	UT913	-8.18948	25,000 ft	25	-
FIX	AWY-HI	40.83950	7,620 m		
KINAN	UT913	-10.73330	25,000 ft	180	-
FIX	AWY-HI	42.45000	7,620 m		
GALBA	UA401	-13.36250	25,000 ft	198	-
FIX	AWY-HI	44.50190	7,620 m		
MG	UA401	-15.65750	25,000 ft	174	MAHAJANGA
VOR	AWY-HI	46.34070	7,620 m		
UVGAD	UA401	-16.46310	25,000 ft	50	-
FIX	AWY-HI	46.57250	7,620 m		
DIRBA	UA401	-17.93000	12,500 ft	91	-
FIX	AWY-HI	47.00000	3,810 m		
FMMI	-	-18.79700	0 ft	58	Ivato Int'l
APT	-	47.47880	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.504 E

METAR

LFPG 040830Z 21006KT 180V250 CAVOK 19/12 Q1015 NOSIG

TAF

TAF LFPG 040500Z 0406/0512 02003KT CAVOK TX23/0414Z TN14/0505Z BECMG 0408/0410 24010KT PROB30 TEMPO 0412/0418 SCT

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.80		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.81		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.84		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.82		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.79		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m

FMMI

Region: COMOROS, MAYOTTE, RÉUNION AND MADAGASCARElevation: 4,198 ft / 1,280 m
Timezone: INDIAN/ANTANANARIVOLocation: -18.796900 47.478800
Runways: 1Magnetic Var: 15.335 W

METAR

FMMI 040830Z 15007KT 090V200 9999 FEW020 22/11 Q1023 NOSIG

TAF

TAF FMMI 040500Z 0406/0512 16006KT 9999 FEW017 BKN020 BECMG 0408/0411 10010KT BECMG 0421/0424 16006KT

Frequencies

TWR - 120.10 MHz - IVATO TOWER

APP - 125.70 MHz - ANTANANARIVO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	10,157 ft	98.96	ASPHALT	0 ft	194 ft
	45 m	3,096 m	114.30		0 m	59 m
29	148 ft	10,157 ft	278.95	ASPHALT	0 ft	200 ft
	45 m	3,096 m	294.29		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IO	109.50 MHz	18 nm	98.89	-	4,125 ft
				33 km	114.22		4,125 m
11	GS	IO	109.50 MHz	10 nm	99.82	3.00	4,198 ft
				19 km	115.16		4,198 m