

LTAC

Ankara Esenboga International Airport


LTAI

Antalya International Airport

2024/05/13 1741Z

LTAC HALIL **UP29** HISAR LTAI

219.93 nm / 407.32 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LTAC	-	40.12810	0 ft	-		Ankara Esenboga International Airport
APT	-	32.99500	0 m			
HALIL	-	39.39060	18,900 ft	53	-	
FIX	-	32.35780	5,761 m			
HISAR	UP29	38.11560	17,300 ft	85	-	
FIX	AWY-HI	31.54110	5,273 m			
LTAI	-	36.89960	0 ft	81		Antalya International Airport
APT	-	30.79750	0 m			

LTAC

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 2

Elevation: 3,125 ft / 953 m
Location: 40.128100 32.995000
Magnetic Var: 6.321 E

METAR

LTAC 131720Z 05005KT 350V080 9999 FEW025CB BKN030 08/05 Q1013 RESHRA NOSIG RMK RWY21L 07005KT RWY03L 06003KT 350V

TAF

TAF TAF LTAC 131040Z 1312/1412 VRB02KT 9999 SCT040 BKN100 TEMPO 1312/1316 34015G25KT -TSRA FEW025CB BKN030 PROB30

Frequencies

REC - 123.60 MHz - D-ATIS
GND - 121.90 MHz - ESENBOA GROUND

TWR - 118.10 MHz - ESENBOA TOWER
APP - 119.10 MHz - ESENBOA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03L	148 ft	11,128 ft	36.04	CONCRETE	0 ft	0 ft
	45 m	3,392 m	29.72		0 m	0 m
21R	148 ft	11,128 ft	216.06	CONCRETE	0 ft	0 ft
	45 m	3,392 m	209.74		0 m	0 m
03R	197 ft	12,316 ft	36.10	CONCRETE	0 ft	0 ft
	60 m	3,754 m	29.78		0 m	0 m
21L	197 ft	12,316 ft	216.12	CONCRETE	0 ft	0 ft
	60 m	3,754 m	209.79		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	LOC-ILS	IAKR	108.90 MHz	18 nm	35.62	-	3,125 ft
				33 km	29.29		3,125 m
03R	LOC-ILS	IANK	110.30 MHz	18 nm	35.48	-	3,125 ft
				33 km	29.15		3,125 m
21L	LOC-ILS	IESB	108.10 MHz	18 nm	216.08	-	3,097 ft
				33 km	209.76		3,097 m
21R	LOC-ILS	IEBG	108.30 MHz	18 nm	217.00	-	3,125 ft
				33 km	210.68		3,125 m
03L	GS	IAKR	108.90 MHz	10 nm	36.40	3.00	3,125 ft
				19 km	30.07		3,125 m
03R	GS	IANK	110.30 MHz	10 nm	35.60	3.00	3,125 ft
				19 km	29.28		3,125 m
21L	GS	IESB	108.10 MHz	10 nm	215.60	3.00	3,125 ft
				19 km	209.28		3,125 m
21R	GS	IEBG	108.30 MHz	10 nm	216.40	3.00	3,125 ft
				19 km	210.07		3,125 m

LTAI

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 3

Elevation: 175 ft / 53 m
Location: 36.899600 30.797500
Magnetic Var: 5.665 E

METAR

LTAI 131720Z 26004KT 9999 SCT030 22/14 Q1009 NOSIG RMK RWY18C 23005KT RWY36R 24004KT 180V290 RWY18L 27003KT 230V3

TAF

TAF LTAI 131040Z 1312/1412 20012KT 9999 SCT030 BECMG 1316/1319 34009KT CAVOK BECMG 1321/1324 34015G25KT BECMG 140

Frequencies

CLD - 120.20 MHz - ANTALYA DELIVERY	TWR - 121.65 MHz - ANTALYA DELIVERY
REC - 136.12 MHz - ANTALYA ATIS	REC - 118.27 MHz - ANTALYA ATIS
APP - 119.02 MHz - ANTALYA APPROACH	APP - 124.35 MHz - ANTALYA APPROACH
APP - 124.42 MHz - ANTALYA APPROACH	TWR - 125.00 MHz - ANTALYA TOWER
TWR - 119.80 MHz - ANTALYA TOWER	TWR - 120.12 MHz - ANTALYA TOWER
TWR - 126.10 MHz - ANTALYA TOWER	GND - 119.85 MHz - ANTALYA GROUND
GND - 121.75 MHz - ANTALYA GROUND	GND - 121.70 MHz - ANTALYA GROUND
GND - 121.90 MHz - ANTALYA GROUND	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	148 ft	11,165 ft	186.29	CONCRETE	0 ft	197 ft
	45 m	3,403 m	180.62		0 m	60 m
36R	148 ft	11,165 ft	6.29	CONCRETE	0 ft	197 ft
	45 m	3,403 m	0.62		0 m	60 m
18C	148 ft	11,165 ft	186.25	CONCRETE	0 ft	197 ft
	45 m	3,403 m	180.58		0 m	60 m
36C	148 ft	11,165 ft	6.24	CONCRETE	0 ft	197 ft
	45 m	3,403 m	0.58		0 m	60 m
18R	148 ft	9,819 ft	186.25	CONCRETE	0 ft	295 ft
	45 m	2,993 m	180.59		0 m	90 m
36L	148 ft	9,819 ft	6.25	CONCRETE	0 ft	295 ft
	45 m	2,993 m	0.58		0 m	90 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36C	DME	IAYT	110.30 MHz	18 nm	-	-	54 ft
				33 km	-		54 m
18C	LOC-ILS	IATY	108.70 MHz	18 nm	186.24	-	175 ft
				33 km	180.57		175 m
36C	LOC-ILS	IAYT	110.30 MHz	18 nm	6.24	-	175 ft
				33 km	0.57		175 m
36R	LOC-ILS	IALY	108.10 MHz	18 nm	6.29	-	175 ft
				33 km	0.62		175 m
18L	LOC-LOC	ILRA	109.75 MHz	18 nm	186.29	-	175 ft
				33 km	180.62		175 m
18C	GS	IATY	108.70 MHz	10 nm	186.24	3.00	175 ft
				19 km	180.57		175 m
36C	GS	IAYT	110.30 MHz	10 nm	6.24	3.00	175 ft
				19 km	0.57		175 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36R	GS	IALY	108.10 MHz	10 nm	6.29	3.00	175 ft
				19 km	0.62		175 m