

LFJL

Metz-Nancy-Lorraine


LFBD

Bordeaux Merignac

2024/05/06 1139Z

LFJL RESPO **UM129** DJL **TA6** DIJ **TG21** MOU **UM129** LMG LFBD

397.26 nm / 735.72 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 30000ft
- Cruise Speed: 420kts
- Descent Rate: 1000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFJL APT	-	48.98065 6.24947	0 ft 0 m	-	Metz-Nancy-Lorraine
RESPO FIX	-	47.83281 5.60800	26,200 ft 7,986 m	73	-
DJL VOR	UM129 AWY-HI	47.27078 5.09733	34,000 ft 10,363 m	39	-
DIJ DME	TA6 AWY-HI	47.27194 5.09153	34,000 ft 10,363 m	0	DIJON TACAN DME
MOU VOR	TG21 AWY-HI	46.70678 3.63167	34,000 ft 10,363 m	68	-
KUKOR FIX	UM129 AWY-HI	46.54194 3.12917	34,000 ft 10,363 m	22	-
LARON FIX	UM129 AWY-HI	46.22750 2.19833	30,900 ft 9,418 m	42	-
GUERE FIX	UM129 AWY-HI	46.19000 2.08944	30,800 ft 9,388 m	5	-
BEBIX FIX	UM129 AWY-HI	45.94917 1.39972	22,900 ft 6,980 m	32	-
LMG VOR	UM129 AWY-HI	45.81592 1.02558	20,200 ft 6,157 m	17	LIMOGES VOR-DME
LFBD APT	-	44.82876 -0.71476	0 ft 0 m	94	Bordeaux Merignac

LFJL

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 870 ft / 265 m
Location: 48.980200 6.248930
Magnetic Var: 2.541 E

METAR

LFJL 061100Z AUTO 26007KT 230V290 9999 -RA FEW004/// SCT008/// BKN014/// ///CB 14/13 Q1008 TEMPO 3000 RA FEW030TCU

TAF

TAF LFJL 060500Z 0606/0706 17009KT 9999 SCT010 BKN020 TEMPO 0606/0612 27010KT 3000 RA BKN007 FEW020TCU TEMPO 0612

Frequencies

REC - 136.57 MHz - ATIS
TWR - 122.07 MHz - LORRAINE TOWER
APP - 127.25 MHz - LORRAINE APPROACH
GND - 121.70 MHz - LORRAINE GROUND
APP - 119.12 MHz - LORRAINE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	10,000 ft	39.11	ASPHALT	666 ft	0 ft
	45 m	3,048 m	36.56		203 m	0 m
22	148 ft	10,000 ft	219.13	ASPHALT	0 ft	0 ft
	45 m	3,048 m	216.58		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	MLY	111.75 MHz	18 nm	-	-	919 ft
				33 km	-		919 m
22	LOC-ILS	MLY	111.75 MHz	18 nm	219.20	-	870 ft
				33 km	216.66		870 m
22	GS	MLY	111.75 MHz	10 nm	219.28	3.00	870 ft
				19 km	216.74		870 m

LFBD

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 166 ft / 51 m
Location: 44.828700 -0.714790
Magnetic Var: 0.736 E

METAR

LFBD 061100Z AUTO 25018KT 210V290 9999 SCT039 BKN047 BKN060 16/07 Q1013 TEMPO 25015G25KT 4000 SHRA BKN020TCU

TAF

TAF LFBD 060500Z 0606/0712 26010KT 9999 SCT020 TX17/0613Z TN10/0705Z PROB30 TEMPO 0606/0612 4000 -SHRA BKN020TCU

Frequencies

REC - 131.15 MHz - ATIS MERIGNAC
TWR - 118.30 MHz - MERIGNAC TOWER
APP - 121.20 MHz - MERIGNAC APPROACH

GND - 121.90 MHz - MERIGNAC GROUND
APP - 129.87 MHz - AQUITAINE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	7,927 ft	106.46	ASPHALT	0 ft	1,204 ft
	45 m	2,416 m	105.72		0 m	367 m
29	148 ft	7,927 ft	286.48	ASPHALT	0 ft	1,204 ft
	45 m	2,416 m	285.74		0 m	367 m
05	148 ft	10,181 ft	45.35	ASPHALT	0 ft	1,161 ft
	45 m	3,103 m	44.61		0 m	354 m
23	148 ft	10,181 ft	225.37	ASPHALT	0 ft	1,289 ft
	45 m	3,103 m	224.63		0 m	393 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	DME	BD	110.30 MHz	18 nm	-	-	207 ft
				33 km	-		207 m
29	DME	BEI	111.15 MHz	18 nm	-	-	214 ft
				33 km	-		214 m
23	LOC-ILS	BD	110.30 MHz	18 nm	225.36	-	166 ft
				33 km	224.62		166 m
29	LOC-ILS	BEI	111.15 MHz	18 nm	286.47	-	166 ft
				33 km	285.73		166 m
23	GS	BD	110.30 MHz	10 nm	225.36	3.00	166 ft
				19 km	224.62		166 m
29	GS	BEI	111.15 MHz	10 nm	286.47	3.00	166 ft
				19 km	285.73		166 m