


2024/05/12 2113Z

WMKK TEPUS **A457** VPG WMKL

246.56 nm / 456.63 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WMKK	-	2.73859	0 ft	-	Kuala Lumpur Intl
APT	-	101.70300	0 m		
TEPUS	-	4.17028	30,700 ft	102	-
FIX	-	100.75900	9,357 m		
VPG	A457	5.27940	15,100 ft	72	PENANG
VOR	AWY-HI	100.26100	4,602 m		
WMKL	-	6.32977	0 ft	70	Langkawi International Airport
APT	-	99.72860	0 m		

WMKK

Region: MALAYSIA (PENINSULAR MALAYSIA)
Timezone: ASIA/KUALA_LUMPUR
Runways: 3

Elevation: 68 ft / 21 m
Location: 2.738340 101.702000
Magnetic Var: 0.057 E

METAR

WMKK 122100Z VRB02KT 9999 FEW017CB 26/24 Q1008 NOSIG

TAF

TAF WMKK 121700Z 1218/1400 VRB02KT 9000 FEW010 PROB30 TEMPO 1220/1300 5000 TSRA FEW017CB TEMPO 1307/1311 4000 TSRA

Frequencies

APP - 118.65 MHz - LUMPUR RADAR	APP - 121.25 MHz - LUMPUR RADAR
APP - 124.20 MHz - LUMPUR RADAR	APP - 125.80 MHz - LUMPUR RADAR
APP - 119.45 MHz - LUMPUR RADAR	APP - 120.35 MHz - LUMPUR RADAR
APP - 124.65 MHz - LUMPUR RADAR	APP - 125.10 MHz - LUMPUR RADAR
APP - 135.75 MHz - LUMPUR RADAR	DEP - 135.25 MHz - LUMPUR DEPARTURE
TWR - 118.80 MHz - LUMPUR TOWER	TWR - 118.50 MHz - LUMPUR TOWER
TWR - 119.80 MHz - LUMPUR TOWER	GND - 121.65 MHz - LUMPUR GROUND
GND - 121.80 MHz - LUMPUR GROUND	GND - 122.52 MHz - LUMPUR GROUND
GND - 118.05 MHz - LUMPUR GROUND	GND - 122.15 MHz - LUMPUR GROUND
GND - 122.85 MHz - LUMPUR GROUND	GND - 122.27 MHz - LUMPUR GROUND
GND - 123.25 MHz - LUMPUR GROUND	GND - 121.72 MHz - LUMPUR GROUND
GND - 122.55 MHz - LUMPUR GROUND	GND - 130.75 MHz - LUMPUR GROUND
CLD - 126.00 MHz - LUMPUR DELIVERY	REC - 126.45 MHz - LUMPUR TERMINAL INFORMATION
REC - 128.05 MHz - LUMPUR TERMINAL INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	197 ft	13,034 ft	146.21	ASPHALT	0 ft	390 ft
	60 m	3,973 m	146.16		0 m	119 m
33	197 ft	13,034 ft	326.21	ASPHALT	0 ft	394 ft
	60 m	3,973 m	326.16		0 m	120 m
14L	197 ft	13,248 ft	146.20	ASPHALT	0 ft	384 ft
	60 m	4,038 m	146.14		0 m	117 m
32R	197 ft	13,248 ft	326.20	ASPHALT	0 ft	0 ft
	60 m	4,038 m	326.14		0 m	0 m
14R	197 ft	13,185 ft	146.21	ASPHALT	0 ft	0 ft
	60 m	4,019 m	146.16		0 m	0 m
32L	197 ft	13,185 ft	326.21	ASPHALT	0 ft	390 ft
	60 m	4,019 m	326.16		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IWK	110.10 MHz	18 nm	-	-	-1 ft
				33 km	-		-1 m
33	DME	IWM	111.50 MHz	18 nm	-	-	-1 ft
				33 km	-		-1 m
14L	DME	IEL	108.50 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
14R	DME	IWR	110.70 MHz	18 nm	-	-	78 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	-		78 m
32L	DME	IWL	111.90 MHz	18 nm	-	-	81 ft
				33 km	-		81 m
32R	DME	IER	109.10 MHz	18 nm	-	-	70 ft
				33 km	-		70 m
14L	LOC-ILS	IEL	108.50 MHz	18 nm	146.20	-	68 ft
				33 km	146.14		68 m
14R	LOC-ILS	IWR	110.70 MHz	18 nm	146.21	-	68 ft
				33 km	146.15		68 m
15	LOC-ILS	IWK	110.10 MHz	18 nm	146.21	-	68 ft
				33 km	146.15		68 m
32L	LOC-ILS	IWL	111.90 MHz	18 nm	326.21	-	68 ft
				33 km	326.15		68 m
32R	LOC-ILS	IER	109.10 MHz	18 nm	326.20	-	68 ft
				33 km	326.14		68 m
33	LOC-ILS	IWM	111.50 MHz	18 nm	326.21	-	68 ft
				33 km	326.15		68 m
14L	GS	IEL	108.50 MHz	10 nm	146.20	3.00	68 ft
				19 km	146.14		68 m
14R	GS	IWR	110.70 MHz	10 nm	146.21	3.00	68 ft
				19 km	146.15		68 m
15	GS	IWK	110.10 MHz	10 nm	146.21	3.00	68 ft
				19 km	146.15		68 m
32L	GS	IWL	111.90 MHz	10 nm	326.21	3.00	68 ft
				19 km	326.15		68 m
32R	GS	IER	109.10 MHz	10 nm	326.20	3.00	68 ft
				19 km	326.14		68 m
33	GS	IWM	111.50 MHz	10 nm	326.21	3.00	68 ft
				19 km	326.15		68 m

WMKL

Region: MALAYSIA (PENINSULAR MALAYSIA)
Timezone: ASIA/KUALA_LUMPUR
Runways: 1

Elevation: 15 ft / 5 m
Location: 6.329770 99.728600
Magnetic Var: 0.174 W

METAR

WMKL 122100Z VRB02KT 9999 FEW017CB 28/26 Q1008

TAF

TAF WMKL 121700Z 1218/1318 VRB03KT 9999 SCT026

Frequencies

TWR - 118.50 MHz - LANGKAWI TOWER
GND - 121.80 MHz - LANGKAWI GROUND

APP - 119.40 MHz - LANGKAWI APPROACH
REC - 128.20 MHz - LANGKAWI TERMINAL INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,512 ft	34.17	ASPHALT	1,988 ft	213 ft
	45 m	3,814 m	34.34		606 m	65 m
21	148 ft	12,512 ft	214.17	ASPHALT	0 ft	190 ft
	45 m	3,814 m	214.34		0 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	ILK	110.70 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
03	LOC-ILS	ILK	110.70 MHz	18 nm	35.68	-	29 ft
				33 km	35.85		29 m
03	GS	ILK	110.70 MHz	10 nm	34.39	3.00	29 ft
				19 km	34.56		29 m