


2024/05/28 2258Z

CYYH YHK **AR22** RT **BR28** YQ YYQ **NCA24** YYU **AR20** SSM **V193** PLN **V609** MBS **V133** SVM **V26** DXO **V467** VWV **V45**
APE **J83** SPA **J53** CRG **V267** BRADO KORL

2720.07 nm / 5037.57 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYYH	-	69.54610	0 ft	-	TALOYOAK
APT	-	-93.57610	0 m		
YHK	-	68.62610	26,300 ft	73	GJOA HAVEN
NDB	-	-95.85890	8,016 m		
BK	AR22	64.31470	35,000 ft	258	BAKER LAKE
NDB	AWY-LO	-96.06470	10,668 m		
RT	AR22	62.82530	35,000 ft	138	RANKIN INLET
NDB	AWY-LO	-92.10940	10,668 m		
YQ	BR28	58.76250	35,000 ft	249	CHURCHILL
NDB	AWY-LO	-93.95380	10,668 m		
YYQ	-	58.74170	35,000 ft	5	CHURCHILL
VOR	-	-94.13530	10,668 m		
VILRA	NCA24	56.03060	35,000 ft	210	-
FIX	AWY-HI	-90.00000	10,668 m		
YYU	NCA24	49.46460	35,000 ft	478	KASING KAPUSKASING
NDB	AWY-HI	-82.50670	10,668 m		
YLD	AR20	47.75620	35,000 ft	108	CHAPLEAU
NDB	AWY-LO	-83.41000	10,668 m		
SSM	AR20	46.41210	35,000 ft	88	SAULT STE MARIE
VOR	AWY-LO	-84.31490	10,668 m		
SIGOE	V193	46.25310	35,000 ft	10	-
FIX	AWY-LO	-84.38680	10,668 m		
PINES	V193	46.03040	35,000 ft	14	-
FIX	AWY-LO	-84.48670	10,668 m		
PLN	V193	45.63060	35,000 ft	25	PELLSTON
VOR	AWY-LO	-84.66410	10,668 m		
OTREE	V609	45.50270	35,000 ft	8	-
FIX	AWY-LO	-84.61090	10,668 m		
RONDO	V609	45.27870	35,000 ft	14	-
FIX	AWY-LO	-84.51840	10,668 m		
SPARR	V609	45.03120	35,000 ft	15	-
FIX	AWY-LO	-84.41710	10,668 m		
ZABLE	V609	44.68030	35,000 ft	21	-
FIX	AWY-LO	-84.27500	10,668 m		
BANJO	V609	44.11060	35,000 ft	34	-
FIX	AWY-LO	-84.17600	10,668 m		
WELVI	V609	43.98090	35,000 ft	7	-
FIX	AWY-LO	-84.15370	10,668 m		
BENNY	V609	43.73420	35,000 ft	14	-
FIX	AWY-LO	-84.11160	10,668 m		
MBS	V609	43.53160	35,000 ft	12	SAGINAW
VOR	AWY-LO	-84.07730	10,668 m		
FLIPE	V133	43.32940	35,000 ft	12	-
FIX	AWY-LO	-83.97690	10,668 m		
CLIOO	V133	43.10910	35,000 ft	14	-
FIX	AWY-LO	-83.86820	10,668 m		
POLAR	V133	42.83740	35,000 ft	17	-
FIX	AWY-LO	-83.73540	10,668 m		
JEKAV	V133	42.62290	35,000 ft	13	-
FIX	AWY-LO	-83.66450	10,668 m		
SVM	V133	42.40860	35,000 ft	13	SALEM
VOR	AWY-LO	-83.59390	10,668 m		
DXO	V26	42.21310	35,000 ft	15	DETROIT

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-LO	-83.36670	10,668 m		
JUSKI	V467	42.04080	35,000 ft	10	-
FIX	AWY-LO	-83.42880	10,668 m		
VWV	V467	41.45150	35,000 ft	36	WATERVILLE
VOR	AWY-LO	-83.63870	10,668 m		
DAZEY	V45	41.29280	35,000 ft	11	-
FIX	AWY-LO	-83.50780	10,668 m		
TUMAY	V45	41.21750	35,000 ft	5	-
FIX	AWY-LO	-83.44600	10,668 m		
DUSKY	V45	40.91540	35,000 ft	21	-
FIX	AWY-LO	-83.19970	10,668 m		
KIRBY	V45	40.69820	35,000 ft	15	-
FIX	AWY-LO	-83.02430	10,668 m		
APE	V45	40.15110	35,000 ft	38	APPLETON
VOR	AWY-LO	-82.58830	10,668 m		
SPAYD	J83	38.19350	35,000 ft	118	-
FIX	AWY-HI	-82.32460	10,668 m		
SPA	J83	35.03360	35,000 ft	190	SPARTANBURG
VOR	AWY-HI	-81.92700	10,668 m		
IRQ	J53	33.70740	35,000 ft	80	COLLIERS
VOR	AWY-HI	-82.16210	10,668 m		
GRADY	J53	32.66780	35,000 ft	62	-
FIX	AWY-HI	-82.04290	10,668 m		
DUNKN	J53	31.97830	35,000 ft	41	-
FIX	AWY-HI	-81.96540	10,668 m		
NOWAY	J53	31.20660	34,600 ft	47	-
FIX	AWY-HI	-81.74900	10,546 m		
CRG	J53	30.33890	23,100 ft	53	CRAIG (JACKSONVILLE)
VOR	AWY-HI	-81.50990	7,041 m		
BRADO	V267	29.92270	17,700 ft	25	-
FIX	AWY-LO	-81.46890	5,395 m		
KORL	-	28.54540	0 ft	83	Orlando Executive
APT	-	-81.33330	0 m		

KORL

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 112 ft / 34 m
Location: 28.545400 -81.333300
Magnetic Var: 6.998 W

METAR

KORL 282153Z 03004KT 10SM FEW050 SCT060 32/23 A2995 RMK A02 RAB17E29 SLP142 P0000 T03220228

TAF

UNKNOWN

Frequencies

REC - 127.25 MHz - ATIS	COM - 122.95 MHz - EXECUTIVE UNICOM
COM - 118.70 MHz - CTAF	GND - 121.40 MHz - EXECUTIVE GROUND
TWR - 118.70 MHz - EXECUTIVE TOWER	APP - 119.40 MHz - ORLANDO APPROACH
DEP - 119.40 MHz - ORLANDO DEPARTURE	APP - 119.77 MHz - ORLANDO APPROACH
DEP - 119.77 MHz - ORLANDO DEPARTURE	APP - 135.30 MHz - ORLANDO APPROACH
DEP - 135.30 MHz - ORLANDO DEPARTURE	APP - 120.15 MHz - ORLANDO APPROACH
DEP - 120.15 MHz - ORLANDO DEPARTURE	APP - 124.80 MHz - ORLANDO APPROACH
DEP - 124.80 MHz - ORLANDO DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	150 ft	5,999 ft	66.59	ASPHALT	0 ft	200 ft
	46 m	1,828 m	73.59		0 m	61 m
25	150 ft	5,999 ft	246.60	ASPHALT	0 ft	200 ft
	46 m	1,828 m	253.59		0 m	61 m
13	100 ft	4,627 ft	130.99	ASPHALT	0 ft	0 ft
	30 m	1,410 m	137.98		0 m	0 m
31	100 ft	4,627 ft	310.99	ASPHALT	0 ft	374 ft
	30 m	1,410 m	317.99		0 m	114 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	IORL	109.90 MHz	18 nm	66.59	-	112 ft
				33 km	73.59		112 m
25	LOC-ILS	IEXO	109.35 MHz	18 nm	246.59	-	112 ft
				33 km	253.59		112 m
07	GS	IORL	109.90 MHz	10 nm	66.59	3.00	112 ft
				19 km	73.59		112 m
25	GS	IEXO	109.35 MHz	10 nm	246.59	3.00	112 ft
				19 km	253.59		112 m