

LIRP

PISA


LIEE

Cagliari Elmas

2024/05/12 1807Z

LIRP GILET **UL125** SME LIEE

274.33 nm / 508.06 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIRP	-	43.68388	0 ft	-	PISA
APT	-	10.39272	0 m		
GILET	-	42.37528	28,100 ft	78	-
FIX	-	10.21917	8,565 m		
BEKOS	UL125	41.79306	32,800 ft	37	-
FIX	AWY-HI	9.93389	9,997 m		
PITOR	UL125	41.21972	26,000 ft	36	-
FIX	AWY-HI	9.65694	7,925 m		
TALIN	UL125	41.03833	22,500 ft	11	-
FIX	AWY-HI	9.57167	6,858 m		
SME	UL125	40.88993	20,500 ft	9	SMERALDA VOR-DME
VOR	AWY-HI	9.50115	6,248 m		
LIEE	-	39.25147	0 ft	100	Cagliari Elmas
APT	-	9.05429	0 m		

LIRP

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 43.682800 10.395600
Magnetic Var: 3.409 E

METAR

LIRP 121715Z 31006KT CAVOK 21/15 Q1017 NOSIG

TAF

TAF LIRP 121700Z 1218/1318 27010KT CAVOK BECMG 1219/1221 VRB03KT 9999 SCT080

Frequencies

GND - 121.60 MHz - PISA GROUND
TWR - 119.10 MHz - PISA TOWER
APP - 122.10 MHz - PISA APPROACH

TWR - 122.10 MHz - PISA TOWER
APP - 124.27 MHz - PISA APPROACH
APP - 126.07 MHz - PISA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,825 ft	36.73	ASPHALT	463 ft	0 ft
	45 m	2,995 m	33.32		141 m	0 m
22L	148 ft	9,825 ft	216.74	ASPHALT	833 ft	190 ft
	45 m	2,995 m	213.33		254 m	58 m
04L	148 ft	8,984 ft	36.71	ASPHALT	791 ft	0 ft
	45 m	2,738 m	33.30		241 m	0 m
22R	148 ft	8,984 ft	216.73	ASPHALT	0 ft	190 ft
	45 m	2,738 m	213.32		0 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IPI	109.70 MHz	18 nm	36.76	-	7 ft
				33 km	33.35		7 m
04R	GS	IPI	109.70 MHz	10 nm	37.45	3.00	3 ft
				19 km	34.04		3 m

LIEE

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 13 ft / 4 m
Location: 39.251500 9.054300
Magnetic Var: 2.946 E

METAR

LIEE 121720Z 19009KT CAVOK 20/14 Q1016

TAF

TAF LIEE 121700Z 1218/1318 VRB05KT CAVOK BECMG 1310/1312 17012KT BECMG 1318/1320 VRB05KT

Frequencies

REC - 127.05 MHz - ATIS	GND - 125.42 MHz - ELMAS GROUND
TWR - 120.60 MHz - ELMAS TOWER	TWR - 122.10 MHz - ELMAS TOWER
APP - 118.40 MHz - CAGLIARI APPROACH	APP - 118.75 MHz - CAGLIARI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	9,209 ft	138.10	ASPHALT	0 ft	0 ft
	45 m	2,807 m	135.15		0 m	0 m
32	148 ft	9,209 ft	318.11	ASPHALT	0 ft	0 ft
	45 m	2,807 m	315.17		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IEL	109.50 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
32	LOC-ILS	IEL	109.50 MHz	18 nm	318.10	-	13 ft
				33 km	315.15		13 m
32	GS	IEL	109.50 MHz	10 nm	318.10	3.00	13 ft
				19 km	315.15		13 m