


2024/05/03 1448Z

EHAM ARNEM EDLW

117.07 nm / 216.82 km



## Notes

Requested: EHAM ARNEM LANAK EDLW

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM	-	52.31485	0 ft	-	Schiphol
APT	-	4.75812	0 m	-	
ARNEM	-	52.09645	0 ft	50	-
FIX	-	6.07660	0 m	-	
EDLW	-	51.51911	0 ft	66	Dortmund-Wickede
APT	-	7.61445	0 m	-	

## EHAM

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 6

Elevation: -11 ft / -3 m  
Location: 52.308100 4.764170  
Magnetic Var: 2.040 E

## METAR

EHAM 031425Z 23015KT 200V260 9999 -RADZ FEW009 SCT014 BKN018 12/10 Q1010 NOSIG

## TAF

TAF TAF EHAM 031110Z 0312/0418 22017KT 9999 FEW009 BKN013 BECMG 0312/0314 BKN017 PROB30 TEMPO 0312/0314 6000 -RADZ

## Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.20		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.20		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.18		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.18		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.15		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.15		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.85		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.16		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm	-	-	-11 ft
				33 km	-		-11 m
18R	DME	VPB	110.10 MHz	18 nm	-	-	-11 ft
				33 km	-		-11 m
22	DME	SCH	109.15 MHz	18 nm	-	-	-11 ft
				33 km	-		-11 m
27	DME	BVB	111.55 MHz	18 nm	-	-	-11 ft
				33 km	-		-11 m
36C	DME	MSA	108.75 MHz	18 nm	-	-	-11 ft
				33 km	-		-11 m
36R	DME	ABA	111.95 MHz	18 nm	-	-	-11 ft
				33 km	-		-11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm	57.88	-	-11 ft
				33 km	55.84		-11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm	183.22	-	-11 ft
				33 km	181.18		-11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm	183.19	-	-11 ft
				33 km	181.15		-11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm	221.20	-	-11 ft
				33 km	219.16		-11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm	266.79	-	-11 ft
				33 km	264.75		-11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm	3.22	-	-11 ft
				33 km	1.18		-11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm	3.24	-	-11 ft
				33 km	1.20		-11 m
06	GS	KAG	110.55 MHz	10 nm	57.88	3.00	-11 ft
				19 km	55.84		-11 m
18C	GS	ZWA	109.50 MHz	10 nm	183.22	3.00	-11 ft
				19 km	181.18		-11 m
18R	GS	VPB	110.10 MHz	10 nm	183.19	3.00	-11 ft
				19 km	181.15		-11 m
22	GS	SCH	109.15 MHz	10 nm	221.20	3.00	-11 ft
				19 km	219.16		-11 m
27	GS	BVB	111.55 MHz	10 nm	266.79	3.00	-11 ft
				19 km	264.75		-11 m
36C	GS	MSA	108.75 MHz	10 nm	3.22	3.00	-11 ft
				19 km	1.18		-11 m
36R	GS	ABA	111.95 MHz	10 nm	3.24	3.00	-11 ft
				19 km	1.20		-11 m

## EDLW

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 1

Elevation: 422 ft / 129 m  
Location: 51.519100 7.614450  
Magnetic Var: 2.925 E

## METAR

EDLW 031420Z 23011KT 9999 SCT020 BKN028 OVC041 12/08 Q1012

## TAF

TAF EDLW 031100Z 0312/0412 23014KT 9999 BKN020 PROB30 TEMPO 0312/0314 23015G25KT BECMG 0315/0318 22007KT BECMG 03

## Frequencies

REC - 125.12 MHz - ATIS  
TWR - 129.87 MHz - LANGEN INFO  
APP - 125.22 MHz - LANGEN RADAR  
GND - 121.82 MHz -  
TWR - 134.17 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	6,546 ft	60.50	ASPHALT	984 ft	197 ft
	45 m	1,995 m	57.58		300 m	60 m
24	148 ft	6,546 ft	240.52	ASPHALT	984 ft	197 ft
	45 m	1,995 m	237.60		300 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IDWE	109.15 MHz	18 nm	60.51	-	422 ft
				33 km	57.58		422 m
24	LOC-ILS	IDWW	111.30 MHz	18 nm	240.51	-	425 ft
				33 km	237.58		425 m
06	GS	IDWE	109.15 MHz	10 nm	60.51	3.00	422 ft
				19 km	57.58		422 m
24	GS	IDWW	111.30 MHz	10 nm	240.51	3.00	425 ft
				19 km	237.58		425 m