

KDFW

Dallas Fort Worth Intl


KDRT

Del Rio Intl

2024/05/16 0207Z

KDFW BUILT V161 LEJON KDRT

304.29 nm / 563.55 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 30000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KDFW	-	32.89720	0 ft	-	Dallas Fort Worth Intl
APT	-	-97.03770	0 m		
BUILT	-	31.67350	30,000 ft	97	-
FIX	-	-98.28710	9,144 m		
LLO	V161	30.79630	30,000 ft	58	LLANO
VOR	AWY-LO	-98.78740	9,144 m		
LEJON	V161	30.11290	22,200 ft	44	-
FIX	AWY-LO	-99.12200	6,767 m		
KDRT	-	29.37420	0 ft	104	Del Rio Intl
APT	-	-100.92700	0 m		

KDFW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 7

Elevation: 604 ft / 184 m
Location: 32.897200 -97.037700
Magnetic Var: 2.729 E

METAR

KDFW 160053Z 14013G18KT 10SM SCT190 OVC250 28/18 A2973 RMK A02 SLP061 T02830178

TAF

TAF KDFW 152331Z 1600/1706 16011KT P6SM BKN250 FM160900 12013KT P6SM BKN100 OVC250 FM161500 14014KT P6SM -SHRA VC

Frequencies

REC - 123.77 MHz - ATIS ARRIVAL
COM - 122.95 MHz - UNICOM
GND - 121.65 MHz - RGNL GND EAST 1
GND - 121.85 MHz - RGNL GND WEST
TWR - 127.50 MHz - RGNL TWR EAST 2
TWR - 124.15 MHz - RGNL TWR WEST 2
APP - 133.52 MHz - RGNL APP EAST 3
APP - 119.87 MHz - RGNL APP WEST 2
DEP - 124.82 MHz - RGNL DEP NORTH 1
DEP - 126.47 MHz - RGNL DEP WEST 1

REC - 135.92 MHz - ATIS DEPARTURE
CLD - 128.25 MHz - CLNC DEL
GND - 121.80 MHz - RGNL GND EAST 2
TWR - 126.55 MHz - RGNL TWR EAST 1
TWR - 134.90 MHz - RGNL TWR WEST 1
APP - 125.02 MHz - RGNL APP EAST 1
APP - 133.62 MHz - RGNL APP WEST 1
DEP - 118.55 MHz - RGNL DEP EAST 1
DEP - 125.12 MHz - RGNL DEP SOUTH 1

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17C	151 ft	13,440 ft	180.26	CONCRETE	0 ft	413 ft
	46 m	4,097 m	177.53		0 m	126 m
35C	151 ft	13,440 ft	0.26	CONCRETE	0 ft	299 ft
	46 m	4,097 m	357.53		0 m	91 m
17L	151 ft	8,523 ft	180.25	CONCRETE	0 ft	400 ft
	46 m	2,598 m	177.52		0 m	122 m
35R	151 ft	8,523 ft	0.25	CONCRETE	0 ft	407 ft
	46 m	2,598 m	357.52		0 m	124 m
18R	151 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	46 m	4,096 m	177.52		0 m	123 m
36L	151 ft	13,439 ft	0.25	CONCRETE	0 ft	299 ft
	46 m	4,096 m	357.52		0 m	91 m
17R	200 ft	13,439 ft	180.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	177.53		0 m	122 m
35L	200 ft	13,439 ft	0.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	357.53		0 m	122 m
18L	200 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	61 m	4,096 m	177.52		0 m	123 m
36R	200 ft	13,439 ft	0.25	CONCRETE	0 ft	394 ft
	61 m	4,096 m	357.52		0 m	120 m
13R	151 ft	9,309 ft	139.18	CONCRETE	0 ft	397 ft
	46 m	2,837 m	136.45		0 m	121 m
31L	151 ft	9,309 ft	319.19	CONCRETE	0 ft	400 ft
	46 m	2,837 m	316.46		0 m	122 m
13L	200 ft	9,010 ft	135.41	CONCRETE	630 ft	299 ft
	61 m	2,746 m	132.68		192 m	91 m
31R	200 ft	9,010 ft	315.42	CONCRETE	0 ft	299 ft
	61 m	2,746 m	312.69		0 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13R	DME	ILWN	109.50 MHz	18 nm	-	-	590 ft
				33 km	-		590 m
17C	DME	IFLQ	110.30 MHz	18 nm	-	-	575 ft
				33 km	-		575 m
17L	DME	IPPZ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
17R	DME	IJHZ	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18L	DME	ICIX	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18R	DME	IVYN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
31R	DME	IRRA	110.90 MHz	18 nm	-	-	548 ft
				33 km	-		548 m
35C	DME	IPKQ	110.30 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
35L	DME	IUWX	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
35R	DME	IAJQ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
36L	DME	IBXN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
36R	DME	IFJN	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
13R	LOC-ILS	ILWN	109.50 MHz	18 nm	139.19	-	577 ft
				33 km	136.46		577 m
17C	LOC-ILS	IFLQ	110.30 MHz	18 nm	180.26	-	563 ft
				33 km	177.54		563 m
17L	LOC-ILS	IPPZ	111.75 MHz	18 nm	180.27	-	570 ft
				33 km	177.54		570 m
17R	LOC-ILS	IJHZ	111.35 MHz	18 nm	180.26	-	558 ft
				33 km	177.53		558 m
18L	LOC-ILS	ICIX	110.55 MHz	18 nm	180.25	-	570 ft
				33 km	177.52		570 m
18R	LOC-ILS	IVYN	111.90 MHz	18 nm	180.25	-	580 ft
				33 km	177.52		580 m
31R	LOC-ILS	IRRA	110.90 MHz	18 nm	315.40	-	552 ft
				33 km	312.67		552 m
35C	LOC-ILS	IPKQ	110.30 MHz	18 nm	0.26	-	558 ft
				33 km	357.53		558 m
35L	LOC-ILS	IUWX	111.35 MHz	18 nm	0.26	-	607 ft
				33 km	357.53		607 m
35R	LOC-ILS	IAJQ	111.75 MHz	18 nm	0.27	-	607 ft
				33 km	357.54		607 m
36L	LOC-ILS	IBXN	111.90 MHz	18 nm	0.25	-	598 ft
				33 km	357.52		598 m
36R	LOC-ILS	IFJN	110.55 MHz	18 nm	0.25	-	595 ft
				33 km	357.52		595 m
13R	GS	ILWN	109.50 MHz	10 nm	139.37	3.00	589 ft
				19 km	136.64		589 m
17C	GS	IFLQ	110.30 MHz	10 nm	180.53	3.00	562 ft
				19 km	177.80		562 m
17L	GS	IPPZ	111.75 MHz	10 nm	180.54	3.00	532 ft
				19 km	177.81		532 m
17R	GS	IJHZ	111.35 MHz	10 nm	180.52	3.00	567 ft
				19 km	177.79		567 m
18L	GS	ICIX	110.55 MHz	10 nm	180.49	3.00	594 ft
				19 km	177.76		594 m
18R	GS	IVYN	111.90 MHz	10 nm	180.50	3.00	601 ft
				19 km	177.76		601 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	177.77		601 m
31R	GS	IRRA	110.90 MHz	10 nm	315.80	3.00	513 ft
				19 km	313.07		513 m
35C	GS	IPKQ	110.30 MHz	10 nm	0.52	3.00	563 ft
				19 km	357.79		563 m
35L	GS	IUWX	111.35 MHz	10 nm	0.52	3.00	564 ft
				19 km	357.79		564 m
35R	GS	IAJQ	111.75 MHz	10 nm	0.54	3.00	565 ft
				19 km	357.81		565 m
36L	GS	IBXN	111.90 MHz	10 nm	0.50	3.00	584 ft
				19 km	357.77		584 m
36R	GS	IFJN	110.55 MHz	10 nm	0.49	3.00	577 ft
				19 km	357.76		577 m

KDRT

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 1

Elevation: 999 ft / 304 m
Location: 29.374200 -100.927000
Magnetic Var: 4.813 E

METAR

KDRT 160053Z AUTO 09016G25KT 10SM CLR 34/15 A2963 RMK A02 PK WND 11028/0004 SLP021 T03390150

TAF

KDRT 152329Z 1600/1624 13013G24KT P6SM FEW080 SCT250 FM160300 10015KT P6SM BKN100 FM160700 13012KT P6SM OVC012 FM

Frequencies

REC - 118.52 MHz - ASOS
CLD - 120.50 MHz - CLNC DEL
DEP - 119.60 MHz -
COM - 122.80 MHz - CTAF/UNICOM
APP - 119.60 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	100 ft	6,308 ft	140.37	ASPHALT	299 ft	0 ft
	30 m	1,923 m	135.56		91 m	0 m
31	100 ft	6,308 ft	320.38	ASPHALT	0 ft	0 ft
	30 m	1,923 m	315.56		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	IDRT	111.90 MHz	18 nm	-	-	994 ft
				33 km	-		994 m
13	LOC-LOC	IDRT	111.90 MHz	18 nm	140.37	-	985 ft
				33 km	135.56		985 m