


2024/05/23 1523Z

GCX0 GCTS

29.02 nm / 53.75 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GCX0	-	28.48270	0 ft	-	Tenerife Norte - Los Rodeos
APT	-	-16.34150	0 m		
GCTS	-	28.04440	0 ft	29	Tenerife Sur
APT	-	-16.57250	0 m		

## GCX0

Region: CANARY ISLANDS  
Timezone: ATLANTIC/CANARY  
Runways: 1

Elevation: 2,077 ft / 633 m  
Location: 28.482700 -16.341700  
Magnetic Var: 4.253 W

## METAR

GCX0 231500Z 30015KT 280V340 9999 SCT020 19/12 Q1019 NOSIG

## TAF

TAF GCX0 231400Z 2315/2415 32013KT 9999 SCT018 TX20/2414Z TN14/2406Z TEMPO 2318/2411 BKN010 PROB30 TEMPO 2319/2406

## Frequencies

REC - 118.57 MHz - ATIS	TWR - 120.00 MHz - TENERIFE NORTH TOWER
TWR - 118.70 MHz - TENERIFE NORTH TOWER	GND - 121.70 MHz - TENERIFE NORTH GROUND
CLD - 121.85 MHz - CLEARANCE DELIVERY	APP - 128.85 MHz - TENERIFE NORTH APPROACH
APP - 124.80 MHz - TENERIFE NORTH APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,399 ft	110.67	ASPHALT	0 ft	0 ft
	45 m	3,170 m	114.92		0 m	0 m
30	148 ft	10,399 ft	290.69	ASPHALT	0 ft	0 ft
	45 m	3,170 m	294.94		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	INOR	108.70 MHz	18 nm	-	-	2,070 ft
				33 km	-		2,070 m
30	DME	ITF	110.30 MHz	18 nm	-	-	2,031 ft
				33 km	-		2,031 m
12	LOC-ILS	INOR	108.70 MHz	18 nm	110.68	-	2,076 ft
				33 km	114.93		2,076 m
30	LOC-ILS	ITF	110.30 MHz	18 nm	290.68	-	2,076 ft
				33 km	294.93		2,076 m
12	GS	INOR	108.70 MHz	10 nm	110.68	3.00	2,076 ft
				19 km	114.93		2,076 m
30	GS	ITF	110.30 MHz	10 nm	290.68	3.00	2,076 ft
				19 km	294.93		2,076 m

## GCTS

Region: CANARY ISLANDS  
Timezone: ATLANTIC/CANARY  
Runways: 1

Elevation: 209 ft / 64 m  
Location: 28.044500 -16.572500  
Magnetic Var: 4.370 W

## METAR

GCTS 231500Z 08018KT 040V110 9999 SCT025 BKN040 23/15 Q1018 NOSIG

## TAF

TAF GCTS 231400Z 2315/2415 08015KT 9999 BKN040 TX25/2414Z TN17/2406Z PROB40 TEMPO 2321/2409 01005KT

## Frequencies

REC - 118.67 MHz - ATIS	GND - 121.90 MHz - TENERIFE SOUTH GROUND
TWR - 119.00 MHz - TENERIFE SOUTH TOWER	TWR - 120.30 MHz - TENERIFE SOUTH TOWER
CLD - 121.75 MHz - CLEARANCE DELIVERY	APP - 127.70 MHz - TENERIFE SOUTH APPROACH
APP - 128.12 MHz - TENERIFE SOUTH APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,479 ft	68.48	ASPHALT	0 ft	0 ft
	45 m	3,194 m	72.85		0 m	0 m
25	148 ft	10,479 ft	248.50	ASPHALT	0 ft	0 ft
	45 m	3,194 m	252.86		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	TRS	109.70 MHz	18 nm	68.49	-	187 ft
				33 km	72.86		187 m
25	LOC-ILS	ISUR	110.90 MHz	18 nm	248.52	-	209 ft
				33 km	252.89		209 m
07	GS	TRS	109.70 MHz	10 nm	68.96	3.00	209 ft
				19 km	73.33		209 m
25	GS	ISUR	110.90 MHz	10 nm	248.96	3.00	236 ft
				19 km	253.33		236 m