


2024/06/04 0214Z

EGPE GRICE **N601** TLA **UN864** DCS **UN57** TNT EGLL

393.96 nm / 729.62 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGPE APT	-	57.54250 -4.04750	0 ft 0 m	-	Inverness
GRICE FIX	-	56.19670 -3.68556	29,100 ft 8,870 m	81	-
TLA VOR	N601 AWY-LO	55.49910 -3.35283	35,000 ft 10,668 m	43	TALLA
UNURO FIX	UN864 AWY-HI	55.35310 -3.35056	35,000 ft 10,668 m	8	-
ASRUS FIX	UN864 AWY-HI	55.05580 -3.34583	35,000 ft 10,668 m	17	-
DCS DME	UN864 AWY-HI	54.72190 -3.34056	35,000 ft 10,668 m	20	DEAN CROSS VOR-DME
IPNOX FIX	UN57 AWY-HI	54.22780 -2.70611	35,000 ft 10,668 m	37	-
OLPOP FIX	UN57 AWY-HI	54.09220 -2.53556	35,000 ft 10,668 m	10	-
SETEL FIX	UN57 AWY-HI	54.01250 -2.43583	35,000 ft 10,668 m	5	-
BAMEP FIX	UN57 AWY-HI	53.87830 -2.26917	34,100 ft 10,394 m	9	-
POL VOR	UN57 AWY-HI	53.74380 -2.10333	31,900 ft 9,723 m	9	POLE HILL
TNT VOR	UN57 AWY-HI	53.05400 -1.66997	22,400 ft 6,828 m	44	TRENT
EGLL APT	-	51.47120 -0.46088	0 ft 0 m	104	London Heathrow

EGPE

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 31 ft / 9 m
Location: 57.542500 -4.047500
Magnetic Var: 1.720 W

METAR

EGPE 040150Z 22013KT 9999 FEW045 12/07 Q1005

TAF

UNKNOWN

Frequencies

APP - 122.60 MHz - INVERNESS APPROACH
REC - 109.20 MHz - INVERNESS INFORMATION

TWR - 118.40 MHz - INVERNESS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	150 ft	6,178 ft	49.43	ASPHALT	217 ft	0 ft
	46 m	1,883 m	51.15		66 m	0 m
23	150 ft	6,178 ft	229.45	ASPHALT	0 ft	0 ft
	46 m	1,883 m	231.17		0 m	0 m
11	59 ft	2,301 ft	109.59	ASPHALT	0 ft	0 ft
	18 m	701 m	111.31		0 m	0 m
29	59 ft	2,301 ft	289.60	ASPHALT	0 ft	0 ft
	18 m	701 m	291.32		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	ILN	108.50 MHz	18 nm	-	-	43 ft
				33 km	-		43 m
23	DME	IDX	108.50 MHz	18 nm	-	-	43 ft
				33 km	-		43 m
05	LOC-ILS	ILN	108.50 MHz	18 nm	49.42	-	31 ft
				33 km	51.14		31 m
23	LOC-ILS	IDX	108.50 MHz	18 nm	229.39	-	31 ft
				33 km	231.11		31 m
05	GS	ILN	108.50 MHz	10 nm	49.81	3.00	31 ft
				19 km	51.53		31 m
23	GS	IDX	108.50 MHz	10 nm	229.81	3.00	31 ft
				19 km	231.53		31 m

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.387 E

METAR

EGLL 040150Z AUTO 20003KT 9999 NCD 16/13 Q1016 NOSIG

TAF

TAF EGLL 032255Z 0400/0506 VRB03KT 9999 SCT030 BECMG 0407/0410 24012KT PROB40 TEMPO 0415/0422 7000 RA BECMG 0419/0506 24012KT

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.27		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.32		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.29		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.33		0 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.29		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.31		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.31		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.29		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.29		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.31		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.31		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.29		83 m