


2024/05/03 0115Z

KSFB HALSS **AR6** HOBEE **M202** MUNEE GUNSO GAPLI **UN20** SAM EGKK

3823.35 nm / 7080.85 km



Notes

Requested: KSFB HALSS AR6 HOBEE M202 MUNEE GUNSO GAPLI UN20 SAM EGKK

Unmatched points: GANDER

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSFB	-	28.77630	0 ft	-	Orlando Sanford
APT	-	-81.23490	0 m	-	
HALSS	-	29.17040	0 ft	103	-
FIX	-	-79.31550	0 m	-	-
HOBEE	AR6	29.22240	0 ft	9	-
FIX	AWY-HI	-79.15130	0 m	-	-
INDRO	M202	29.23670	0 ft	3	-
FIX	AWY-HI	-79.09610	0 m	-	-
BGDOG	M202	29.29350	0 ft	10	-
FIX	AWY-HI	-78.90830	0 m	-	-
LEND5	M202	29.36590	0 ft	13	-
FIX	AWY-HI	-78.67010	0 m	-	-
ADOOR	M202	29.40010	0 ft	6	-
FIX	AWY-HI	-78.55570	0 m	-	-
ETECK	M202	29.48570	0 ft	6	-
FIX	AWY-HI	-78.48730	0 m	-	-
CANIT	M202	29.56250	0 ft	5	-
FIX	AWY-HI	-78.42580	0 m	-	-
CARPX	M202	30.40800	0 ft	61	-
FIX	AWY-HI	-77.75000	0 m	-	-
UKOKA	M202	30.64830	0 ft	41	-
FIX	AWY-HI	-77.00000	0 m	-	-
OMALA	M202	33.24220	0 ft	240	-
FIX	AWY-HI	-73.39690	0 m	-	-
ONGOT	M202	33.98180	0 ft	70	-
FIX	AWY-HI	-72.30170	0 m	-	-
GOUGH	M202	34.66970	0 ft	65	-
FIX	AWY-HI	-71.28070	0 m	-	-
KINER	M202	36.57420	0 ft	185	-
FIX	AWY-HI	-68.28740	0 m	-	-
OVAPI	M202	37.45460	0 ft	88	-
FIX	AWY-HI	-66.80950	0 m	-	-
MUNEY	M202	38.50000	0 ft	107	-
FIX	AWY-HI	-64.96440	0 m	-	-
GUNSO	-	49.05280	0 ft	2340	-
FIX	-	-11.76830	0 m	-	-
GAPLI	-	50.00000	0 ft	157	-
FIX	-	-8.00000	0 m	-	-
TESDO	UN20	50.12390	0 ft	34	-
FIX	AWY-HI	-7.11667	0 m	-	-
RIGDI	UN20	50.27080	0 ft	44	-
FIX	AWY-HI	-5.99139	0 m	-	-
GITUS	UN20	50.33330	0 ft	11	-
FIX	AWY-HI	-5.70000	0 m	-	-
BUMUX	UN20	50.80440	0 ft	94	-
FIX	AWY-HI	-3.34944	0 m	-	-
SAM	UN20	50.95520	0 ft	76	SOUTHAMPTON
VOR	AWY-HI	-1.34506	0 m	-	
EGKK	-	51.14880	0 ft	45	London Gatwick
APT	-	-0.19185	0 m	-	

KSFB

Region: UNITED STATES

Timezone: AMERICA/NEW_YORK

Runways: 4

Elevation: 55 ft / 17 m

Location: 28.776300 -81.234900

Magnetic Var: 7.078 W

METAR

KSFB 030053Z 11008KT 10SM CLR 24/19 A2998 RMK A02 SLP150 T02390194

TAF

KSFB 022340Z 0300/0324 11010KT P6SM FEW060 FM030200 11004KT P6SM FEW070 FM031500 09009KT P6SM FEW050 FM032000 090

Frequencies

REC - 125.97 MHz - ATIS

CLD - 123.97 MHz - ORLANDO CLEARANCE

TWR - 120.30 MHz - SANFORD TWR

APP - 119.77 MHz - ORLANDO DEP SOUTH

COM - 120.30 MHz - CTAF

GND - 121.35 MHz - SANDFORD GROUND

APP - 119.52 MHz - ORLANDO DEP NORTH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	150 ft	10,982 ft	89.88	ASPHALT	1,001 ft	951 ft
	46 m	3,347 m	96.96		305 m	290 m
27R	150 ft	10,982 ft	269.89	ASPHALT	0 ft	400 ft
	46 m	3,347 m	276.97		0 m	122 m
18	151 ft	6,024 ft	179.88	ASPHALT	0 ft	200 ft
	46 m	1,836 m	186.96		0 m	61 m
36	151 ft	6,024 ft	359.88	ASPHALT	0 ft	200 ft
	46 m	1,836 m	6.96		0 m	61 m
09C	75 ft	3,572 ft	89.90	ASPHALT	0 ft	52 ft
	23 m	1,089 m	96.98		0 m	16 m
27C	75 ft	3,572 ft	269.91	ASPHALT	0 ft	49 ft
	23 m	1,089 m	276.99		0 m	15 m
09R	75 ft	6,636 ft	89.92	ASPHALT	1,644 ft	0 ft
	23 m	2,023 m	96.99		501 m	0 m
27L	75 ft	6,636 ft	269.93	ASPHALT	0 ft	0 ft
	23 m	2,023 m	277.00		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	DME	IOOS	111.55 MHz	18 nm	-	-	27 ft
				33 km	-		27 m
27R	DME	IFNU	110.15 MHz	18 nm	-	-	55 ft
				33 km	-		55 m
09L	LOC-ILS	ISND	108.90 MHz	18 nm	89.91	-	27 ft
				33 km	96.98		27 m
09R	LOC-ILS	IOOS	111.55 MHz	18 nm	89.91	-	27 ft
				33 km	96.98		27 m
27R	LOC-ILS	IFNU	110.15 MHz	18 nm	270.00	-	27 ft
				33 km	277.08		27 m
09L	GS	ISND	108.90 MHz	10 nm	90.79	3.00	53 ft
				19 km	97.87		53 m
09R	GS	IOOS	111.55 MHz	10 nm	90.81	3.00	53 ft
				19 km	97.89		53 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27R	GS	IFNU	110.15 MHz	10 nm	270.79	3.00	53 ft
				19 km	277.87		53 m

EGKK

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 187 ft / 57 m
Location: 51.148800 -0.191923
Magnetic Var: 0.492 E

METAR

EGKK 030050Z 25009KT 9999 BKN016 10/07 Q1006

TAF

TAF EGKK 022259Z 0300/0406 25012KT 9999 BKN015 TEMPO 0300/0314 6000 -RADZ RA BKN010 PROB30 TEMPO 0300/0312 2500 +S

Frequencies

REC - 136.52 MHz - GATWICK INFORMATION	GND - 121.80 MHz - GATWICK GROUND
TWR - 124.22 MHz - GATWICK TOWER	TWR - 134.22 MHz - GATWICK TOWER
CLD - 121.95 MHz - GATWICK DELIVERY	APP - 118.95 MHz - GATWICK DIRECTOR
APP - 126.82 MHz - GATWICK DIRECTOR	APP - 129.02 MHz - GATWICK DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	10,851 ft	77.60	ASPHALT	1,289 ft	0 ft
	45 m	3,308 m	77.10		393 m	0 m
26L	148 ft	10,851 ft	257.63	ASPHALT	1,388 ft	102 ft
	45 m	3,308 m	257.14		423 m	31 m
08L	148 ft	8,382 ft	77.59	ASPHALT	1,047 ft	0 ft
	45 m	2,555 m	77.09		319 m	0 m
26R	148 ft	8,382 ft	257.61	ASPHALT	1,358 ft	0 ft
	45 m	2,555 m	257.12		414 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IGG	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
26L	DME	IWW	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
08R	LOC-ILS	IGG	110.90 MHz	18 nm	77.62	-	187 ft
				33 km	77.13		187 m
26L	LOC-ILS	IWW	110.90 MHz	18 nm	257.62	-	187 ft
				33 km	257.13		187 m
08R	GS	IGG	110.90 MHz	10 nm	77.62	3.00	187 ft
				19 km	77.13		187 m
26L	GS	IWW	110.90 MHz	10 nm	257.62	3.00	187 ft
				19 km	257.13		187 m