


2024/05/04 0038Z

RCTP RCSS

17.36 nm / 32.15 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RCTP	-	25.07790	0 ft	-	Taiwan Taoyuan Intl
APT	-	121.23400	0 m		
RCSS	-	25.06960	0 ft	17	Songshan
APT	-	121.55300	0 m		

RCTP

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 2

Elevation: 108 ft / 33 m
Location: 25.077900 121.234000
Magnetic Var: 4.989 W

METAR

RCTP 040000Z 02006KT 9999 FEW015 BKN120 25/23 Q1012 NOSIG RMK A2989

TAF

TAF RCTP 032300Z 0400/0506 03005KT 9999 FEW015 BKN032 TEMPO 0403/0406 31005KT BECMG 0406/0408 24005KT TEMPO 0418/

Frequencies

REC - 127.60 MHz - ATIS	TWR - 129.30 MHz - TAIPEI TOWER
TWR - 118.70 MHz - TAIPEI TOWER	GND - 121.70 MHz - TAIPEI GROUND
GND - 121.60 MHz - TAIPEI GROUND	CLD - 121.80 MHz - TAIPEI CLEARANCE DELIVERY
APP - 119.50 MHz - TAIPEI APPROACH	APP - 119.60 MHz - TAIPEI APPROACH
APP - 119.70 MHz - TAIPEI APPROACH	APP - 123.50 MHz - TAIPEI APPROACH
APP - 123.60 MHz - TAIPEI APPROACH	APP - 124.20 MHz - TAIPEI APPROACH
APP - 125.10 MHz - TAIPEI APPROACH	APP - 125.50 MHz - TAIPEI APPROACH
APP - 125.60 MHz - TAIPEI APPROACH	APP - 128.50 MHz - TAIPEI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	197 ft	12,020 ft	49.01	ASPHALT	0 ft	420 ft
	60 m	3,664 m	54.00		0 m	128 m
23R	197 ft	12,020 ft	229.02	ASPHALT	0 ft	390 ft
	60 m	3,664 m	234.01		0 m	119 m
05R	197 ft	12,478 ft	49.01	ASPHALT	328 ft	404 ft
	60 m	3,803 m	54.00		100 m	123 m
23L	197 ft	12,478 ft	229.02	ASPHALT	1,148 ft	394 ft
	60 m	3,803 m	234.01		350 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	ITIA	111.10 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
05R	DME	ICKS	110.70 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
23R	DME	ITYA	109.30 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
23L	DME	ICJN	111.90 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
05L	LOC-ILS	ITIA	111.10 MHz	18 nm	49.02	-	108 ft
				33 km	54.01		108 m
05R	LOC-ILS	ICKS	110.70 MHz	18 nm	49.02	-	108 ft
				33 km	54.01		108 m
23L	LOC-ILS	ICJN	111.90 MHz	18 nm	229.02	-	108 ft
				33 km	234.01		108 m
23R	LOC-ILS	ITYA	109.30 MHz	18 nm	229.02	-	108 ft
				33 km	234.01		108 m
05L	GS	ITIA	111.10 MHz	10 nm	49.02	3.00	108 ft
				19 km	54.01		108 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	GS	ICKS	110.70 MHz	10 nm	49.02	3.00	108 ft
				19 km	54.01		108 m
23L	GS	ICJN	111.90 MHz	10 nm	229.02	3.00	108 ft
				19 km	234.01		108 m
23R	GS	ITYA	109.30 MHz	10 nm	229.02	3.00	108 ft
				19 km	234.01		108 m

RCSS

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 1

Elevation: 18 ft / 5 m
Location: 25.069600 121.553000
Magnetic Var: 5.029 W

METAR

RCSS 040000Z 10012KT 9999 FEW008 BKN150 27/23 Q1012 NOSIG RMK A2989

TAF

TAF RCSS 032300Z 0400/0424 09010KT 9999 FEW015 BKN032 TEMPO 0405/0410 29005KT 4000 SHRA FEW012 BKN018 TEMPO 0418/0424 09010KT 9999 FEW008 BKN150 27/23 Q1012 NOSIG RMK A2989

Frequencies

REC - 127.40 MHz - ATIS	REC - 431.00 MHz - ATIS
CLD - 121.20 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - SONGSHAN GROUND
TWR - 118.10 MHz - SONGSHAN TOWER	APP - 119.70 MHz - TAIPEI APPROACH
APP - 119.60 MHz - TAIPEI APPROACH	APP - 123.50 MHz - TAIPEI APPROACH
APP - 130.10 MHz - TAIPEI APPROACH	APP - 129.60 MHz - TAIPEI APPROACH
APP - 125.10 MHz - TAIPEI APPROACH	APP - 128.50 MHz - TAIPEI APPROACH
APP - 124.20 MHz - TAIPEI APPROACH	APP - 120.40 MHz - TAIPEI APPROACH
APP - 125.60 MHz - TAIPEI APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	197 ft	8,555 ft	92.21	ASPHALT	0 ft	197 ft
	60 m	2,607 m	97.24		0 m	60 m
28	197 ft	8,555 ft	272.22	ASPHALT	0 ft	764 ft
	60 m	2,607 m	277.25		0 m	233 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	ITSG	108.90 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
28	DME	ITLU	108.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
10	LOC-ILS	ITSG	108.90 MHz	18 nm	92.22	-	18 ft
				33 km	97.25		18 m
10	GS	ITSG	108.90 MHz	10 nm	92.22	3.00	18 ft
				19 km	97.25		18 m