

HKJK

Nairobi Jomo Kanyatta Intl


HTDA

MWALIMU JULIUS K NYERERE INTL

2024/06/05 0119Z

HKJK GABSO **UB533** DV HTDA

362.22 nm / 670.83 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
HKJK APT	-	-1.31707 36.93076	0 ft 0 m	-	Nairobi Jomo Kanyatta Intl
GABSO FIX	-	-2.85248 37.56752	35,000 ft 10,668 m	99	-
OKNES FIX	UB533 AWY-HI	-3.58472 37.90000	35,000 ft 10,668 m	48	-
LUDOL FIX	UB533 AWY-HI	-3.81602 37.96136	35,000 ft 10,668 m	14	-
GEREN FIX	UB533 AWY-HI	-5.06480 38.46110	25,400 ft 7,742 m	80	-
DV VOR	UB533 AWY-HI	-6.88865 39.19271	23,500 ft 7,163 m	117	DAR ES SALAAM VOR-DME
HTDA APT	-	-6.87505 39.20426	0 ft 0 m	1	MWALIMU JULIUS K NYERERE INTL

HKJK

Region: KENYA
Timezone: AFRICA/NAIROBI
Runways: 1

Elevation: 5,330 ft / 1,625 m
Location: -1.316650 36.931300
Magnetic Var: 0.802 E

METAR

HKJK 050000Z 00000KT 9999 SCT015 16/16 Q1022 NOSIG

TAF

TAF TAF HKJK 042300Z 0500/0606 03005KT 9999 SCT017 BKN080 BECMG 0508/0511 16010KT SCT025 TEMPO 0512/0516 FEW024CB

Frequencies

REC - 126.20 MHz - NAIROBI ATIS
TWR - 118.70 MHz - NAIROBI TOWER
DEP - 119.70 MHz - NAIROBI DEPARTURE
GND - 121.60 MHz - NAIROBI GROUND
APP - 119.70 MHz - NAIROBI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	13,528 ft	53.83	ASPHALT	0 ft	194 ft
	45 m	4,123 m	53.03		0 m	59 m
24	148 ft	13,528 ft	233.83	ASPHALT	0 ft	197 ft
	45 m	4,123 m	233.03		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	NL	110.30 MHz	18 nm	53.83	-	5,330 ft
				33 km	53.03		5,330 m
06	GS	NL	110.30 MHz	10 nm	53.83	3.00	5,330 ft
				19 km	53.03		5,330 m

HTDA

Region: TANZANIA
Timezone: AFRICA/DAR_ES_SALAAM
Runways: 2

Elevation: 182 ft / 55 m
Location: -6.874990 39.204400
Magnetic Var: 2.100 W

METAR

UNKNOWN

TAF

TAF TAF HTDA 041700Z 0418/0524 14005KT 9999 SCT013 BECMG 0509/0512 16015KT BKN024 BECMG 0515/1518 14005KT SCT016

Frequencies

REC - 119.00 MHz - DAR-ES-SALAAM ATIS
TWR - 118.30 MHz - DAR-ES-SALAAM TOWER

GND - 121.80 MHz - DAR-ES-SALAAM GROUND
APP - 119.60 MHz - DAR-ES-SALAAM APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	151 ft	9,880 ft	44.82	ASPHALT	0 ft	190 ft
	46 m	3,011 m	46.92		0 m	58 m
23	151 ft	9,880 ft	224.82	ASPHALT	0 ft	187 ft
	46 m	3,011 m	226.92		0 m	57 m
14	98 ft	3,304 ft	135.19	ASPHALT	0 ft	0 ft
	30 m	1,007 m	137.29		0 m	0 m
32	98 ft	3,304 ft	315.19	ASPHALT	0 ft	0 ft
	30 m	1,007 m	317.29		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	DL	110.50 MHz	18 nm	44.81	-	182 ft
				33 km	46.91		182 m
05	GS	DL	110.50 MHz	10 nm	44.81	3.00	182 ft
				19 km	46.91		182 m