


2024/05/03 1601Z

EGNX VABKA EGGP

62.65 nm / 116.03 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGNX	-	52.83100	0 ft	-	East Midlands
APT	-	-1.32811	0 m		
VABKA	-	53.30220	900 ft	58	-
FIX	-	-2.73611	274 m		
EGGP	-	53.33360	0 ft	4	Liverpool John Lennon
APT	-	-2.84978	0 m		

EGNX

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 306 ft / 93 m
Location: 52.831000 -1.328100
Magnetic Var: 0.057 W

METAR

EGNX 031520Z 23011KT 9000 -RA SCT008 BKN010 11/10 Q1007

TAF

TAF EGNX 031056Z 0312/0412 23012KT 9999 SCT006 BKN012 TEMPO 0312/0406 6000 RA BKN006 PROB30 TEMPO 0312/0324 3000 +

Frequencies

REC - 122.65 MHz - EAST MIDLANDS INFORMATION DEP - 120.10 MHz - EAST MIDLANDS DIRECTOR
GND - 121.90 MHz - EAST MIDLANDS GROUND TWR - 124.00 MHz - EAST MIDLANDS TOWER
APP - 126.10 MHz - EAST MIDLANDS RADAR APP - 134.10 MHz - EAST MIDLANDS RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	9,468 ft	88.26	ASPHALT	587 ft	98 ft
	45 m	2,886 m	88.32		179 m	30 m
27	148 ft	9,468 ft	268.30	ASPHALT	423 ft	98 ft
	45 m	2,886 m	268.36		129 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IEMW	109.35 MHz	18 nm	-	-	322 ft
				33 km	-		322 m
27	DME	IEME	109.35 MHz	18 nm	-	-	322 ft
				33 km	-		322 m
09	LOC-ILS	IEMW	109.35 MHz	18 nm	88.28	-	306 ft
				33 km	88.34		306 m
27	LOC-ILS	IEME	109.35 MHz	18 nm	268.28	-	306 ft
				33 km	268.34		306 m
09	GS	IEMW	109.35 MHz	10 nm	88.28	3.00	306 ft
				19 km	88.34		306 m
27	GS	IEME	109.35 MHz	10 nm	268.28	3.00	306 ft
				19 km	268.34		306 m

EGGP

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 81 ft / 25 m
Location: 53.333600 -2.849780
Magnetic Var: 0.669 W

METAR

EGGP 031520Z 28007KT 9999 BKN018 BKN023 13/10 Q1007

TAF

TAF AMD EGGP 031347Z 0313/0412 30007KT 9999 SCT012 BKN025 TEMPO 0313/0315 6000 -RA BKN007 TEMPO 0315/0406 4000 RAD

Frequencies

APP - 119.85 MHz - LIVERPOOL APPROACH
GND - 121.95 MHz - LIVERPOOL GROUND

TWR - 126.35 MHz - LIVERPOOL TOWER
REC - 124.32 MHz - LIVERPOOL INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	7,478 ft	85.58	ASPHALT	194 ft	0 ft
	45 m	2,279 m	86.25		59 m	0 m
27	148 ft	7,478 ft	265.61	ASPHALT	0 ft	82 ft
	45 m	2,279 m	266.28		0 m	25 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ILVR	111.75 MHz	18 nm	-	-	88 ft
				33 km	-		88 m
27	DME	ILQ	111.75 MHz	18 nm	-	-	88 ft
				33 km	-		88 m
09	LOC-ILS	ILVR	111.75 MHz	18 nm	85.61	-	77 ft
				33 km	86.28		77 m
27	LOC-ILS	ILQ	111.75 MHz	18 nm	265.05	-	55 ft
				33 km	265.72		55 m
09	GS	ILVR	111.75 MHz	10 nm	86.20	3.00	80 ft
				19 km	86.87		80 m
27	GS	ILQ	111.75 MHz	10 nm	266.20	3.00	80 ft
				19 km	266.87		80 m