


2024/05/13 0144Z

EGPB SUM MOCHA SHD ADN EGPD

168.12 nm / 311.35 km



Notes

Decoded

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGPB	-	59.87476	0 ft	-	-
APT	-	-1.29047	0 m	-	-
SUM	-	59.87889	0 ft	0	SUMBURGH VOR-DME
VOR	-	-1.28667	0 m	-	-
MOCHA	-	59.54887	0 ft	19	-
FIX	-	-1.36648	0 m	-	-
SHD	-	57.55917	0 ft	120	SCOTSTOWN HEAD NDB
NDB	-	-1.81722	0 m	-	-
ADN	-	57.31056	0 ft	20	ABERDEEN VOR-DME
VOR	-	-2.26722	0 m	-	-
EGPD	-	57.20472	0 ft	6	Aberdeen Dyce
APT	-	-2.20167	0 m	-	-

EGPB

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 3

Elevation: 20 ft / 6 m
Location: 59.881400 -1.293890
Magnetic Var: 0.853 W

METAR

EGPB 130120Z AUTO 16015G27KT 9999 OVC006/// 10/09 Q1011

TAF

UNKNOWN

Frequencies

REC - 125.85 MHz - SUMBURGH INFORMATION TWR - 118.25 MHz - SUMBURGH TOWER
APP - 123.15 MHz - SUMBURGH RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	4,912 ft	83.55	ASPHALT	344 ft	0 ft
	45 m	1,497 m	84.40		105 m	0 m
27	148 ft	4,912 ft	263.57	ASPHALT	295 ft	0 ft
	45 m	1,497 m	264.42		90 m	0 m
06	148 ft	1,778 ft	53.40	ASPHALT	0 ft	0 ft
	45 m	542 m	54.25		0 m	0 m
24	148 ft	1,778 ft	233.40	ASPHALT	0 ft	0 ft
	45 m	542 m	234.26		0 m	0 m
15	151 ft	4,682 ft	143.46	ASPHALT	614 ft	0 ft
	46 m	1,427 m	144.31		187 m	0 m
33	151 ft	4,682 ft	323.47	ASPHALT	627 ft	0 ft
	46 m	1,427 m	324.32		191 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	SUB	108.50 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
27	DME	ISG	108.50 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
27	LOC-ILS	ISG	108.50 MHz	18 nm	259.63	-	20 ft
				33 km	260.49		20 m
09	LOC-LOC	SUB	108.50 MHz	18 nm	78.46	-	20 ft
				33 km	79.31		20 m
27	GS	ISG	108.50 MHz	10 nm	264.12	3.00	35 ft
				19 km	264.97		35 m

EGPD

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 4

Elevation: 213 ft / 65 m
Location: 57.204100 -2.199110
Magnetic Var: 0.907 W

METAR

EGPD 130120Z AUTO 17006KT 130V210 4200 HZ OVC003 11/10 Q1009

TAF

TAF AMD EGPD 130051Z 1300/1324 13007KT 9999 SCT012 TEMPO 1300/1324 6000 BKN006 PROB40 TEMPO 1300/1303 3000 +SHRA B

Frequencies

REC - 121.85 MHz - ABERDEEN INFO
GND - 121.70 MHz - ABERDEEN GROUND
APP - 128.30 MHz - ABERDEEN DIRECTOR

TWR - 118.10 MHz - ABERDEEN TOWER
APP - 119.05 MHz - ABERDEEN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	6,414 ft	158.27	ASPHALT	0 ft	0 ft
	46 m	1,955 m	159.18		0 m	0 m
34	151 ft	6,414 ft	338.28	ASPHALT	0 ft	0 ft
	46 m	1,955 m	339.19		0 m	0 m
14	118 ft	1,908 ft	139.39	ASPHALT	0 ft	0 ft
	36 m	582 m	140.29		0 m	0 m
32	118 ft	1,908 ft	319.39	ASPHALT	0 ft	0 ft
	36 m	582 m	320.30		0 m	0 m
05	151 ft	1,563 ft	46.09	ASPHALT	0 ft	0 ft
	46 m	476 m	46.99		0 m	0 m
23	151 ft	1,563 ft	226.09	ASPHALT	0 ft	0 ft
	46 m	476 m	227.00		0 m	0 m
18	75 ft	1,868 ft	179.47	ASPHALT	0 ft	0 ft
	23 m	569 m	180.37		0 m	0 m
36	75 ft	1,868 ft	359.47	ASPHALT	0 ft	0 ft
	23 m	569 m	0.37		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAX	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
34	DME	IABD	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
16	LOC-ILS	IAX	109.90 MHz	18 nm	158.25	-	213 ft
				33 km	159.16		213 m
34	LOC-ILS	IABD	109.90 MHz	18 nm	338.25	-	213 ft
				33 km	339.16		213 m
16	GS	IAX	109.90 MHz	10 nm	158.25	3.00	213 ft
				19 km	159.16		213 m
34	GS	IABD	109.90 MHz	10 nm	338.25	3.00	213 ft
				19 km	339.16		213 m