


2024/05/07 1803Z

HECA AXD A1 METRU **UP868** ARLOS **UM871** AMIBO **UN4** DOBIX DTTA

1144.21 nm / 2119.08 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
HECA	-	30.12181	0 ft	-	Cairo Intl
APT	-	31.40610	0 m		
AXD	-	31.18694	34,000 ft	98	ALEXANDRIA VOR-DME
VOR	-	29.95036	10,363 m		
KATEX	A1	32.11694	34,000 ft	96	-
FIX	AWY-HI	28.41000	10,363 m		
SOKAL	A1	32.60028	34,000 ft	49	-
FIX	AWY-HI	27.61833	10,363 m		
METRU	A1	34.00000	34,000 ft	149	-
FIX	AWY-HI	25.15000	10,363 m		
OLIKI	UP868	34.35889	34,000 ft	63	-
FIX	AWY-HI	23.93750	10,363 m		
PERIX	UP868	34.53389	34,000 ft	32	-
FIX	AWY-HI	23.32500	10,363 m		
ARLOS	UP868	34.62528	34,000 ft	16	-
FIX	AWY-HI	23.00000	10,363 m		
TIMBI	UM871	34.92806	34,000 ft	60	-
FIX	AWY-HI	21.83806	10,363 m		
AMIBO	UM871	34.97389	34,000 ft	9	-
FIX	AWY-HI	21.65806	10,363 m		
EMLAR	UN4	35.64417	34,000 ft	170	-
FIX	AWY-HI	18.28167	10,363 m		
EVIRA	UN4	35.88083	34,000 ft	66	-
FIX	AWY-HI	16.94306	10,363 m		
DOPIX	UN4	36.50000	20,000 ft	236	-
FIX	AWY-HI	12.12667	6,096 m		
DTTA	-	36.85127	0 ft	93	CARTHAGE
APT	-	10.23003	0 m		

HECA

Region: EGYPT
Timezone: AFRICA/CAIRO
Runways: 3

Elevation: 466 ft / 142 m
Location: 30.111400 31.413900
Magnetic Var: 4.950 E

METAR

HECA 071730Z 36009KT CAVOK 26/07 Q1015 NOSIG

TAF

TAF HECA 071100Z 0712/0818 33009KT CAVOK BECMG 0718/0720 03008KT

Frequencies

REC - 122.60 MHz - ATIS
GND - 121.90 MHz - CAIRO GROUND NORTH
APP - 119.05 MHz - CAIRO APPROACH
GND - 120.40 MHz - CAIRO GROUND SOUTH
TWR - 118.10 MHz - CAIRO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	197 ft	13,135 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,004 m	44.09		0 m	66 m
23L	197 ft	13,135 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,004 m	224.10		0 m	69 m
05C	197 ft	13,132 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,003 m	44.09		0 m	66 m
23C	197 ft	13,132 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,003 m	224.10		0 m	69 m
05L	197 ft	10,840 ft	49.29	ASPHALT	0 ft	184 ft
	60 m	3,304 m	44.34		0 m	56 m
23R	197 ft	10,840 ft	229.30	ASPHALT	0 ft	184 ft
	60 m	3,304 m	224.35		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	CRL	110.90 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05R	DME	IROT	109.90 MHz	18 nm	-	-	430 ft
				33 km	-		430 m
23L	DME	ILOT	109.50 MHz	18 nm	-	-	420 ft
				33 km	-		420 m
23R	DME	CRR	110.30 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05L	LOC-ILS	IZFL	110.90 MHz	18 nm	49.30	-	466 ft
				33 km	44.35		466 m
05C	LOC-ILS	IZFC	109.90 MHz	18 nm	49.04	-	466 ft
				33 km	44.09		466 m
05R	LOC-ILS	IZFR	108.90 MHz	18 nm	49.05	-	466 ft
				33 km	44.10		466 m
23L	LOC-ILS	ITTL	108.70 MHz	18 nm	229.05	-	466 ft
				33 km	224.10		466 m
23C	LOC-ILS	ITTC	109.50 MHz	18 nm	229.04	-	466 ft
				33 km	224.09		466 m
23R	LOC-ILS	ITTR	110.30 MHz	18 nm	229.30	-	466 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	224.35		466 m
05L	GS	IZFL	110.90 MHz	10 nm	49.30	3.00	466 ft
				19 km	44.35		466 m
05C	GS	IZFC	109.90 MHz	10 nm	49.04	3.00	466 ft
				19 km	44.09		466 m
05R	GS	IZFR	108.90 MHz	10 nm	49.05	3.00	466 ft
				19 km	44.10		466 m
23L	GS	ITTL	108.70 MHz	10 nm	229.05	3.00	466 ft
				19 km	224.10		466 m
23C	GS	ITTC	109.50 MHz	10 nm	229.04	3.00	466 ft
				19 km	224.09		466 m
23R	GS	ITTR	110.30 MHz	10 nm	229.30	3.00	466 ft
				19 km	224.35		466 m

DTTA

Region: TUNISIA
Timezone: AFRICA/TUNIS
Runways: 2

Elevation: 20 ft / 6 m
Location: 36.851300 10.230000
Magnetic Var: 3.017 E

METAR

DTTA 071730Z 06005KT 360V160 9999 FEW026 SCT040 23/12 Q1013

TAF

TAF DTTA 071100Z 0712/0812 31013KT 9999 FEW026 BECMG 0712/0714 02017KT 9999 SCT026 PROB40 TEMPO 0720/0806 4000 -T

Frequencies

REC - 118.67 MHz - TUNIS ATIS
TWR - 118.10 MHz - TUNIS TWR

GND - 121.90 MHz - TUNIS GND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	10,509 ft	12.29	ASPHALT	0 ft	190 ft
	45 m	3,203 m	9.27		0 m	58 m
19	148 ft	10,509 ft	192.29	ASPHALT	0 ft	184 ft
	45 m	3,203 m	189.28		0 m	56 m
11	148 ft	9,360 ft	112.55	ASPHALT	0 ft	197 ft
	45 m	2,853 m	109.53		0 m	60 m
29	148 ft	9,360 ft	292.57	ASPHALT	682 ft	535 ft
	45 m	2,853 m	289.55		208 m	163 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	TBL	111.10 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
29	DME	TKE	108.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
01	LOC-ILS	TBL	111.10 MHz	18 nm	12.29	-	20 ft
				33 km	9.27		20 m
19	LOC-ILS	TSI	110.30 MHz	18 nm	192.29	-	20 ft
				33 km	189.27		20 m
29	LOC-ILS	TKE	108.50 MHz	18 nm	292.56	-	20 ft
				33 km	289.54		20 m
01	GS	TBL	111.10 MHz	10 nm	12.29	3.00	20 ft
				19 km	9.27		20 m
19	GS	TSI	110.30 MHz	10 nm	192.29	3.00	20 ft
				19 km	189.27		20 m
29	GS	TKE	108.50 MHz	10 nm	292.56	3.00	20 ft
				19 km	289.54		20 m