


2024/06/06 0327Z

CYFB YFY **J561** AMASS JELCO 6000N0-6600W LOPVI 5900N0-6400W LAKES UDMAR LOMTA ALSOP YDP **AR28** YMH  
**RR5** AY **B21** QX CCP2

1095.25 nm / 2028.40 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYFB	-	63.75660	0 ft	-	Iqaluit
APT	-	-68.55610	0 m		
YFY	-	63.73340	500 ft	1	FROBAY IQALUIT
NDB	-	-68.54790	152 m		
AMASS	J561	61.03820	35,000 ft	161	-
FIX	AWY-HI	-68.51600	10,668 m		
JELCO	-	60.70000	35,000 ft	48	-
FIX	-	-67.00000	10,668 m		
6000N0-6600W	-	60.00000	35,000 ft	51	-
LATLON	-	-66.00000	10,668 m		
LOPVI	-	59.26670	35,000 ft	69	-
FIX	-	-64.25000	10,668 m		
5900N0-6400W	-	59.00000	35,000 ft	17	-
LATLON	-	-64.00000	10,668 m		
LAKES	-	57.99890	35,000 ft	64	-
FIX	-	-63.26580	10,668 m		
UDMAR	-	57.58330	35,000 ft	27	-
FIX	-	-62.91670	10,668 m		
LOMTA	-	57.20310	35,000 ft	24	-
FIX	-	-62.61920	10,668 m		
ALSOP	-	56.86670	35,000 ft	25	-
FIX	-	-62.16670	10,668 m		
YDP	-	56.53380	35,000 ft	25	NAIN
NDB	-	-61.69180	10,668 m		
HO	AR28	55.45970	35,000 ft	81	HOPEDALE
NDB	AWY-LO	-60.21060	10,668 m		
YFT	AR28	55.08070	35,000 ft	41	MAKKOVIK
NDB	AWY-LO	-59.18830	10,668 m		
JC	AR28	54.17710	35,000 ft	60	RIGOLET
NDB	AWY-LO	-58.43080	10,668 m		
CA	AR28	53.70910	35,000 ft	57	CARTWRIGHT
NDB	AWY-LO	-57.02100	10,668 m		
YMH	AR28	52.31460	35,000 ft	94	MARYS HARBOUR
NDB	AWY-LO	-55.83150	10,668 m		
AY	RR5	51.38670	35,000 ft	56	ST ANTHONY
NDB	AWY-LO	-56.09500	10,668 m		
QX	B21	48.96440	6,600 ft	155	GANDER
NDB	AWY-LO	-54.67020	2,012 m		
CCP2	-	49.05610	0 ft	31	EXPLOITS VALLEY BOTWOOD
APT	-	-55.44800	0 m		

## CYFB

Region: CANADA  
Timezone: AMERICA/IQALUIT  
Runways: 1

Elevation: 110 ft / 34 m  
Location: 63.756600 -68.556200  
Magnetic Var: 25.091 W

## METAR

CYFB 060300Z 21002KT 6SM BR BKN003 OVC006 00/M00 A2998 RMK ST7ST1 VIS S-SW HYR SLP158

## TAF

TAF AMD CYFB 060307Z 0603/0624 VRB03KT 6SM BR SCT002 OVC006 TEMPO 0603/0610 3/4SM BR BKN002 OVC006 PROB30 0606/0610

## Frequencies

REC - 122.20 MHz - FSS  
COM - 126.70 MHz - IQALUIT UNICOM

REC - 126.70 MHz - FSS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	8,571 ft	135.65	ASPHALT	0 ft	200 ft
	60 m	2,612 m	160.74		0 m	61 m
34	197 ft	8,571 ft	315.69	ASPHALT	0 ft	207 ft
	60 m	2,612 m	340.78		0 m	63 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	IFB	109.90 MHz	18 nm	315.67	-	110 ft
				33 km	340.76		110 m
34	GS	IFB	109.90 MHz	10 nm	315.67	2.50	110 ft
				19 km	340.76		110 m