

# MKBS

Ian Fleming International Airport


# KOPF

Opa Locka

2024/05/06 0841Z

MKBS TOTON **UA301** URSUS **A509** ELLEE KOPF

492.76 nm / 912.59 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 490kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MKBS APT	-	18.40410 -76.97000	0 ft 0 m	-	Ian Fleming International Airport
TOTON FIX	-	19.54060 -77.56720	23,300 ft 7,102 m	76	-
UCA VOR	UA301 AWY-HI	22.01510 -78.81580	35,000 ft 10,668 m	164	CIEGO DE AVILA
URSUS FIX	UA301 AWY-HI	24.00010 -79.06980	24,200 ft 7,376 m	120	-
ELLEE FIX	A509 AWY-HI	24.88060 -79.69000	12,700 ft 3,871 m	62	-
KOPF APT	-	25.90610 -80.27840	0 ft 0 m	69	Opa Locka

## KOPF

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 3

Elevation: 7 ft / 2 m  
Location: 25.906100 -80.278400  
Magnetic Var: 7.293 W

## METAR

KOPF 060753Z AUTO 12009KT 10SM FEW028 SCT035 24/20 A3001 RMK A02 SLP162 T02440200

## TAF

KOPF 060538Z 0606/0706 10008KT P6SM FEW030 SCT250 FM061200 11011KT P6SM FEW025 SCT050 FM070200 12006KT P6SM SCT040

## Frequencies

REC - 125.90 MHz - ATIS  
CLD - 119.20 MHz - CLNC DEL  
TWR - 118.60 MHz -  
APP - 128.60 MHz - MIAMI APP/DEP

COM - 120.70 MHz - CTAF  
GND - 121.90 MHz -  
TWR - 120.70 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft	7,989 ft	86.92	ASPHALT	0 ft	190 ft
	46 m	2,435 m	94.21		0 m	58 m
27R	151 ft	7,989 ft	266.93	ASPHALT	0 ft	197 ft
	46 m	2,435 m	274.22		0 m	60 m
12	151 ft	6,797 ft	121.98	ASPHALT	801 ft	197 ft
	46 m	2,072 m	129.27		244 m	60 m
30	151 ft	6,797 ft	301.98	ASPHALT	0 ft	200 ft
	46 m	2,072 m	309.28		0 m	61 m
09R	98 ft	4,300 ft	86.93	ASPHALT	0 ft	0 ft
	30 m	1,311 m	94.22		0 m	0 m
27L	98 ft	4,300 ft	266.93	ASPHALT	0 ft	0 ft
	30 m	1,311 m	274.23		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IOLX	111.55 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
27R	DME	IPLJ	111.35 MHz	18 nm	-	-	15 ft
				33 km	-		15 m
09L	LOC-ILS	IOPF	110.50 MHz	18 nm	86.92	-	7 ft
				33 km	94.21		7 m
12	LOC-ILS	IOLX	111.55 MHz	18 nm	121.98	-	7 ft
				33 km	129.27		7 m
27R	LOC-ILS	IPLJ	111.35 MHz	18 nm	266.92	-	7 ft
				33 km	274.21		7 m
09L	GS	IOPF	110.50 MHz	10 nm	86.92	3.00	7 ft
				19 km	94.21		7 m
12	GS	IOLX	111.55 MHz	10 nm	121.98	3.00	7 ft
				19 km	129.27		7 m
27R	GS	IPLJ	111.35 MHz	10 nm	266.92	3.00	7 ft
				19 km	274.21		7 m