

# LFLL

Lyon Saint Exupery


# LLBG

Tel Aviv Ben Gurion Airport

2024/05/19 1831Z

LFLL NITAM **T305** ATRUP **M169** PES **M872** DIVKU **P92** BRD **L995** TIGRA **UL995** KRK **UL53** KOR **UL52** MAGIS **UN134**  
SOLIN LLBG

1619.82 nm / 2999.91 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFL APT	-	45.72580 5.09073	0 ft 0 m	-	Lyon Saint Exupery
NITAM FIX	-	45.10610 7.15778	33,800 ft 10,302 m	94	-
KODOK FIX	T305 AWY-HI	44.94250 7.66972	35,000 ft 10,668 m	23	-
OGLAK FIX	T305 AWY-HI	43.98330 10.43780	35,000 ft 10,668 m	131	-
ATRAP FIX	T305 AWY-HI	42.34890 13.59560	35,000 ft 10,668 m	169	-
PES VOR	M169 AWY-HI	42.43580 14.18420	35,000 ft 10,668 m	26	PESCARA
URIPI FIX	M872 AWY-HI	41.87580 15.18470	35,000 ft 10,668 m	55	-
DIVKU FIX	M872 AWY-HI	41.50000 15.83780	35,000 ft 10,668 m	36	-
BAR VOR	P92 AWY-HI	41.14420 16.77640	35,000 ft 10,668 m	47	BARI
FASAN FIX	P92 AWY-HI	40.86390 17.42690	35,000 ft 10,668 m	33	-
BRD VOR	P92 AWY-HI	40.61090 18.00290	35,000 ft 10,668 m	30	BRINDISI
ORSOM FIX	L995 AWY-HI	40.36580 18.44670	35,000 ft 10,668 m	25	-
TIGRA FIX	L995 AWY-LO	40.05670 19.00000	35,000 ft 10,668 m	31	-
KRK VOR	UL995 AWY-HI	39.44390 20.07280	35,000 ft 10,668 m	61	KERKIRA
PARNA FIX	UL53 AWY-HI	39.26220 20.43030	35,000 ft 10,668 m	19	-
GARTA FIX	UL53 AWY-HI	38.98500 20.96830	35,000 ft 10,668 m	30	-
ELVAS FIX	UL53 AWY-HI	38.52470 21.84190	35,000 ft 10,668 m	49	-
IXONI FIX	UL53 AWY-HI	38.31500 22.23220	35,000 ft 10,668 m	22	-
PIKAD FIX	UL53 AWY-HI	38.06140 22.69780	35,000 ft 10,668 m	26	-
KOR NDB	UL53 AWY-HI	37.93040 22.93590	35,000 ft 10,668 m	13	KORINTHOS
KEA VOR	UL52 AWY-HI	37.55720 24.29870	35,000 ft 10,668 m	68	KEA
RAPOS FIX	UL52 AWY-HI	37.13470 25.13560	35,000 ft 10,668 m	47	-
ASTIS FIX	UL52 AWY-HI	36.56530 26.23280	35,000 ft 10,668 m	62	-
NAXAS FIX	UL52 AWY-HI	36.35750 26.74890	35,000 ft 10,668 m	27	-
LINRO FIX	UL52 AWY-HI	35.96560 27.69940	35,000 ft 10,668 m	51	-
TIRMO FIX	UL52 AWY-HI	35.63390 28.26610	35,000 ft 10,668 m	34	-
VAXOS	UL52	34.99310	35,000 ft	64	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	29.33440	10,668 m		
MAGIS	UL52	34.58330	35,000 ft	41	-
FIX	AWY-HI	30.00000	10,668 m		
KOSEG	UN134	34.14330	35,000 ft	52	-
FIX	AWY-HI	30.90670	10,668 m		
GIPAS	UN134	33.69330	35,000 ft	52	-
FIX	AWY-HI	31.81110	10,668 m		
ASPIS	UN134	33.48170	34,400 ft	24	-
FIX	AWY-HI	32.22830	10,485 m		
ERIMO	UN134	33.12500	25,700 ft	40	-
FIX	AWY-HI	32.92170	7,833 m		
SOLIN	UN134	32.49470	9,900 ft	73	-
FIX	AWY-HI	34.17080	3,018 m		
LLBG	-	32.00980	0 ft	46	Tel Aviv Ben Gurion Airport
APT	-	34.88390	0 m		

## LFL

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 817 ft / 249 m  
Location: 45.725800 5.090730  
Magnetic Var: 2.261 E

## METAR

LFL 191800Z 01006KT 9999 FEW046 BKN140 20/11 Q1009 NOSIG

## TAF

TAF LFL 191700Z 1918/2024 34004KT CAVOK TEMPO 1919/1923 FEW050CB PROB40 TEMPO 1919/1923 SHRA BECMG 2007/2010 FEW

## Frequencies

REC - 126.17 MHz - SAINT EXUPERY ATIS	CLD - 121.65 MHz - SAINT EXUPERY DELIVERY
GND - 121.82 MHz - SAINT EXUPERY GROUND	TWR - 120.45 MHz - SAINT EXUPERY TOWER
APP - 120.22 MHz - LYON APPROACH	APP - 125.42 MHz - LYON APPROACH
APP - 125.80 MHz - LYON APPROACH	APP - 133.15 MHz - LYON APPROACH
APP - 136.07 MHz - LYON APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	145 ft	13,135 ft	175.14	ASPHALT	0 ft	190 ft
	44 m	4,003 m	172.88		0 m	58 m
35L	145 ft	13,135 ft	355.14	ASPHALT	0 ft	184 ft
	44 m	4,003 m	352.88		0 m	56 m
17L	148 ft	8,766 ft	175.14	ASPHALT	0 ft	59 ft
	45 m	2,672 m	172.88		0 m	18 m
35R	148 ft	8,766 ft	355.14	ASPHALT	0 ft	62 ft
	45 m	2,672 m	352.88		0 m	19 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	LSS	109.10 MHz	18 nm	-	-	775 ft
				33 km	-		775 m
35L	DME	SAN	110.75 MHz	18 nm	-	-	810 ft
				33 km	-		810 m
35R	DME	LSN	111.50 MHz	18 nm	-	-	812 ft
				33 km	-		812 m
17L	LOC-ILS	LSS	109.10 MHz	18 nm	175.14	-	818 ft
				33 km	172.88		818 m
35L	LOC-ILS	SAN	110.75 MHz	18 nm	355.15	-	818 ft
				33 km	352.89		818 m
35R	LOC-ILS	LSN	111.50 MHz	18 nm	355.14	-	818 ft
				33 km	352.88		818 m
17L	GS	LSS	109.10 MHz	10 nm	175.14	3.00	818 ft
				19 km	172.88		818 m
35L	GS	SAN	110.75 MHz	10 nm	355.15	3.00	818 ft
				19 km	352.89		818 m
35R	GS	LSN	111.50 MHz	10 nm	355.14	3.00	818 ft
				19 km	352.88		818 m

## LLBG

Region: ISRAEL  
Timezone: ASIA/JERUSALEM  
Runways: 3

Elevation: 134 ft / 41 m  
Location: 32.009900 34.884000  
Magnetic Var: 5.211 E

## METAR

LLBG 191820Z VRB02KT CAVOK 25/15 Q1011 NOSIG

## TAF

TAF TAF LLBG 191702Z 1918/2018 VRB03KT CAVOK BECMG 2007/2009 27008KT BECMG 2015/2017 VRB03KT TX34/2012Z TN18/2003

## Frequencies

REC - 132.50 MHz - ATIS	REC - 132.80 MHz - ATIS
GND - 118.05 MHz - BEN GURION GROUND	GND - 129.20 MHz - BEN GURION GROUND
TWR - 119.35 MHz - BEN GURION TOWER	TWR - 132.10 MHz - BEN GURION TOWER
TWR - 134.60 MHz - BEN GURION TOWER	CLD - 118.30 MHz - CLEARANCE DELIVERY
DEP - 119.35 MHz - BEN GURION DEPARTURE	DEP - 120.50 MHz - BEN GURION DEPARTURE
APP - 119.35 MHz - BEN GURION APPROACH	APP - 120.50 MHz - BEN GURION APPROACH
APP - 131.10 MHz - BEN GURION ARRIVAL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	197 ft	9,120 ft	28.62	ASPHALT	0 ft	810 ft
	60 m	2,780 m	23.40		0 m	247 m
21	197 ft	9,120 ft	208.62	ASPHALT	0 ft	955 ft
	60 m	2,780 m	203.41		0 m	291 m
08	148 ft	13,304 ft	79.76	ASPHALT	1,440 ft	971 ft
	45 m	4,055 m	74.55		439 m	296 m
26	148 ft	13,304 ft	259.78	ASPHALT	2,051 ft	180 ft
	45 m	4,055 m	254.57		625 m	55 m
12	148 ft	10,222 ft	121.50	ASPHALT	0 ft	968 ft
	45 m	3,116 m	116.29		0 m	295 m
30	148 ft	10,222 ft	301.51	ASPHALT	266 ft	761 ft
	45 m	3,116 m	296.30		81 m	232 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BG	110.30 MHz	18 nm	-	-	135 ft
				33 km	-		135 m
08	LOC-ILS	BC	110.90 MHz	18 nm	79.77	-	134 ft
				33 km	74.56		134 m
12	LOC-ILS	BG	110.30 MHz	18 nm	121.51	-	134 ft
				33 km	116.30		134 m
21	LOC-ILS	BN	109.70 MHz	18 nm	208.62	-	134 ft
				33 km	203.41		134 m
26	LOC-ILS	BA	108.70 MHz	18 nm	259.77	-	134 ft
				33 km	254.56		134 m
30	LOC-ILS	BD	111.90 MHz	18 nm	301.51	-	134 ft
				33 km	296.30		134 m
08	GS	BC	110.90 MHz	10 nm	79.77	3.00	134 ft
				19 km	74.56		134 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	BG	110.30 MHz	10 nm	121.51	3.00	134 ft
				19 km	116.30		134 m
21	GS	BN	109.70 MHz	10 nm	208.62	3.00	134 ft
				19 km	203.41		134 m
26	GS	BA	108.70 MHz	10 nm	259.77	3.00	134 ft
				19 km	254.56		134 m
30	GS	BD	111.90 MHz	10 nm	301.51	3.20	134 ft
				19 km	296.30		134 m