

UGTB

Tbilisi International Airport


OIIE

Tehran Imam Khomeini Intl

2024/06/04 0844Z

UGTB ADILA **N82** ADANO **N77** MAGRI **UR654** BUDED **L125** PAROT OIIE

493.18 nm / 913.37 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 25000ft
- Cruise Speed: 340kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UGTB	-	41.67400	0 ft	-	Tbilisi International Airport
APT	-	44.94720	0 m		
ADILA	-	39.99670	25,000 ft	103	-
FIX	-	45.49500	7,620 m		
ADANO	N82	39.66670	25,000 ft	25	-
FIX	AWY-HI	45.83330	7,620 m		
MAGRI	N77	38.90220	25,000 ft	52	-
FIX	AWY-HI	46.38330	7,620 m		
DARUN	UR654	38.56080	25,000 ft	25	-
FIX	AWY-HI	46.70970	7,620 m		
GODNA	UR654	38.34250	25,000 ft	16	-
FIX	AWY-HI	46.91580	7,620 m		
BUDED	UR654	37.88690	25,000 ft	33	-
FIX	AWY-HI	47.34220	7,620 m		
MURPU	L125	37.51190	25,000 ft	40	-
FIX	AWY-HI	48.05530	7,620 m		
ASPOK	L125	36.98830	25,000 ft	48	-
FIX	AWY-HI	48.83000	7,620 m		
PAROT	L125	36.19110	19,400 ft	73	-
FIX	AWY-HI	49.97810	5,913 m		
OIIE	-	35.41850	0 ft	73	Tehran Imam Khomeini Intl
APT	-	51.14350	0 m		

UGTB

Region: GEORGIA
Timezone: ASIA/TBILISI
Runways: 2

Elevation: 1,624 ft / 495 m
Location: 41.674000 44.947200
Magnetic Var: 7.157 E

METAR

UGTB 040830Z 17005KT 100V220 CAVOK 28/16 Q1019 NOSIG

TAF

TAF UGTB 040500Z 0406/0506 VRB02KT CAVOK TX31/0412Z TN18/0503Z TEMPO 0408/0415 14010KT SCT055

Frequencies

REC - 132.80 MHz - ATIS
TWR - 128.00 MHz -

GND - 119.00 MHz -
APP - 127.20 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft	9,852 ft	136.65	CONCRETE	0 ft	0 ft
	45 m	3,003 m	129.50		0 m	0 m
31L	148 ft	9,852 ft	316.67	CONCRETE	0 ft	0 ft
	45 m	3,003 m	309.51		0 m	0 m
13L	66 ft	657 ft	133.77	CONCRETE	0 ft	26 ft
	20 m	200 m	126.62		0 m	8 m
31R	66 ft	657 ft	313.77	CONCRETE	0 ft	26 ft
	20 m	200 m	306.62		0 m	8 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13R	LOC-ILS	IVP	110.30 MHz	18 nm	136.69	-	1,624 ft
				33 km	129.53		1,624 m
31L	LOC-ILS	INA	108.90 MHz	18 nm	316.65	-	1,624 ft
				33 km	309.49		1,624 m
13R	GS	IVP	110.30 MHz	10 nm	137.32	3.00	1,657 ft
				19 km	130.17		1,657 m
31L	GS	INA	108.90 MHz	10 nm	317.32	3.00	1,624 ft
				19 km	310.17		1,624 m

OIIE

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 2

Elevation: 3,305 ft / 1,007 m
Location: 35.418500 51.143500
Magnetic Var: 5.046 E

METAR

OIIE 040830Z 15004KT CAVOK 30/03 Q1016

TAF

TAF OIIE 040530Z 0406/0512 34014KT CAVOK BECMG 0407/0409 28008KT TEMPO 0418/0503 32014G24KT

Frequencies

REC - 127.20 MHz - TEHRAN ATIS
GND - 121.60 MHz - TEHRAN GROUND
APP - 119.70 MHz - MEHRABAD APPROACH
GND - 121.82 MHz - TEHRAN GROUND
TWR - 118.70 MHz - IKA TOWER
APP - 125.10 MHz - MEHRABAD APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11R	148 ft	13,439 ft	108.87	CONCRETE	0 ft	1,024 ft
	45 m	4,096 m	103.83		0 m	312 m
29L	148 ft	13,439 ft	288.90	CONCRETE	1,476 ft	0 ft
	45 m	4,096 m	283.85		450 m	0 m
11L	148 ft	13,786 ft	108.87	CONCRETE	0 ft	394 ft
	45 m	4,202 m	103.82		0 m	120 m
29R	148 ft	13,786 ft	288.89	CONCRETE	0 ft	394 ft
	45 m	4,202 m	283.85		0 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29R	DME	IIKA	110.30 MHz	18 nm	-	-	3,275 ft
				33 km	-		3,275 m
29R	LOC-ILS	IIKA	110.30 MHz	18 nm	288.88	-	3,305 ft
				33 km	283.83		3,305 m
11L	LOC-ILS	IKIA	109.10 MHz	18 nm	108.88	-	3,305 ft
				33 km	103.83		3,305 m
29R	GS	IIKA	110.30 MHz	10 nm	288.88	3.00	3,305 ft
				19 km	283.83		3,305 m
11L	GS	IKIA	109.10 MHz	10 nm	108.88	3.00	3,305 ft
				19 km	103.83		3,305 m