


2024/05/20 1243Z

SLVR VIR W12 MATEO SLCB

175.58 nm / 325.17 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 27000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SLVR	-	-17.64476	0 ft	-	VIRU VIRU INTL
APT	-	-63.13536	0 m		
VIR	-	-17.62848	400 ft	1	VIRU VIRU VOR-DME
VOR	-	-63.14990	122 m		
MATEO	W12	-17.43214	20,100 ft	80	-
FIX	AWY-LO	-64.53313	6,126 m		
SLCB	-	-17.42039	0 ft	94	JORGE WILSTERMAN
APT	-	-66.17717	0 m		

## SLVR

Region: BOLIVIA  
Timezone: AMERICA/LA\_PAZ  
Runways: 1

Elevation: 1,224 ft / 373 m  
Location: -17.644800 -63.135400  
Magnetic Var: 13.145 W

## METAR

SLVR 201200Z 20005KT 9999 SCT033 BKN070 16/11 Q1020

## TAF

TAF SLVR 201010Z 2012/2112 17008KT 9999 FEW030 BKN070 TX22/2019Z TN16/2111Z BECMG 2015/2018 34008KT BKN070 BECMG

## Frequencies

GND - 121.90 MHz - VIRU VIRU GROUND  
APP - 119.70 MHz - VIRU VIRU APPROACH  
TWR - 118.60 MHz - VIRU VIRU TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,516 ft	147.35	CONCRETE	0 ft	197 ft
	45 m	3,510 m	160.49		0 m	60 m
34	148 ft	11,516 ft	327.34	CONCRETE	0 ft	197 ft
	45 m	3,510 m	340.49		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	VCZ	110.90 MHz	18 nm	327.34	-	1,224 ft
				33 km	340.49		1,224 m
34	GS	VCZ	110.90 MHz	10 nm	327.69	3.00	1,224 ft
				19 km	340.83		1,224 m

## SLCB

Region: BOLIVIA  
Timezone: AMERICA/LA\_PAZ  
Runways: 2

Elevation: 8,359 ft / 2,548 m  
Location: -17.420400 -66.177200  
Magnetic Var: 10.668 W

## METAR

SLCB 201200Z 00000KT 9999 NSC 13/07 Q1026

## TAF

TAF TAF SLCB 201000Z 2012/2112 00000KT 9999 NSC TX30/2019Z TN07/2110Z BECMG 2015/2017 24010KT BECMG 2101/2103 000

## Frequencies

TWR - 123.50 MHz -  
GND - 121.90 MHz -

REC - 129.00 MHz - RDO  
APP - 119.30 MHz - COCHABAMBA APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	12,485 ft	132.10	ASPHALT	335 ft	200 ft
	45 m	3,805 m	142.77		102 m	61 m
32	148 ft	12,485 ft	312.10	ASPHALT	984 ft	200 ft
	45 m	3,805 m	322.76		300 m	61 m
04	148 ft	8,718 ft	37.26	ASPHALT	0 ft	0 ft
	45 m	2,657 m	47.93		0 m	0 m
22	148 ft	8,718 ft	217.26	ASPHALT	732 ft	0 ft
	45 m	2,657 m	227.93		223 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	ILCO	110.50 MHz	18 nm	-	-	8,360 ft
				33 km	-		8,360 m
32	LOC-ILS	ILCO	110.50 MHz	18 nm	311.99	-	8,360 ft
				33 km	322.66		8,360 m
32	GS	ILCO	110.50 MHz	10 nm	312.20	3.30	8,360 ft
				19 km	322.86		8,360 m