

KONT

Ontario Intl


PANC

Ted Stevens Anchorage Intl

2024/05/18 0234Z

KONT WRING **V459** TTE **V165** EXTRA **V459** FRA **V332** RBL **J1** OED **J501** TOU YAZ **T479** YZP **TRK19** FRIED **J804R**
NOWEL PANC

2094.88 nm / 3879.71 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KONT APT	-	34.05592 -117.60085	0 ft 0 m	-	Ontario Intl
WRING FIX	-	35.51317 -118.87497	34,000 ft 10,363 m	107	-
TTE VOR	V459 AWY-LO	35.91306 -119.02081	18,000 ft 5,486 m	25	TULE VOR-DME
EXTRA FIX	V165 AWY-LO	36.32752 -119.21857	18,000 ft 5,486 m	26	-
ALTTA FIX	V459 AWY-LO	36.55248 -119.32679	18,000 ft 5,486 m	14	-
SIBOC FIX	V459 AWY-LO	36.73150 -119.41347	18,000 ft 5,486 m	11	-
FRA VOR	V459 AWY-LO	37.10442 -119.59544	18,000 ft 5,486 m	24	FRIANT VORTAC
HNW VOR	V332 AWY-LO	38.72472 -120.74925	18,000 ft 5,486 m	111	HANGTOWN VOR-DME
COLOM FIX	V332 AWY-LO	38.83897 -120.87002	18,000 ft 5,486 m	8	-
MRGGO FIX	V332 AWY-LO	39.22229 -121.27866	18,000 ft 5,486 m	29	-
DURHA FIX	V332 AWY-LO	39.66359 -121.75671	18,000 ft 5,486 m	34	-
RBL DME	V332 AWY-LO	40.09891 -122.23635	18,000 ft 5,486 m	34	RED BLUFF VORTAC
HANDY FIX	J1 AWY-HI	42.23525 -122.84113	34,000 ft 10,363 m	131	-
OED VOR	J1 AWY-HI	42.47957 -122.91293	34,000 ft 10,363 m	15	-
HQM VOR	J501 AWY-HI	46.94703 -124.14928	34,000 ft 10,363 m	273	HOQUIAM VORTAC
WAPTO FIX	J501 AWY-HI	47.47209 -124.23066	34,000 ft 10,363 m	31	-
TOU VOR	J501 AWY-HI	48.29989 -124.62706	34,000 ft 10,363 m	52	TATOOSH VORTAC
YAZ NDB	-	49.04681 -125.70411	34,000 ft 10,363 m	61	TOFINO NDB
FINGS FIX	T479 AWY-HI	50.25000 -127.56667	34,000 ft 10,363 m	102	-
SIMSU FIX	T479 AWY-HI	50.78222 -128.42694	34,000 ft 10,363 m	45	-
CAFTA FIX	T479 AWY-HI	51.29528 -129.08861	34,000 ft 10,363 m	39	-
YZP VOR	T479 AWY-HI	53.25217 -131.80708	34,000 ft 10,363 m	154	SANDSPIT VOR-DME
FRIED FIX	TRK19 AWY-HI	54.22188 -133.63245	34,000 ft 10,363 m	87	-
EEDEN FIX	J804R AWY-HI	55.89960 -137.00176	34,000 ft 10,363 m	153	-
SNOUT FIX	J804R AWY-HI	57.89066 -141.75529	34,000 ft 10,363 m	196	-
MDO DME	J804R AWY-HI	59.42181 -146.35001	32,300 ft 9,845 m	170	MIDDLETON ISLAND VOR-DME
NOWEL	J804R	60.48392	18,000 ft	90	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-148.47520	5,486 m		
PANC	-	61.17411	0 ft	60	Ted Stevens Anchorage Intl
APT	-	-149.99598	0 m		

KONT

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 944 ft / 288 m
Location: 34.055900 -117.601000
Magnetic Var: 11.291 E

METAR

KONT 180153Z 24007KT 10SM CLR 20/10 A2989 RMK A02 SLP114 T02000100

TAF

TAF KONT 172331Z 1800/1906 26010KT P6SM SCT025 FM180500 26007KT P6SM SCT020 FM180700 VRB04KT 5SM BR BKN012 FM181900

Frequencies

REC - 124.25 MHz - ONTARIO ATIS	CLD - 118.10 MHz - ONTARIO CLEARANCE
GND - 121.90 MHz - ONTARIO GROUND	TWR - 120.60 MHz - ONTARIO TOWER
APP - 127.00 MHz - SOCAL APPROACH	DEP - 127.00 MHz - SOCAL DEPARTURE
DEP - 119.65 MHz - SOCAL DEPARTURE	DEP - 134.00 MHz - SOCAL DEPARTURE
DEP - 135.40 MHz - SOCAL DEPARTURE	DEP - 125.50 MHz - SOCAL DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	151 ft	12,176 ft	89.96	CONCRETE	997 ft	397 ft
	46 m	3,711 m	78.67		304 m	121 m
26R	151 ft	12,176 ft	269.98	CONCRETE	0 ft	400 ft
	46 m	3,711 m	258.69		0 m	122 m
08R	151 ft	10,178 ft	89.96	CONCRETE	0 ft	400 ft
	46 m	3,102 m	78.67		0 m	122 m
26L	151 ft	10,178 ft	269.98	CONCRETE	0 ft	397 ft
	46 m	3,102 m	258.69		0 m	121 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	ITWO	111.35 MHz	18 nm	-	-	944 ft
				33 km	-		944 m
26R	DME	IONT	109.70 MHz	18 nm	-	-	944 ft
				33 km	-		944 m
08L	LOC-ILS	IAOD	109.70 MHz	18 nm	89.97	-	944 ft
				33 km	78.68		944 m
26L	LOC-ILS	ITWO	111.35 MHz	18 nm	269.97	-	944 ft
				33 km	258.68		944 m
26R	LOC-ILS	IONT	109.70 MHz	18 nm	269.97	-	944 ft
				33 km	258.68		944 m
08L	GS	IAOD	109.70 MHz	10 nm	89.97	3.00	944 ft
				19 km	78.68		944 m
26L	GS	ITWO	111.35 MHz	10 nm	269.97	3.00	944 ft
				19 km	258.68		944 m
26R	GS	IONT	109.70 MHz	10 nm	269.97	3.00	944 ft
				19 km	258.68		944 m

PANC

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 151 ft / 46 m

Location: 61.174300 -149.998000

Magnetic Var: 14.017 E

METAR

PANC 180153Z 29007KT 10SM FEW040 BKN065 12/03 A3007

TAF

PANC 180023Z 1800/1906 31007KT P6SM BKN060 FM180900 VRB05KT P6SM BKN060 FM182000 16008KT P6SM SCT060 BKN100 FM182

Frequencies

REC - 135.50 MHz - D-ATIS

GND - 121.90 MHz - ANCHORAGE GROUND

CLD - 119.40 MHz - CLEARANCE DELIVERY

APP - 118.60 MHz - ANCHORAGE APPROACH

APP - 123.80 MHz - ANCHORAGE APPROACH

DEP - 118.60 MHz - ANCHORAGE DEPARTURE

DEP - 123.80 MHz - ANCHORAGE DEPARTURE

COM - 122.95 MHz - UNICOM

TWR - 118.30 MHz - ANCHORAGE TOWER

CLD - 128.65 MHz - CLEARANCE DELIVERY

APP - 119.10 MHz - ANCHORAGE APPROACH

APP - 126.40 MHz - ANCHORAGE APPROACH

DEP - 119.10 MHz - ANCHORAGE DEPARTURE

DEP - 126.40 MHz - ANCHORAGE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	12,357 ft	89.84	ASPHALT	0 ft	0 ft
	61 m	3,767 m	75.82		0 m	0 m
25L	200 ft	12,357 ft	269.90	ASPHALT	0 ft	194 ft
	61 m	3,767 m	255.88		0 m	59 m
07L	150 ft	10,566 ft	89.88	ASPHALT	0 ft	387 ft
	46 m	3,221 m	75.86		0 m	118 m
25R	150 ft	10,566 ft	269.93	ASPHALT	0 ft	387 ft
	46 m	3,221 m	255.91		0 m	118 m
15	200 ft	10,847 ft	164.89	ASPHALT	0 ft	397 ft
	61 m	3,306 m	150.87		0 m	121 m
33	200 ft	10,847 ft	344.90	ASPHALT	463 ft	236 ft
	61 m	3,306 m	330.89		141 m	72 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	ITGN	109.90 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07R	DME	IANC	111.30 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
15	DME	IBSC	111.75 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07L	LOC-ILS	ITGN	109.90 MHz	18 nm	89.90	-	151 ft
				33 km	75.88		151 m
07R	LOC-ILS	IANC	111.30 MHz	18 nm	89.87	-	151 ft
				33 km	75.85		151 m
15	LOC-ILS	IBSC	111.75 MHz	18 nm	164.90	-	151 ft
				33 km	150.88		151 m
07L	GS	ITGN	109.90 MHz	10 nm	89.90	3.00	151 ft
				19 km	75.88		151 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	IANC	111.30 MHz	10 nm	89.87	3.00	151 ft
				19 km	75.85		151 m
15	GS	IBSC	111.75 MHz	10 nm	164.90	3.00	151 ft
				19 km	150.88		151 m