

EFRO

Rovaniemi Airport


ESSD

Borlänge

2024/06/01 0953Z

EFRO XONTU **T404** RASEN **M852** DEGED ESSD

464.44 nm / 860.14 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EFRO	-	66.56480	0 ft	-	Rovaniemi Airport
APT	-	25.83040	0 m	-	
XONTU	-	65.94060	20,200 ft	56	-
FIX	-	24.07670	6,157 m	-	-
VERAG	T404	65.12550	35,000 ft	71	-
FIX	AWY-HI	21.98710	10,668 m	-	-
RASEN	T404	63.81180	35,000 ft	108	-
FIX	AWY-HI	19.09760	10,668 m	-	-
BAKIL	M852	62.97220	35,000 ft	59	-
FIX	AWY-HI	17.93680	10,668 m	-	-
DETMO	M852	62.22980	24,900 ft	51	-
FIX	AWY-HI	16.97430	7,590 m	-	-
DEGED	M852	62.10030	23,000 ft	9	-
FIX	AWY-HI	16.81220	7,010 m	-	-
ESSD	-	60.42210	0 ft	107	Borlange
APT	-	15.51540	0 m	-	

EFRO

Region: FINLAND
Timezone: EUROPE/HELSINKI
Runways: 1

Elevation: 643 ft / 196 m
Location: 66.564800 25.830400
Magnetic Var: 12.744 E

METAR

EFRO 010920Z AUTO 23008KT 190V290 CAVOK 25/10 Q1016

TAF

TAF EFRO 010833Z 0109/0209 21008KT CAVOK TEMPO 0111/0114 FEW070CB TEMPO 0114/0120 6000 TSRA SCT070CB

Frequencies

REC - 133.70 MHz - ATIS	TWR - 119.70 MHz - ROVANIEMI TOWER
TWR - 118.70 MHz - ROVANIEMI TOWER	GND - 118.52 MHz - ROVANIEMI GROUND
APP - 129.90 MHz - ROVANIEMI RADAR	APP - 119.70 MHz - ROVANIEMI RADAR
APP - 118.60 MHz - ROVANIEMI ARRIVAL	APP - 119.70 MHz - ROVANIEMI ARRIVAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	197 ft	9,857 ft	37.15	ASPHALT	0 ft	0 ft
	60 m	3,005 m	24.41		0 m	0 m
21	197 ft	9,857 ft	217.19	ASPHALT	0 ft	0 ft
	60 m	3,005 m	204.44		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	RO	111.70 MHz	18 nm	-	-	673 ft
				33 km	-		673 m
21	LOC-ILS	RO	111.70 MHz	18 nm	217.18	-	643 ft
				33 km	204.44		643 m
21	GS	RO	111.70 MHz	10 nm	217.18	3.00	643 ft
				19 km	204.44		643 m

ESSD

Region: SWEDEN
Timezone: EUROPE/STOCKHOLM
Runways: 1

Elevation: 502 ft / 153 m
Location: 60.422100 15.515400
Magnetic Var: 6.328 E

METAR

ESSD 010920Z 00000KT CAVOK 23/12 Q1017

TAF

UNKNOWN

Frequencies

TWR - 123.30 MHz -

TWR - 127.30 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	7,561 ft	132.46	ASPHALT	0 ft	210 ft
	45 m	2,305 m	126.13		0 m	64 m
32	148 ft	7,561 ft	312.49	ASPHALT	0 ft	112 ft
	45 m	2,305 m	306.16		0 m	34 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	LOC-ILS	SD	109.50 MHz	18 nm	312.44	-	503 ft
				33 km	306.11		503 m
32	GS	SD	109.50 MHz	10 nm	312.95	3.00	503 ft
				19 km	306.62		503 m