


2024/05/18 0319Z

EKCH NEXEN **T503** GIMRU **UT503** MIC **UZ712** KEGAB **UZ706** MOBSA **UL980** TENLI EHEH

393.68 nm / 729.10 km



Notes

Requested: EKCH NEXEN **T503** GIMRU **UT503** MIC **UZ712** KEGAB **UZ706** MOBSA **UL980** TENLI EHEH

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EKCH APT	-	55.61790 12.65600	0 ft 0 m	-	Kastrup
NEXEN FIX	-	54.81080 11.62530	0 ft 0 m	59	-
GIMRU FIX	T503 AWY-HI	54.56000 11.31360	0 ft 0 m	18	-
GIPDO FIX	UT503 AWY-HI	54.47420 11.20890	0 ft 0 m	6	-
MIC VOR	UT503 AWY-HI	54.30550 11.00520	0 ft 0 m	12	MICHAELSDORF
HAM VOR	UZ712 AWY-HI	53.68560 10.20500	0 ft 0 m	46	HAMBURG
KEGAB FIX	UZ712 AWY-HI	52.91750 9.42417	0 ft 0 m	53	-
ENUGA FIX	UZ706 AWY-HI	52.65500 9.05972	0 ft 0 m	20	-
MOBSA FIX	UZ706 AWY-HI	52.20640 8.44944	0 ft 0 m	35	-
OSN VOR	UL980 AWY-HI	52.20010 8.28552	0 ft 0 m	6	OSNABRUECK
AMSAN FIX	UL980 AWY-HI	52.15030 7.11139	0 ft 0 m	43	-
ETEBO FIX	UL980 AWY-HI	52.13830 6.87528	0 ft 0 m	8	-
RKN VOR	UL980 AWY-HI	52.13320 6.76388	0 ft 0 m	4	REKKEN
TENLI FIX	UL980 AWY-HI	52.24650 6.25014	0 ft 0 m	20	-
EHEH APT	-	51.45000 5.37444	0 ft 0 m	57	Eindhoven

EKCH

Region: DENMARK / FAROE ISLANDS
Timezone: EUROPE/COPENHAGEN
Runways: 3

Elevation: 17 ft / 5 m
Location: 55.617900 12.656000
Magnetic Var: 4.674 E

METAR

EKCH 180250Z AUTO 07007KT 030V100 9999 NCD 10/07 Q1015 NOSIG

TAF

TAF EKCH 172301Z 1800/1824 08012KT CAVOK

Frequencies

REC - 122.75 MHz - KASTRUP ARRIVAL INFORMATION	REC - 122.85 MHz - KASTRUP DEPARTURE INFORMATION
CLD - 119.90 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - APRON
GND - 121.72 MHz - APRON	GND - 121.90 MHz - APRON
TWR - 118.10 MHz - TOWER (ARRIVAL)	TWR - 118.57 MHz - TOWER
TWR - 118.70 MHz - TOWER (VFR)	TWR - 119.35 MHz - TOWER (DEPARTURE)
APP - 120.20 MHz - FINAL	APP - 119.80 MHz - COPENHAGEN APPROACH
DEP - 120.25 MHz - DEPARTURE	DEP - 124.95 MHz - DEPARTURE
APP - 118.45 MHz - ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	148 ft	11,695 ft	41.13	ASPHALT	0 ft	0 ft
	45 m	3,565 m	36.46		0 m	0 m
22R	148 ft	11,695 ft	221.16	ASPHALT	1,870 ft	0 ft
	45 m	3,565 m	216.49		570 m	0 m
04R	148 ft	10,814 ft	41.14	ASPHALT	0 ft	0 ft
	45 m	3,296 m	36.47		0 m	0 m
22L	148 ft	10,814 ft	221.17	ASPHALT	0 ft	0 ft
	45 m	3,296 m	216.50		0 m	0 m
12	148 ft	10,046 ft	123.21	ASPHALT	2,306 ft	0 ft
	45 m	3,062 m	118.54		703 m	0 m
30	148 ft	10,046 ft	303.24	ASPHALT	886 ft	0 ft
	45 m	3,062 m	298.57		270 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	CH	110.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
12	DME	KA	109.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
22L	DME	OXS	109.50 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
22R	DME	KLK	110.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
30	DME	OY	108.90 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
04L	LOC-ILS	CH	110.50 MHz	18 nm	41.16	-	17 ft
				33 km	36.48		17 m
04R	LOC-ILS	NE	109.30 MHz	18 nm	41.18	-	17 ft
				33 km	36.50		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	KA	109.90 MHz	18 nm	123.25	-	17 ft
				33 km	118.57		17 m
22L	LOC-ILS	OXS	109.50 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
22R	LOC-ILS	KLK	110.90 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
30	LOC-ILS	OY	108.90 MHz	18 nm	303.23	-	17 ft
				33 km	298.56		17 m
04L	GS	CH	110.50 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
04R	GS	NE	109.30 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
12	GS	KA	109.90 MHz	10 nm	123.46	3.00	17 ft
				19 km	118.79		17 m
22L	GS	OXS	109.50 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
22R	GS	KLK	110.90 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
30	GS	OY	108.90 MHz	10 nm	303.46	3.00	17 ft
				19 km	298.79		17 m

EHEH

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 1

Elevation: 144 ft / 44 m
Location: 51.450000 5.374440
Magnetic Var: 2.259 E

METAR

EHEH 180255Z AUTO 24006KT 200V280 2200 BR BKN003 FEW015CB 14/13 Q1009 YLO

TAF

TAF EHEH 172338Z 1800/1906 30003KT 1200 BR BKN002 OVC003 TEMPO 1800/1807 0400 FG OVC001 BECMG 1806/1809 04007KT 99

Frequencies

REC - 126.02 MHz - INFORMATION
TWR - 122.10 MHz - TOWER
APP - 123.10 MHz - RAPCON SOUTH
APP - 122.10 MHz - ARRIVAL

GND - 121.92 MHz - GROUND
TWR - 131.00 MHz - TOWER
APP - 124.50 MHz - ARRIVAL
APP - 132.50 MHz - ARRIVAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,833 ft	34.92	ASPHALT	820 ft	0 ft
	45 m	2,997 m	32.66		250 m	0 m
21	148 ft	9,833 ft	214.94	ASPHALT	797 ft	0 ft
	45 m	2,997 m	212.68		243 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	EHZ	109.75 MHz	18 nm	-	-	74 ft
				33 km	-		74 m
21	DME	EHO	109.75 MHz	18 nm	-	-	74 ft
				33 km	-		74 m
03	LOC-ILS	EHZ	109.75 MHz	18 nm	34.94	-	74 ft
				33 km	32.68		74 m
21	LOC-ILS	EHO	109.75 MHz	18 nm	214.94	-	74 ft
				33 km	212.68		74 m
03	GS	EHZ	109.75 MHz	10 nm	34.94	3.00	74 ft
				19 km	32.68		74 m
21	GS	EHO	109.75 MHz	10 nm	214.94	3.00	74 ft
				19 km	212.68		74 m