

LFPG

Paris Charles De Gaulle


EGAC

George Best - Belfast City

2024/05/15 0738Z

LFPG PETAX **M605** WOD **UL612** HON **UL10** TUVDO EGAC

462.73 nm / 856.97 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00970 2.56262	0 ft 0 m	-	Paris Charles De Gaulle
PETAX FIX	-	50.18670 0.84806	34,700 ft 10,577 m	97	-
XIDIL FIX	M605 AWY-LO	50.35170 0.64139	35,000 ft 10,668 m	12	-
HARDY FIX	M605 AWY-LO	50.47110 0.49111	35,000 ft 10,668 m	9	-
WAFFU FIX	M605 AWY-LO	50.58250 0.34972	35,000 ft 10,668 m	8	-
SFD VOR	M605 AWY-LO	50.76070 0.12191	35,000 ft 10,668 m	13	SEAFORD
WOD NDB	M605 AWY-LO	51.45280 -0.87880	35,000 ft 10,668 m	56	WOODLEY
COWLY FIX	UL612 AWY-HI	51.61610 -1.06500	35,000 ft 10,668 m	12	-
EMKUK FIX	UL612 AWY-HI	51.97690 -1.35417	35,000 ft 10,668 m	24	-
IXURA FIX	UL612 AWY-HI	52.06810 -1.42778	35,000 ft 10,668 m	6	-
HON VOR	UL612 AWY-HI	52.35670 -1.66373	35,000 ft 10,668 m	19	HONILEY
WAL VOR	UL10 AWY-HI	53.39190 -3.13446	26,000 ft 7,925 m	81	WALLASEY
RIGVA FIX	UL10 AWY-HI	53.46920 -3.31611	24,300 ft 7,407 m	7	-
TUVDO FIX	UL10 AWY-HI	53.59440 -3.61222	21,500 ft 6,553 m	12	-
EGAC APT	-	54.61810 -5.87244	0 ft 0 m	100	George Best - Belfast City

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.497 E

METAR

LFPG 150700Z 18006KT 9999 BKN009 14/11 Q1006 TEMPO BKN005

TAF

TAF LFPG 150500Z 1506/1612 19005KT 9999 BKN005 BKN020 TX20/1515Z TN12/1605Z BECMG 1507/1509 BKN012 BECMG 1509/1511

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m

EGAC

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 15 ft / 5 m
Location: 54.618100 -5.872440
Magnetic Var: 2.011 W

METAR

EGAC 150720Z AUTO 10005KT 050V170 9999 BKN014 15/12 Q1004

TAF

UNKNOWN

Frequencies

APP - 130.85 MHz - BELFAST APPROACH
REC - 134.80 MHz - BELFAST RADAR

TWR - 122.82 MHz - BELFAST TOWER
REC - 136.62 MHz - BELFAST INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	150 ft	5,946 ft	34.69	ASPHALT	256 ft	0 ft
	46 m	1,812 m	36.70		78 m	0 m
22	150 ft	5,946 ft	214.70	ASPHALT	0 ft	0 ft
	46 m	1,812 m	216.71		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	HBD	108.10 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
22	DME	IBFH	108.10 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
22	LOC-ILS	IBFH	108.10 MHz	18 nm	214.70	-	15 ft
				33 km	216.71		15 m
04	LOC-ILS	IHBD	108.10 MHz	18 nm	34.70	-	15 ft
				33 km	36.71		15 m
22	GS	IBFH	108.10 MHz	10 nm	216.70	3.00	15 ft
				19 km	218.71		15 m
04	GS	IHBD	108.10 MHz	10 nm	34.70	3.00	15 ft
				19 km	36.71		15 m