

OPKC

Karachi Jinnah Intl


OOMS

Muscat International

2024/06/15 1215Z

OPKC PUNEL A454 VUSET OOMS

505.14 nm / 935.51 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OPKC APT	-	24.90660 67.16080	0 ft 0 m	-	Karachi Jinnah Intl
PUNEL FIX	-	25.30970 65.37920	35,000 ft 10,668 m	99	-
PARET FIX	A454 AWY-HI	25.42170 64.85060	35,000 ft 10,668 m	29	-
TAPDO FIX	A454 AWY-HI	24.40000 61.33330	35,000 ft 10,668 m	201	-
VUSET FIX	A454 AWY-HI	23.92780 59.13670	10,900 ft 3,322 m	123	-
OOMS APT	-	23.60030 58.28090	0 ft 0 m	50	Muscat International

OPKC

Region: PAKISTAN
Timezone: ASIA/KARACHI
Runways: 2

Elevation: 100 ft / 30 m
Location: 24.906600 67.160800
Magnetic Var: 1.474 E

METAR

OPKC 151200Z 21014KT 7000 SCT025 34/23 Q1000 NOSIG

TAF

TAF OPKC 151100Z 1512/1618 24010G20KT 6000 BKN020 TEMPO 1601/1605 26010KT 5000 FU FEW018 BKN020

Frequencies

REC - 126.70 MHz - ATIS
TWR - 118.80 MHz - KARACHI TOWER
APP - 125.50 MHz - KARACHI APPROACH
GND - 121.60 MHz - KARACHI GROUND
COM - 119.22 MHz - KARACHI UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	151 ft	11,140 ft	74.39	CONCRETE	0 ft	991 ft
	46 m	3,396 m	72.92		0 m	302 m
25L	151 ft	11,140 ft	254.41	CONCRETE	0 ft	627 ft
	46 m	3,396 m	252.93		0 m	191 m
07L	151 ft	10,494 ft	74.39	CONCRETE	0 ft	1,001 ft
	46 m	3,199 m	72.92		0 m	305 m
25R	151 ft	10,494 ft	254.40	CONCRETE	0 ft	994 ft
	46 m	3,199 m	252.93		0 m	303 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	DME	IKC	109.70 MHz	18 nm	-	-	156 ft
				33 km	-		156 m
25L	LOC-ILS	IQA	109.70 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25R	LOC-ILS	IKC	110.10 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25L	GS	IQA	109.70 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m
25R	GS	IKC	110.10 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m

OOMS

Region: OMAN
Timezone: ASIA/MUSCAT
Runways: 2

Elevation: 46 ft / 14 m
Location: 23.600300 58.280900
Magnetic Var: 1.790 E

METAR

OOMS 151150Z 05010KT CAVOK 34/29 Q0997 NOSIG

TAF

TAF OOMS 151100Z 1512/1618 05013KT 8000 FEW025 BECMG 1516/1518 VRB02KT PROB30 TEMPO 1523/1605 4000 BR BKN010 PROB

Frequencies

REC - 126.80 MHz - ATIS
TWR - 118.40 MHz -
APP - 119.80 MHz - RADAR
GND - 121.80 MHz -
APP - 121.20 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	197 ft	13,106 ft	84.99	ASPHALT	0 ft	390 ft
	60 m	3,995 m	83.20		0 m	119 m
26R	197 ft	13,106 ft	265.01	ASPHALT	525 ft	394 ft
	60 m	3,995 m	263.22		160 m	120 m
08R	148 ft	11,743 ft	84.98	CONCRETE	1,371 ft	197 ft
	45 m	3,579 m	83.19		418 m	60 m
26L	148 ft	11,743 ft	264.99	CONCRETE	0 ft	200 ft
	45 m	3,579 m	263.20		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IMW	108.30 MHz	18 nm	-	-	45 ft
				33 km	-		45 m
26L	DME	ISB	110.30 MHz	18 nm	-	-	25 ft
				33 km	-		25 m
08L	LOC-ILS	IML	108.90 MHz	18 nm	84.97	-	47 ft
				33 km	83.18		47 m
26R	LOC-ILS	IMR	110.70 MHz	18 nm	264.97	-	48 ft
				33 km	263.18		48 m
08L	GS	IML	108.90 MHz	10 nm	84.97	3.00	47 ft
				19 km	83.18		47 m
26R	GS	IMR	110.70 MHz	10 nm	264.97	3.00	48 ft
				19 km	263.18		48 m