


2024/05/11 0215Z

LFLL LFLL

81.38 nm / 150.72 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFLL	-	45.73499	0 ft	-	Lyon Saint Exupery
APT	-	5.09188	0 m		
LFLL	-	45.78482	0 ft	81	-
APT	-	3.15082	0 m		

LFL

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 817 ft / 249 m
Location: 45.725800 5.090730
Magnetic Var: 2.258 E

METAR

LFL 110200Z 14004KT CAVOK 15/12 Q1018 NOSIG

TAF

TAF LFL 102300Z 1100/1206 VRB03KT CAVOK BECMG 1100/1103 16006KT

Frequencies

REC - 126.17 MHz - SAINT EXUPERY ATIS	CLD - 121.65 MHz - SAINT EXUPERY DELIVERY
GND - 121.82 MHz - SAINT EXUPERY GROUND	TWR - 120.45 MHz - SAINT EXUPERY TOWER
APP - 120.22 MHz - LYON APPROACH	APP - 125.42 MHz - LYON APPROACH
APP - 125.80 MHz - LYON APPROACH	APP - 133.15 MHz - LYON APPROACH
APP - 136.07 MHz - LYON APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	145 ft	13,135 ft	175.14	ASPHALT	0 ft	190 ft
	44 m	4,003 m	172.88		0 m	58 m
35L	145 ft	13,135 ft	355.14	ASPHALT	0 ft	184 ft
	44 m	4,003 m	352.89		0 m	56 m
17L	148 ft	8,766 ft	175.14	ASPHALT	0 ft	59 ft
	45 m	2,672 m	172.88		0 m	18 m
35R	148 ft	8,766 ft	355.14	ASPHALT	0 ft	62 ft
	45 m	2,672 m	352.88		0 m	19 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	LSS	109.10 MHz	18 nm	-	-	775 ft
				33 km	-		775 m
35L	DME	SAN	110.75 MHz	18 nm	-	-	810 ft
				33 km	-		810 m
35R	DME	LSN	111.50 MHz	18 nm	-	-	812 ft
				33 km	-		812 m
17L	LOC-ILS	LSS	109.10 MHz	18 nm	175.14	-	818 ft
				33 km	172.88		818 m
35L	LOC-ILS	SAN	110.75 MHz	18 nm	355.15	-	818 ft
				33 km	352.89		818 m
35R	LOC-ILS	LSN	111.50 MHz	18 nm	355.14	-	818 ft
				33 km	352.88		818 m
17L	GS	LSS	109.10 MHz	10 nm	175.14	3.00	818 ft
				19 km	172.88		818 m
35L	GS	SAN	110.75 MHz	10 nm	355.15	3.00	818 ft
				19 km	352.89		818 m
35R	GS	LSN	111.50 MHz	10 nm	355.14	3.00	818 ft
				19 km	352.88		818 m

LFLC

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 1,091 ft / 333 m
Location: 45.786700 3.169980
Magnetic Var: 1.766 E

METAR

LFLC 110200Z AUTO VRB01KT CAVOK 14/11 Q1017 NOSIG

TAF

TAF LFLC 102300Z 1100/1124 VRB03KT CAVOK PROB30 TEMPO 1104/1106 4000 MIFG BECMG 1106/1109 16008KT

Frequencies

REC - 136.40 MHz - CLERMONT ATIS	GND - 121.95 MHz - CLERMONT GROUND
TWR - 118.62 MHz - CLERMONT TOWER	APP - 119.37 MHz - CLERMONT APPROACH
APP - 120.50 MHz - CLERMONT APPROACH	APP - 120.67 MHz - CLERMONT APPROACH
APP - 122.22 MHz - CLERMONT APPROACH	APP - 133.72 MHz - CLERMONT APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	9,869 ft	81.95	ASPHALT	0 ft	0 ft
	45 m	3,008 m	80.18		0 m	0 m
26	148 ft	9,869 ft	261.98	ASPHALT	469 ft	0 ft
	45 m	3,008 m	260.21		143 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	DME	CF	111.10 MHz	27 nm	-	-	1,089 ft
				50 km	-		1,089 m
26	LOC-ILS	CF	111.10 MHz	18 nm	261.96	-	1,091 ft
				33 km	260.19		1,091 m
26	GS	CF	111.10 MHz	10 nm	261.96	3.00	1,091 ft
				19 km	260.19		1,091 m