


2024/05/23 0313Z

KSAN ARGUS **V458** HEEDS **J18** BZA **V66** MOHAK KPHX

268.78 nm / 497.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 26000ft
- Cruise Speed: 320kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSAN	-	32.73350	0 ft	-	San Diego Intl
APT	-	-117.19000	0 m		
ARGUS	-	32.75360	26,000 ft	94	-
FIX	-	-115.31100	7,925 m		
HEEDS	V458	32.76030	26,000 ft	15	-
FIX	AWY-LO	-115.00800	7,925 m		
BZA	J18	32.76810	26,000 ft	20	BARD (YUMA)
VOR	AWY-HI	-114.60300	7,925 m		
WARTT	V66	32.77210	26,000 ft	15	-
FIX	AWY-LO	-114.30600	7,925 m		
MOHAK	V66	32.77580	26,000 ft	16	-
FIX	AWY-LO	-113.97200	7,925 m		
KPHX	-	33.43360	0 ft	106	Phoenix Sky Harbor Intl
APT	-	-112.01200	0 m		

KSAN

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 1

Elevation: 17 ft / 5 m
Location: 32.733600 -117.190000
Magnetic Var: 10.967 E

METAR

KSAN 230251Z VRB06KT 10SM BKN021 17/11 A2998 RMK A02 SLP151 T01670111 53004 \$

TAF

TAF KSAN 222337Z 2300/2406 24011G17KT P6SM BKN022 FM230500 VRB04KT P6SM OVC015 FM231500 19010KT P6SM OVC020 FM231

Frequencies

REC - 134.80 MHz - LINDBERGH ATIS	CLD - 125.90 MHz - LINDBERGH CLEARANCE
GND - 123.90 MHz - LINDBERGH GROUND	TWR - 118.30 MHz - LINDBERGH TOWER
DEP - 119.60 MHz - SOCAL WEST DEPARTURE	DEP - 124.35 MHz - SOCAL EAST DEPARTURE
APP - 119.60 MHz - SOCAL WEST APPROACH	APP - 124.35 MHz - SOCAL EAST APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	200 ft	9,388 ft	106.13	ASPHALT	1,004 ft	390 ft
	61 m	2,861 m	95.17		306 m	119 m
27	200 ft	9,388 ft	286.15	ASPHALT	1,811 ft	0 ft
	61 m	2,861 m	275.18		552 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ISAN	111.55 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
27	DME	IUBR	110.90 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
09	LOC-ILS	ISAN	111.55 MHz	18 nm	106.14	-	17 ft
				33 km	95.17		17 m
27	LOC-LOC	IUBR	110.90 MHz	18 nm	286.14	-	17 ft
				33 km	275.17		17 m
09	GS	ISAN	111.55 MHz	10 nm	106.14	3.10	17 ft
				19 km	95.17		17 m

KPHX

Region: UNITED STATES
Timezone: AMERICA/PHOENIX
Runways: 3

Elevation: 1,135 ft / 346 m
Location: 33.433600 -112.012000
Magnetic Var: 9.717 E

METAR

KPHX 230251Z 26009KT 10SM CLR 33/M08 A2973 RMK A02 SLP049 T03281083 55000

TAF

KPHX 230249Z 2303/2406 27008KT P6SM SKC FM230600 VRB05KT P6SM SKC FM230900 10006KT P6SM SKC FM231800 VRB06KT P6SM

Frequencies

REC - 127.57 MHz - ATIS	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 119.75 MHz - GROUND NORTH	GND - 132.55 MHz - GROUND SOUTH
TWR - 118.70 MHz - TOWER NORTH	TWR - 120.90 MHz - TOWER SOUTH
APP - 128.65 MHz - PHOENIX APPROACH	APP - 120.70 MHz - PHOENIX APPROACH
DEP - 124.10 MHz - PHOENIX APPROACH	DEP - 126.80 MHz - PHOENIX DEPARTURE
DEP - 124.90 MHz - PHOENIX DEPARTURE	DEP - 123.70 MHz - PHOENIX DEPARTURE
DEP - 119.20 MHz - PHOENIX DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	151 ft	11,500 ft	90.06	CONCRETE	912 ft	0 ft
	46 m	3,505 m	80.34		278 m	0 m
26	151 ft	11,500 ft	270.08	CONCRETE	0 ft	0 ft
	46 m	3,505 m	260.36		0 m	0 m
07L	151 ft	10,308 ft	90.04	CONCRETE	0 ft	0 ft
	46 m	3,142 m	80.32		0 m	0 m
25R	151 ft	10,308 ft	270.06	CONCRETE	0 ft	0 ft
	46 m	3,142 m	260.34		0 m	0 m
07R	151 ft	7,806 ft	90.04	CONCRETE	0 ft	0 ft
	46 m	2,379 m	80.32		0 m	0 m
25L	151 ft	7,806 ft	270.05	CONCRETE	0 ft	0 ft
	46 m	2,379 m	260.33		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IPHX	111.50 MHz	18 nm	-	-	1,142 ft
				33 km	-		1,142 m
07R	DME	IAHA	110.75 MHz	18 nm	-	-	1,135 ft
				33 km	-		1,135 m
08	DME	ISYQ	111.75 MHz	18 nm	-	-	1,149 ft
				33 km	-		1,149 m
25L	DME	IRJG	110.75 MHz	18 nm	-	-	1,135 ft
				33 km	-		1,135 m
26	DME	CWJ	111.75 MHz	18 nm	-	-	1,119 ft
				33 km	-		1,119 m
07L	LOC-ILS	IPHX	111.50 MHz	18 nm	90.05	-	1,135 ft
				33 km	80.33		1,135 m
07R	LOC-ILS	IAHA	110.75 MHz	18 nm	90.04	-	1,135 ft
				33 km	80.32		1,135 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	ISYQ	111.75 MHz	18 nm 33 km	90.07 80.35	-	1,135 ft 1,135 m
25L	LOC-ILS	IRJG	110.75 MHz	18 nm 33 km	270.04 260.32	-	1,135 ft 1,135 m
26	LOC-ILS	ICWJ	111.75 MHz	18 nm 33 km	270.07 260.35	-	1,135 ft 1,135 m
07L	GS	IPHX	111.50 MHz	10 nm 19 km	90.05 80.33	3.01	1,135 ft 1,135 m
07R	GS	IAHA	110.75 MHz	10 nm 19 km	90.04 80.32	3.01	1,135 ft 1,135 m
08	GS	ISYQ	111.75 MHz	10 nm 19 km	90.70 80.98	3.01	1,135 ft 1,135 m
25L	GS	IRJG	110.75 MHz	10 nm 19 km	270.04 260.32	3.00	1,135 ft 1,135 m
26	GS	ICWJ	111.75 MHz	10 nm 19 km	270.70 260.98	3.00	1,135 ft 1,135 m