


2024/05/15 1949Z

EGGW LEDBO **UM604** TOBIT ENVA

822.01 nm / 1522.37 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGGW	-	51.87463	0 ft	-	London Luton
APT	-	-0.36845	0 m	-	
LEDBO	-	52.54306	35,000 ft	99	-
FIX	-	2.10222	10,668 m	-	-
ENITO	UM604	52.80139	35,000 ft	20	-
FIX	AWY-HI	2.46750	10,668 m	-	-
BEKMO	UM604	52.98611	35,000 ft	12	-
FIX	AWY-HI	2.61944	10,668 m	-	-
OKAMA	UM604	53.17083	35,000 ft	12	-
FIX	AWY-HI	2.77278	10,668 m	-	-
GIVPO	UM604	53.28611	35,000 ft	7	-
FIX	AWY-HI	2.86917	10,668 m	-	-
ROKAN	UM604	53.66333	35,000 ft	25	-
FIX	AWY-HI	3.18889	10,668 m	-	-
VENAS	UM604	54.30556	35,000 ft	41	-
FIX	AWY-HI	3.65222	10,668 m	-	-
LARGA	UM604	54.86389	35,000 ft	37	-
FIX	AWY-HI	4.15333	10,668 m	-	-
INPUT	UM604	55.30500	35,000 ft	31	-
FIX	AWY-HI	4.65139	10,668 m	-	-
INBOB	UM604	55.60694	35,000 ft	21	-
FIX	AWY-HI	5.00000	10,668 m	-	-
BUSOM	UM604	55.94194	35,000 ft	24	-
FIX	AWY-HI	5.39472	10,668 m	-	-
DANKO	UM604	57.00000	35,000 ft	76	-
FIX	AWY-HI	6.69778	10,668 m	-	-
SVA	UM604	58.08450	35,000 ft	75	SVENSHEIA VOR-DME
VOR	AWY-HI	7.90831	10,668 m	-	
OSVIG	UM604	61.07444	31,900 ft	185	-
FIX	AWY-HI	9.39889	9,723 m	-	-
TOBIT	UM604	62.00000	23,500 ft	57	-
FIX	AWY-HI	9.93250	7,163 m	-	-
ENVA	-	63.45760	0 ft	91	Vaernes
APT	-	10.91798	0 m	-	

EGGW

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 524 ft / 160 m
Location: 51.874600 -0.368432
Magnetic Var: 0.375 E

METAR

EGGW 151920Z AUTO 13004KT 9999 NCD 15/10 Q1006

TAF

TAF EGGW 151654Z 1518/1618 10008KT 9999 SCT025 BECMG 1602/1605 4000 BR BKN003 PROB30 1603/1607 0300 FG VV/// BECMG

Frequencies

REC - 120.57 MHz - LUTON INFORMATION
TWR - 126.72 MHz - LUTON TOWER
APP - 128.75 MHz - LUTON APPROACH
GND - 121.75 MHz - LUTON GROUND
APP - 129.55 MHz - LUTON APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	150 ft	7,067 ft	74.35	ASPHALT	0 ft	197 ft
	46 m	2,154 m	73.98		0 m	60 m
25	150 ft	7,067 ft	254.37	ASPHALT	279 ft	0 ft
	46 m	2,154 m	254.00		85 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	ILTN	109.15 MHz	18 nm	74.36	-	526 ft
				33 km	73.98		526 m
25	LOC-ILS	ILJ	109.15 MHz	18 nm	254.36	-	526 ft
				33 km	253.98		526 m
07	GS	ILTN	109.15 MHz	10 nm	74.36	3.00	526 ft
				19 km	73.98		526 m
25	GS	ILJ	109.15 MHz	10 nm	254.36	3.00	526 ft
				19 km	253.98		526 m

ENVA

Region: NORWAY
Timezone: EUROPE/OSLO
Runways: 1

Elevation: 56 ft / 17 m
Location: 63.457500 10.924200
Magnetic Var: 4.725 E

METAR

ENVA 151920Z 24011KT CAVOK 18/10 Q1017 NOSIG RMK WIND 670FT 28012KT

TAF

TAF ENVA 151700Z 1518/1618 24010KT CAVOK BECMG 1518/1521 12007KT BECMG 1608/1610 26012KT

Frequencies

REC - 127.55 MHz - ATIS
GND - 121.60 MHz - GROUND
APP - 119.15 MHz - TAR

TWR - 119.40 MHz -
APP - 118.60 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	9,744 ft	90.18	ASPHALT	830 ft	0 ft
	45 m	2,970 m	85.46		253 m	0 m
27	148 ft	9,744 ft	270.24	ASPHALT	745 ft	0 ft
	45 m	2,970 m	265.51		227 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	TO	110.30 MHz	18 nm	-	-	31 ft
				33 km	-		31 m
27	DME	TD	109.90 MHz	18 nm	-	-	78 ft
				33 km	-		78 m
09	LOC-ILS	TO	110.30 MHz	18 nm	90.26	-	31 ft
				33 km	85.53		31 m
27	LOC-ILS	TD	109.90 MHz	18 nm	270.20	-	56 ft
				33 km	265.48		56 m
09	GS	TO	110.30 MHz	10 nm	90.46	3.00	56 ft
				19 km	85.74		56 m
27	GS	TD	109.90 MHz	10 nm	270.46	3.40	56 ft
				19 km	265.74		56 m