

SBGR

Guarulhos-Andre Franco Montoro Intl


SBCT

Afonso Pena Intl Curitiba

2024/05/09 0110Z

SBGR SCB W57 LUCAS SBCT

206.34 nm / 382.14 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
SBGR	-	-23.43230	0 ft	-		Guarulhos-Andre Franco Montoro Intl
APT	-	-46.46950	0 m			
SCB	-	-23.50710	17,900 ft	50		SOROCABA (SAO PAULO TMA)
VOR	-	-47.37820	5,456 m			
LUCAS	W57	-25.01400	8,500 ft	115	-	
FIX	AWY-LO	-48.70250	2,591 m			
SBCT	-	-25.52880	0 ft	40		Afonso Pena Intl Curitiba
APT	-	-49.17310	0 m			

SBGR

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 2,461 ft / 750 m
Location: -23.432300 -46.469500
Magnetic Var: 22.209 W

METAR

SBGR 090000Z 06003KT CAVOK 21/17 Q1020

TAF

TAF SBGR 082200Z 0900/1006 34008KT CAVOK TN18/0909Z TX31/0918Z BECMG 0901/0903 36005KT BECMG 0913/0915 34005KT BE

Frequencies

REC - 127.75 MHz - GUARULHOS ATIS	CLD - 121.00 MHz - GUARULHOS CLEARANCE
GND - 121.70 MHz - GUARULHOS GROUND	GND - 126.90 MHz - GUARULHOS GROUND
TWR - 118.40 MHz - GUARULHOS TOWER	TWR - 132.75 MHz - GUARULHOS TOWER
TWR - 135.20 MHz - GUARULHOS TOWER	APP - 129.75 MHz - SAO PAULO APPROACH
APP - 119.15 MHz - SAO PAULO APPROACH	APP - 120.45 MHz - SAO PAULO APPROACH
APP - 120.85 MHz - SAO PAULO APPROACH	APP - 133.85 MHz - SAO PAULO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	148 ft	12,131 ft	73.60	ASPHALT	295 ft	190 ft
	45 m	3,698 m	95.81		90 m	58 m
27R	148 ft	12,131 ft	253.59	ASPHALT	200 ft	194 ft
	45 m	3,698 m	275.79		61 m	59 m
09R	148 ft	9,832 ft	73.60	ASPHALT	0 ft	194 ft
	45 m	2,997 m	95.81		0 m	59 m
27L	148 ft	9,832 ft	253.59	ASPHALT	0 ft	194 ft
	45 m	2,997 m	275.80		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IUC	110.70 MHz	18 nm	73.59	-	2,461 ft
				33 km	95.80		2,461 m
09R	LOC-ILS	IGR	111.50 MHz	18 nm	73.60	-	2,461 ft
				33 km	95.81		2,461 m
27L	LOC-ILS	IBC	111.10 MHz	18 nm	253.60	-	2,459 ft
				33 km	275.81		2,459 m
27R	LOC-ILS	IGS	111.90 MHz	18 nm	253.59	-	2,459 ft
				33 km	275.80		2,459 m
09L	GS	IUC	110.70 MHz	10 nm	73.59	3.00	2,461 ft
				19 km	95.80		2,461 m
09R	GS	IGR	111.50 MHz	10 nm	73.60	2.92	2,461 ft
				19 km	95.81		2,461 m
27L	GS	IBC	111.10 MHz	10 nm	253.60	3.00	2,459 ft
				19 km	275.81		2,459 m
27R	GS	IGS	111.90 MHz	10 nm	253.59	3.00	2,458 ft
				19 km	275.80		2,458 m

SBCT

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 2,989 ft / 911 m
Location: -25.528800 -49.173100
Magnetic Var: 20.543 W

METAR

SBCT 090000Z 34007KT CAVOK 23/15 Q1019

TAF

TAF SBCT 082100Z 0900/0924 03005KT CAVOK TN17/0908Z TX27/0918Z BECMG 0907/0909 5000 BR NSC BECMG 0911/0913 9999 FT

Frequencies

REC - 127.80 MHz - CURITIBA ATIS
TWR - 118.15 MHz - CURITIBA TOWER
APP - 120.65 MHz - CURITIBA APPROACH
APP - 129.55 MHz - CURITIBA APPROACH
GND - 121.90 MHz - CURITIBA GROUND
APP - 119.95 MHz - CURITIBA APPROACH
APP - 120.95 MHz - CURITIBA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	7,278 ft	134.69	ASPHALT	0 ft	230 ft
	45 m	2,218 m	155.24		0 m	70 m
33	148 ft	7,278 ft	314.69	ASPHALT	0 ft	213 ft
	45 m	2,218 m	335.23		0 m	65 m
11	148 ft	5,905 ft	91.73	ASPHALT	0 ft	0 ft
	45 m	1,800 m	112.28		0 m	0 m
29	148 ft	5,905 ft	271.73	ASPHALT	0 ft	89 ft
	45 m	1,800 m	292.27		0 m	27 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	ICT	109.30 MHz	18 nm	134.69	-	2,988 ft
				33 km	155.23		2,988 m
33	LOC-ILS	ITA	110.30 MHz	18 nm	314.69	-	2,988 ft
				33 km	335.23		2,988 m
15	GS	ICT	109.30 MHz	10 nm	134.69	3.00	2,988 ft
				19 km	155.23		2,988 m
33	GS	ITA	110.30 MHz	10 nm	314.69	3.00	2,988 ft
				19 km	335.23		2,988 m